



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

23-27s-24w Ford Ks.

2020 N. Bramblewood
Wichita Ks. 67206

Tami #1-23

Job Ticket: 50956

DST#: 1

ATTN: Ryan Seib

Test Start: 2013.03.26 @ 16:59:17

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

35.3 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

84500 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 14.39 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 4500.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

| Length ft | Description | Volume bbbl |
|--------------|---------------------|----------------|
| 335.00 | SW/w o specs | 3.606 |
| 125.00 | GOCM 49%g 21%o 30%m | 1.753 |
| 75.00 | CGO 11%g 89%o | 1.052 |
| 0.00 | 2900 ft.of GIP | 0.000 |

Total Length: 535.00 ft Total Volume: 6.411 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments: Rw .16ohms @43deg

