

# DIAMOND TESTING

## General Information Report

### General Information

**Company Name** TRANS PACIFIC OIL CORPORATION  
**Contact** BETH ISERN  
**Well Name** HANKS "C" #1-10  
**Unique Well ID** DST #3, 220, 4166-4200  
**Surface Location** SEC 10-17S-27W, LANE CO. KS.  
**Field** WILDCAT  
**Well Type** Vertical  
**Test Type** CONVENTIONAL  
**Formation** DST #3, 220, 4166-4200  
**Well Fluid Type** 01 Oil

**Representative** TIM VENTERS  
**Well Operator** TRANS PACIFIC OIL CORPORATION  
**Report Date** 2013/06/11  
**Prepared By** TIM VENTERS  
**Qualified By** MIKE KIDWELL

**Start Test Date** 2013/06/10  
**Final Test Date** 2013/06/11


**Start Test Time** 21:12:00  
**Final Test Time** 05:57:00

### Test Recovery:

RECOVERED: 370' GAS IN PIPE  
65' G,VHOCM, 6% GAS, 46% OIL, 48% MUD

TOOL SAMPLE: 4% GAS, 33% OIL, 63% MUD

# HANKS "C" #1-10





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: HANKSC1-10DST3

TIME ON: 21:12 6-10-13  
TIME OFF: 05:57 6-11-13

Company TRANS PACIFIC OIL CORPORATION Lease & Well No. HANKS "C" #1-10  
Contractor DUKE DRILLING CO., INC. RIG #4 Charge to TRANS PACIFIC OIL CORPORATION  
Elevation 2590 KB Formation \_\_\_\_\_ 220 Effective Pay \_\_\_\_\_ Ft. Ticket No. T219  
Date 6-10-13 Sec. 10 Twp. \_\_\_\_\_ 17 S Range \_\_\_\_\_ 27 W County LANE State KANSAS  
Test Approved By MIKE KIDWELL Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 3 Interval Tested from 4166 ft. to 4200 ft. Total Depth 4200 ft.  
Packer Depth 4161 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 4166 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4143 ft. Recorder Number 8457 Cap. 10,000 P.S.I.  
Bottom Recorder Depth (Outside) 4197 ft. Recorder Number 11030 Cap. 5,025 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 56 Drill Collar Length \_\_\_\_\_ ft. I.D. 2 1/4 in.  
Weight 9.2 Water Loss 8,2 cc. Weight Pipe Length \_\_\_\_\_ ft. I.D. 2 7/8 in.  
Chlorides 4,500 P.P.M. Drill Pipe Length 4133 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 34 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW, BUILDING, REACHING BOB 20 1/2 MIN. (NO BB)  
2nd Open: STRONG 6 INCH BLOW, BUILDING, REACHING BOB 8 1/2 MIN. (NO BB)

Recovered 370 ft. of GAS IN PIPE  
Recovered 65 ft. of G,VHOCM, 6% GAS, 46% OIL, 48% MUD  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

|                                       |               |
|---------------------------------------|---------------|
| Remarks: _____                        | Price Job     |
| _____                                 | Other Charges |
| _____                                 | Insurance     |
| TOOL SAMPLE: 4% GAS, 33% OIL, 63% MUD | Total         |

Time Set Packer(s) 11:29 PM A.M. P.M. Time Started Off Bottom 3:44 AM A.M. P.M. Maximum Temperature 120 deg.

Initial Hydrostatic Pressure..... (A) 1987 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 6 P.S.I. to (C) 18 P.S.I.  
Initial Closed In Period..... Minutes 75 (D) 831 P.S.I.  
Final Flow Period..... Minutes 60 (E) 20 P.S.I. to (F) 35 P.S.I.  
Final Closed In Period..... Minutes 90 (G) 804 P.S.I.  
Final Hydrostatic Pressure..... (H) 1981 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.