


RJM CO
DST1 LAN A-F 3102-3185
Start Test Date: 2014/12/08
Final Test Date: 2014/12/08

URBAN WALKER 1
Formation: DST1 LAN A-F 3102-3185
Pool: WILDCAT
Job Number: A132

URBAN WALKER 1



8:00
2014/12/8

11:00
5585 Time

12:00

13:00

14:00

DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA
CELL # 620-617-7202

General Information

| | | | | |
|---------------------|--------|-------------------------------|----------------|---------------|
| Company Name | RJM CO | CHRIS HOFFMAN | Job Number | A132 |
| Contact | | URBAN WALKER 1 | Representative | ANDY CARREIRA |
| Well Name | | DST1 LAN A-F 3102-3185 | Well Operator | RJM CO |
| Unique Well ID | | SEC 26-16S-12W BARTON CNTY,KS | Report Date | 2014/12/08 |
| Surface Location | | | Prepared By | ANDY CARREIRA |
| Well License Number | | | | |
| Field | | WILDCAT | | |
| Well Type | | Vertical | | |

Test Information

| | |
|-----------------|------------------------|
| Test Type | CONVENTIOAL |
| Formation | DST1 LAN A-F 3102-3185 |
| Well Fluid Type | 01 Oil |
| Test Purpose | Initial Test |

| | | | |
|-----------------|------------|-----------------|----------|
| Start Test Date | 2014/12/08 | Start Test Time | 08:55:00 |
| Final Test Date | 2014/12/08 | Final Test Time | 13:40:00 |

| | |
|------------|------|
| Gauge Name | 5585 |
|------------|------|

Test Results

RECOVERY: 10' MUD

TOOL SAMPLE: LESS THAN 1% OIL, MUD



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: URBAN WALKER 1 DST1

TIME ON: 08:55
TIME OFF: 13:40

Company RJM CO. Lease & Well No. URBAN WALKER 1
Contractor ROYAL 2 Charge to RJM CO
Elevation 1917 KB Formation LAN A-F Effective Pay _____ Ft. Ticket No. A132
Date 12-8-14 Sec. 26 Twp. _____ 16 S Range _____ 12 W County BARTON State KANSAS
Test Approved By WYATT URBAN Diamond Representative ANDY CARREIRA

Formation Test No. 1 Interval Tested from 3102 ft. to 3185 ft. Total Depth 3185 ft.
Packer Depth 3097 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3102 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____
Top Recorder Depth (Inside) 3092 ft. Recorder Number 5585 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 3104 ft. Recorder Number 8471 Cap. 10000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 49 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 7.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 3000 P.P.M. Drill Pipe Length 3077 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number N/A Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 83 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: DEAD IN 8 MIN. FLUSHED, SURGED, SURFACE BLOW. DEAD IN 5 MIN, (NObb)
2nd Open: NO BLOW (NObb)

| | |
|---|---------------|
| Recovered <u>10</u> ft. of <u>MUD</u> | |
| Recovered _____ ft. of _____ | |
| Recovered _____ ft. of _____ | |
| Recovered _____ ft. of _____ | |
| Recovered _____ ft. of _____ | Price Job |
| Recovered _____ ft. of _____ | Other Charges |
| Remarks: _____ | Insurance |
| TOOL SAMPLE: <u>LESS THAN 1% OIL, MUD</u> | Total |

Time Set Packer(s) 10:18 AM A.M. P.M. Time Started Off Bottom 12:18 PM A.M. P.M. Maximum Temperature 94
Initial Hydrostatic Pressure..... (A) 1459 P.S.I.
Initial Flow Period..... Minutes 30 (B) 6 P.S.I. to (C) 12 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 357 P.S.I.
Final Flow Period..... Minutes 30 (E) 10 P.S.I. to (F) 12 P.S.I.
Final Closed In Period..... Minutes 30 (G) 240 P.S.I.
Final Hydrostatic Pressure..... (H) 1425 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.