

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form U3C
June 2015
Form must be Typed
Form must be completed
on a per well basis

**ANNUAL REPORT OF PRESSURE MONITORING,
FLUID INJECTION AND ENHANCED RECOVERY**

Complete all blanks - add pages if needed. Copy to be retained for five (5) years after filing date.

OPERATOR: License # _____
Name: _____
Address 1: _____
Address 2: _____
City: _____ State: _____ Zip: _____ + _____
Contact Person: _____
Phone: (_____) _____
Lease Name: _____
Well Number: _____

API No.: _____
Permit No.: _____
Reporting Year: _____
(January 1 to December 31)
____ - ____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ E W
(a/a/a/a)
_____ feet from N / S Line of Section
_____ feet from E / W Line of Section
County: _____

I. Injection Fluid:

Type (Pick one): Fresh Water Treated Brine Untreated Brine Water/Brine
Source: Produced Water Other (Attach list)
Quality: Total Dissolved Solids: _____ mg/l Specific Gravity: _____ Additives: _____
(Attach water analysis, if available)

II. Well Data:

Maximum Authorized Injection Pressure: _____ psi Injection Zone: _____
Maximum Authorized Injection Rate: _____ barrels per day
Total Number of Enhanced Recovery Injection Wells Covered by this Permit: _____ (Include TA's)

III.	Month:	Total Fluid Injected BBL	Maximum Fluid Pressure	Total Gas Injected MCF	Maximum Gas Pressure	# Days of Injection
	January	_____	_____	_____	_____	_____
	February	_____	_____	_____	_____	_____
	March	_____	_____	_____	_____	_____
	April	_____	_____	_____	_____	_____
	May	_____	_____	_____	_____	_____
	June	_____	_____	_____	_____	_____
	July	_____	_____	_____	_____	_____
	August	_____	_____	_____	_____	_____
	September	_____	_____	_____	_____	_____
	October	_____	_____	_____	_____	_____
	November	_____	_____	_____	_____	_____
	December	_____	_____	_____	_____	_____
	TOTAL	_____	_____	_____	_____	_____

STAABCO CHEMICAL, INC.

P.O. Box D
Plainville, KS 67663

Phone: (785) 737-6141
Fax: (785) 434-2529

WATER ANALYSIS REPORT

Company: Shakespeare
Source: Glassman 4-35 SWD & 6-36 Inj.

Date Sampled: February, 2019
Date Analyzed: February, 2019

pH: 6.60
Dissolved H₂S: 30
Dissolved CO₂: 0
Specific Gravity: 1.080
Density, (lbs/gal): 9.01

Total Dissolved Solids (mg/L): 124,714
Total Ionic Strength: 2.267

	mg/L	Meq/L
Anions		
Sulfide	67.2	67.2
Bicarbonate:	616	10
Chloride:	74,000	2,085
Sulfate:	2,200	46
Cations		
Calcium:	1,920	96
Magnesium:	1,220	100
Sodium:	44,722	1,944
Barium:	36	
Strontium:	0	
Total Hardness:	3,920	
Total Dissolved Iron:	0	
Ferrous Iron:	Not Determined	

PROBABLE MINERAL COMPOSITION

96 Ca	10 HCO ₃		
100 Mg	46 SO ₄		
1,944 Na	2,085 Cl		
Saturation Values			
In Distilled Water @ 20°C			
CaCO ₃	13 mg/L	Calcium Bicarbonate:	10 819
CaSO ₄ * 2H ₂ O	2,090 mg/L	Calcium Sulfate:	46 3,120
MgCO ₃	103 mg/L	Calcium Chloride:	40 2,224
		Magnesium Bicarbonate:	0 0
		Magnesium Sulfate:	0 0
		Magnesium Chloride:	100 4,762
		Sodium Bicarbonate:	0 0
		Sodium Sulfate:	0 0
		Sodium Chloride:	1,944 113,672

COMMENTS:

STAABCO CHEMICAL, INC.

P.O. Box D
Plainville, KS 67663

Phone: (785) 737-6141
Fax: (785) 434-2529

Scale Deposition Potential Analysis

Company: Shakespeare
Source: Glassman 4-35 SWD & 6-36 Inj.

Date Sampled: February, 2019
Date Analyzed: February, 2019

Brine Composition

pH:	6.60	Ca, mg/L:	1,920	Total Hardness, mg/L:	3,920
Specific Gravity:	1.080	Mg, mg/L:	1,220	Total Dissolved Solids, mg/L:	124,714
HCO ₃ , mg/L:	616	Na, mg/L:	44,722	Total Ionic Strength:	2.267
Cl, mg/L:	74,000	Ba, mg/L:	36		
SO ₄ , mg/L:	2,200	Sr, mg/L:	0	Total Dissolved Iron, mg/L:	0.0

Calcium Carbonate Scale Indices

					Specified Temperatures	
Temperature, °F:	75	100	125	150	110	130
Stiff-Davis Index:	-0.03	0.28	0.62	1.08	0.40	0.71
Deposition, lbs/1,000 Bbls:	-31.7	132.6	249.0	315.8	184.5	267.8

Calcium Sulfate Scale Indices

					Specified Temperatures	
Temperature, °F:	75	100	125	150	110	130
Supersaturation Ratio:	0.53	0.53	0.54	0.54	0.53	0.54
Deposition, lbs/1,000 Bbls:	-969.2	-963.1	-940.8	-928.7	-954.5	-936.3

Barium Sulfate Scale Indices

					Specified Temperatures	
Temperature, °F:	75	100	125	150	110	130
Supersaturation Ratio:	342.10	248.29	179.36	127.70	218.16	166.66
Deposition, lbs/1,000 Bbls:	21.4	21.3	21.3	21.2	21.3	21.3

 Return To Main Menu



STAABCO CHEMICAL, INC.

P.O. Box D
Plainville, KS 67663

Phone: (785) 737-6141
Fax: (785) 434-2529

Scale Deposition Potential Trends

Company: Shakespeare
Source: Glassman 4-35 SWD & 6-36 Inj.

Date Sampled: February, 2019
Date Analyzed: February, 2019

