

9-22 15-185-10616.0001

To: 1 120135  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15- Docket #E-18,556  
SW NE, SEC. 17, T 21 S, R 13 W/E

TECHNICIAN'S PLUGGING REPORT

RECEIVED  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
Wichita, Kansas  
SEP 27 1988

3630 feet from S section line  
1650 feet from E section line

Operator License # 5088 Lease Name Grow Well # 2

Operator: John J. Darrah, Jr.  
Name & Address: 412 East Douglas, Suite One  
Wichita, KS 67202

County Stafford 119.80

Well Total Depth 3686 feet

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 807

Abandoned Oil Well Gas Well Input Well X SWD Well D&A

Other well as hereinafter indicated

Plugging Contractor D.S. & W. Well Servicing Inc. License Number 6901

Address Box 231, Claflin, KS 67525

Company to plug at: Hour: 2 p.m. Day: 21 Month: 9 Year: 19 88

Plugging proposal received from Joe Foelgner, Jr.

(company name) John J. Darrah, Jr. (phone) 316-263-2243

were: 5 1/2" at 3681' Perfs at 3408-71' Packer at 2500'

1st plug sand back to 50' above perfs to 2450' with 5 sx cement on top.

2nd plug pump 50 sx cement at 680',

3rd plug pump 50 sx cement at 330',

4th plug pump 10 sx cement at 40 0'.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All X Part None

Operations Completed: Hour: 4 p.m. Day: 22 Month: 9 Year: 19 88

ACTUAL PLUGGING REPORT 1st plug sanded back to 2450' with 5 sx cement on top with bailer,

Ran 2-7/8" tubing to 740' and pumped 10 sx gel and 50 sx 60/40 Pozmix 2% gel 3% cc cement,

no circulation. Pulled 10 joints tubing and ran measuring line to 780'. Didn't touch

anything. Ran tubing back to 740' and after setting 45 minutes, pumped another 115 sx

cement same as above with 500 lbs. hulls added. Pulled and laid down tubing and shut

down for night. 9/22/88 Ran measuring line to 1160', line stacked out. Ran measuring (over)

Remarks: Used 50/50 Pozmix 2% gel, 2% cc & 60/40 Pozmix 2% gel, 3% cc by HOWCO. Recovered 682' (if additional description is necessary, use BACK of this form.) of 5 1/2" casing.

I (did / did not) observe this plugging.

INVOICED

DATE 10-6-88

Signed Steve Durrant (TECHNICIAN)

INV. NO. 22520

PLUGGING REPORT: CONT.

line a second time to check the fluid level-top of fluid at 555'. Filled hole with approximately 30 barrels of saltwater.

Ran tubing to 1240'. The tubing stacked out. Laid down one joint and pumped at 1234' with 75 sx 50/50 Pozmix 2% gel, 2% cc and  $\frac{1}{4}$  lbs. floseal with hulls added. Laid down 17 joints tubing approximately 510' and let set for 45 minutes. Pumped another 75 sx cement same as above at approximately 724'. Laid down 17 joints tubing and let set another 45 minutes. Ran four joints of tubing back in-last joint was floating some going in hole and circulated from approximately 335' with 111 sx 50/50 Pozmix 2% gel, 2% cc and  $\frac{1}{4}$  lbs. floseal with hulls added. Pulled and laid down all tubing and filled hole with 5 sx cement.