

or KCC Use:
:ffective Date:
District #
CA2 Von No

This authorization expires: ___

Spud date: _

(This authorization void if drilling not started within 12 months of approval date.)

_ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:				Spot Description:	
	month	day year		Sec Twp	S B F
				(0/0/0/0)	N / S Line of Sect
				feet from	\vdash
				Is SECTION: Regular Irregular?	L / W Line of oect
		Zip: +		(Note: Locate well on the Section Plat or	n reverse side)
•		Zip:		County:	
				Lease Name:	Well #:
				Field Name:	
				Is this a Prorated / Spaced Field?	Yes I
.me:				Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:		Nearest Lease or unit boundary line (in footage):	
Oil Enh R	Rec Infield	Mud Rotary		Ground Surface Elevation:	
Gas Storag	=			Water well within one-quarter mile:	Yes
Dispos	· 🖃	Cable		Public water supply well within one mile:	Yes
Seismic ;# o	f Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
If OVAVACO - 1-1 !!	information of fell	0.		Surface Pipe by Alternate: II II	
If OWWO: old well	information as follows	5:		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Da	te: Or	riginal Total Depth:		Formation at Total Depth:	
			٦.,	Water Source for Drilling Operations:	
rectional, Deviated or Hor		Yes	_	Well Farm Pond Other:	
•				DWR Permit #:	
				(Note: Apply for Permit with DWI	
50 BRT #.				Will Cores be taken? If Yes, proposed zone:	Yes
			AFFI	DAVIT	
ne undersigned hereby a	affirms that the drilli	ng, completion and even		DAVIT ging of this well will comply with K.S.A. 55 et. seq.	
s agreed that the follow	ing minimum requir	rements will be met:			
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE II Or pursuant to Apport 	ing minimum require that district office printed notice of intent unt of surface pipe a blidated materials ple, an agreement be strict office will be not I COMPLETION, prendix "B" - Eastern	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall lus a minimum of 20 feet between the operator and to otified before well is either oduction pipe shall be of Kansas surface casing of	on each of be set by into the district plugge emented order #13	ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pip	arior to plugging; AYS of spud date. ernate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate des	ing minimum required the district office printed and office of intention of surface pipe a colidated materials place, an agreement bestrict office will be not a COMPLETION, prendix "B" - Eastern within 30 days of the properties of the colin of the coli	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall lus a minimum of 20 feet between the operator and to otified before well is either oduction pipe shall be of Kansas surface casing of	on each of be set by into the district plugge emented order #13	ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, alte	arior to plugging; AYS of spud date. ernate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate deserving	ing minimum required the district office printed and office of intention of surface pipe a colidated materials place, an agreement bestrict office will be not a COMPLETION, prendix "B" - Eastern within 30 days of the properties of the colin of the coli	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall lus a minimum of 20 feet between the operator and to otified before well is either oduction pipe shall be of Kansas surface casing of	on each of be set by into the district plugge emented order #13	ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pip underlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, alte olugged. In all cases, NOTIFY district office prior to	AYS of spud date. ernate II cementing any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis bmitted Electror For KCC Use ONLY	ing minimum required the district office printed and the district office printed and the district office will be not a complete office within 30 days of the complete of the district office will be not a complete of the district office will be not a complete of the district office will be not a complete of the district of t	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall alous a minimum of 20 feet between the operator and storified before well is either oduction pipe shall be concluded by the spuddate or the well see spuddate or the well see spuddate.	on each of be set by into the district plugge emented order #13	ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pip underlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to Remember to:	AYS of spud date. ernate II cementing any cementing. Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis must be completed Complete	ing minimum require ate district office <i>pri</i> oved notice of intent unt of surface pipe a blidated materials ple, an agreement bestrict office will be not I COMPLETION, prendix "B" - Eastern within 30 days of the nically	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall lus a minimum of 20 feet between the operator and to otified before well is either oduction pipe shall be concerned to the spuddate or the well shall be spuddate or the well shall be spuddate or the well shall be spuddate.	on each of be set by into the district plugge emented order #13	drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 D 3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to Remember to: - File Drill Pit Application (form CDP-1) with Intent to - File Completion Form ACO-1 within 120 days of spu - File acreage attribution plat according to field prorate	AYS of spud date. ernate II cementing any cementing. Drill; ud date; tion orders;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed September 19 Completed Professional Complete September 19 Conductor pipe required	ing minimum required the district office printed and the district office printed and the district of surface pipe and agreement be strict office will be not a COMPLETION, prendix "B" - Eastern within 30 days of the district office within 30 days of the complete printed and the district office within 30 days of the district office within 30 days of the district office printed and the district of	rements will be met: for to spudding of well; to drill shall be posted of as specified below shall it was a minimum of 20 feet between the operator and storified before well is either oduction pipe shall be concluded by the spuddate or the well shall be spuddate.	on each of the set of the district of the dist	drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 D 3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sputh in the prior of the prior of the prior of the prior of the property of	AYS of spud date. ernate II cementing any cementing. Drill; ud date; tion orders; orkover or re-entry;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed September 19 Completed Professional Complete September 19 Conductor pipe required	ing minimum required ate district office printed ate district office printed at a district of surface pipe a solidated materials plee, an agreement bestrict office will be not a COMPLETION, prendix "B" - Eastern within 30 days of the composition of the composi	for to spudding of well; to drill shall be posted of as specified below shall all be streen the operator and to trified before well is either oduction pipe shall be calculated by the	on each of the set of the district of the dist	drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary p d or production casing is cemented in; from below any usable water to surface within 120 D 3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to Remember to: - File Drill Pit Application (form CDP-1) with Intent to - File Completion Form ACO-1 within 120 days of spu - File acreage attribution plat according to field prorate	AYS of spud date. ernate II cementing any cementing. Drill; ud date; tion orders; orkover or re-entry; upleted (within 60 days);

check the box below and return to the address below.

Well Not Drilled - Permit Expired Date: _

Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



000

2620 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1018821

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes Length (feom ground level to de	No No eet) eepest point: Describe proce	SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section Count Count Chloride concentration: mg/line (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile	of pit	Depth to shallo	owest fresh waterfeet.	
		Source of infor		
feet Depth of water well	feet		uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		.	cover and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover:	
Number of producing wells on lease:			rking pits to be utilized:	
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.	
Submitted Electronically				
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	nit Date: Lease Inspection: Yes No	

Summary of Changes

Lease Name and Number: Voigts 54 API/Permit #: 15-091-23222-00-00

Doc ID: 1018821

Correction Number: 1

Approved By: Rick Hestermann 05/15/2008

Field Name	Previous Value	New Value
Depth Of Water Well	142	120
Feet to Nearest Water Well Within One-Mile of Pit	4278	4632
Ground Surface Elevation	978	970
KCC Only - Approved By	Rick Hestermann 04/09/2008	Rick Hestermann 05/15/2008
KCC Only - Date Received	04/09/2008	05/14/2008
KCC Only - Permit Date	04/09/2008	05/15/2008
KCC Only - Regular Section Quarter Calls	SW SW SE NE	NE NW NE SE
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=8&to 1200	ation.cfm?section=8&to 670
Number of Feet East or West From Section Line	1200	670

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section	2870	2620
Line Number of Feet North or South From Section	2870	2620
Line Quarter Call 1 - Largest	NE	SE
Quarter Call 1 -Largest	NE	SE
Quarter Call 2	SE	NE
Quarter Call 2	SE	NE
Quarter Call 3	SW	NW
Quarter Call 3	SW	NW
Quarter Call 4 - Smallest	SW	NE
Quarter Call 4 - Smallest	SW	NE
SaveLink	//kcc/detail/operatorE ditDetail.cfm?docID=10 18042&rand=wygJecOd	//kcc/detail/operatorE ditDetail.cfm?docID=10 18821&rand=RnERbXL