

For KCC Use:	
Effective Date:	
District #	
0010	□

Approved by: \_

Spud date: \_

This authorization expires: \_\_\_

(This authorization void if drilling not started within 12 months of approval date.)

Agent:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1018879

Form C-1
October 2007
Form must be Typed
Form must be Signed

vincetod Finud Data	Snot Description:
expected Spud Date:	Spot Description:
PERATOR: License#	feet from N / S Line of Section
me:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ontact Person:	County:
none:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
<del>_</del>	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
rirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR )
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	FIDAVIT
AFF he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:	FIDAVIT
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions are understood to the content of the cont	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> anderlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; a from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the complete of the well shall be appropriated.	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation. rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the distriction.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;

- Obtain written approval before disposing or injecting salt water.

check the box below and return to the address below.

Well Not Drilled - Permit Expired Date: \_

Signature of Operator or Agent:

- If this permit has expired (See: authorized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15			
Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwp S. R 🗌 E 🗍 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 3490 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1018879

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner?  Yes No  Length (feet)  m ground level to deepest point:  liner Describe proce				
· · · · · · · · · · · · · · · · · · ·		Depth to shallo	west fresh waterfeet.		
feet Depth of water well	feet Depth of water wellfeet		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:		