

For KCC Use:	
Effective Date:	
District #	
0040 🖂 🗸	

Spud date:

Agent:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

month day year	Spot Description:		
monus day you	Sec Twp S. R E		
PERATOR: License#	feet from N / S Line of Sect		
ame:	feet from E / W Line of Sect		
ddress 1:	Is SECTION: Regular Irregular?		
ddress 2:	(Note: Locate well on the Section Plat on reverse side)		
ity:	County:		
ontact Person:	Lease Name: Well #:		
none:	Field Name:		
ONTRACTOR: License#	Is this a Prorated / Spaced Field?		
ame:	Target Formation(s):		
	Nearest Lease or unit boundary line (in footage):		
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet M		
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes		
Disposal Wildcat Cable	,		
Seismic ; # of Holes Other	Depth to bottom of fresh water:		
Other:			
If OWWO: old well information as follows:	Surface Pipe by Alternate: I III		
<u> </u>	Length of Surface Pipe Planned to be set:		
Operator:	Length of Conductor Pipe (if any):		
Well Name:	Projected Total Depth:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:		
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:		
Yes, true vertical depth:	Well Farm Pond Other:		
ottom Hole Location:	DWR Permit #:		
CC DKT #:	(Note: Apply for Permit with DWR)		
	Will Cores be taken?		
	It Yes proposed zone:		
	If Yes, proposed zone:		
AF	If Yes, proposed zone:		
	FIDAVIT		
he undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT		
the undersigned hereby affirms that the drilling, completion and eventual plicing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.		
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;		
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second state of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the second state of the second	rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. It in this control of the control of		
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	rugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.		
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the appropriate district of the appropriate district office will be notified before well is either plughed. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated before the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud by the spud date or the well shall be appropriated by the spud by the spud date or the well shall be appropriated by the spud by the	rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It in this control of the control of th		
le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> thro	rugging of this well will comply with K.S.A. 55 et. seq. In drilling rig;		
le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified likely specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> thro	rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It in this control of the control of th		
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the appropriate district of the appropriate district office will be notified before well is either plugue. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the district of the spud date or the well shall be appropriated. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated. 6. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated.	rugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified like of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shal	rich drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard sta	rich drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);		

Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15				
Operator:	Location of Well: County:			
Lease:	feet from N / S Line of Section			
Well Number:	feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

3870 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

019611

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwpR East WestFeet from North / South Line of Section			
Settling Pit Drilling Pit						
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	,		
is the pit located in a Sensitive Ground water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (feet)		Width (feet)	N/A: Steel Pits		
Depth fro	om ground level to de	epest point:	(feet)	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure	ance and determining ring.					
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:				
feet Depth of water wellfeet		measu	redwell owner	electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:	Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: Permit Num	ber:	Permi	t Date: L	ease Inspection: Yes No		