

| For KCC Use:      |  |
|-------------------|--|
| Effective Date: _ |  |
| District #        |  |
| 0040              |  |

Spud date: \_

\_ Agent: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

| Expected Spud Date:  | month   | day  | year  |   | Spot Description:   |  |   |
|--|---|--|---|---|---|--|---|
|  | monur   | uay  | year  |   |   | Sec Twp  |   |
| PERATOR: License#  |   |  |   |   |   |  | N / S Line of Section   |
| ame:   |   |  |   |   |   |  | / W Line of Section   |
| ddress 1:  |   |  |   |   | Is SECTION: Regular   | Irregular?   |   |
| ddress 2:  |   |  |   |   | (Note: Locate w   | rell on the Section Plat on i  | reverse side)   |
| ty:  |   |  |   |   | County:   |  |   |
| ontact Person:   |   |  |   |   | Lease Name:   |  |   |
| ione:  |   |  |   |   | Field Name:   |  |   |
| ONTRACTOR: License#_   |   |  |   |   | Is this a Prorated / Spaced Fie   |  | Yes N   |
| ame:   |   |  |   |   | Target Formation(s):  |  |   |
| Well Drilled For:  | Well Class:   | Ту   | pe Equipment:   |   | Nearest Lease or unit boundar   | ry line (in footage):  |   |
| Oil Enh R  | ec Infield  | Г  | Mud Rotary  |   | Ground Surface Elevation:   |  | feet MS   |
| Gas Storag   |   | xt.  | Air Rotary  |   | Water well within one-quarter i   | mile:  | Yes I   |
| Dispos   |   | <u> </u>   | Cable   |   | Public water supply well within   | one mile:  | Yes   |
| Seismic ; # of   | Holes Other   |  |   |   | Depth to bottom of fresh water  |  |   |
| Other:   |   |  |   |   | Depth to bottom of usable water   |  |   |
| If OWING: ald wall:  | nformation as falls   | MO:  |   |   | Surface Pipe by Alternate:  |  |   |
| If OWWO: old well i  | mormation as iolio  | ows:   |   |   | Length of Surface Pipe Planned to be set:   |  |   |
| Operator:  |   |  |   |   | Length of Conductor Pipe (if a  |  |   |
| Well Name:   |   |  |   |   | Projected Total Depth:  |  |   |
| Original Completion Dat  | e: (  | Original Tot   | tal Depth:  |   | Formation at Total Depth:   |  |   |
| estional Davistad sullar   | ٠   |  | □ Vaa [   | No  | Water Source for Drilling Oper  |  |   |
| ectional, Deviated or Hor<br>es, true vertical depth:  |   |  | Yes [   | 140   | Well Farm Pond  | Other:   |   |
|  |   |  |   |   |   |  |   |
|  |   |  |   |   | DWR Permit #:   |  |   |
| ttom Hole Location:  |   |  |   |   | (Note: A  | Apply for Permit with DWR  |   |
| ttom Hole Location:  |   |  |   |   | (Note: A  |  | Yes 1   |
| ottom Hole Location:   |   |  |   |   | (Note: A  |  | Yes 1   |
| ttom Hole Location:  |   |  |   |   | (Note: A Will Cores be taken?  If Yes, proposed zone:   |  | Yes   |
| ttom Hole Location:  |   |  |   | AFFI  | (Note: A Will Cores be taken? If Yes, proposed zone:  |  | Yes   |
| ttom Hole Location: CC DKT #: e undersigned hereby a   | ffirms that the dri   | illing, com  | pletion and eve   | AFFI  | (Note: A Will Cores be taken?  If Yes, proposed zone:   |  | Yes   |
| ttom Hole Location: CC DKT #: e undersigned hereby a s agreed that the followi   | ffirms that the dri<br>ng minimum requ  | illing, com  | pletion and eve<br>will be met:   | AFFI  | (Note: A Will Cores be taken? If Yes, proposed zone:  |  | Yes   |
| ttom Hole Location: C DKT #: e undersigned hereby a s agreed that the followi 1. Notify the appropria  | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b>   | illing, com<br>uirements<br><b>prior</b> to spu  | pletion and eve<br>will be met:<br>udding of well;  | <b>AFFI</b><br>ntual plug   | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  |  | Yes   |
| e undersigned hereby as agreed that the followi  Notify the appropria  A copy of the appropria   | ffirms that the dri<br>ng minimum requ<br>te district office <i>p</i><br>ved notice of inte   | illing, com<br>uirements<br><b>prior</b> to spo<br>nt to drill <b>s</b>  | pletion and eve<br>will be met:<br>udding of well;<br><b>shall be</b> posted  | AFFI ntual plug   | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig;  | K.S.A. 55 et. seq.   | Yes   |
| e undersigned hereby as agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amou   | ffirms that the dri<br>ng minimum requ<br>te district office <i>p</i><br>ved notice of inte<br>nt of surface pipe   | illing, com<br>uirements<br><b>prior</b> to spo<br>nt to drill <b>s</b><br>as specif   | pletion and eve<br>will be met:<br>udding of well;<br><b>shall be</b> posted<br>fied below <b>shal</b>  | AFFI ntual pluge on each of   | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in  | K.S.A. 55 et. seq.   | Yes   |
| e undersigned hereby as agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso  | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials  | illing, com<br>uirements<br><b>prior</b> to spo<br>nt to drill <b>s</b><br>as specif<br>plus a mir   | pletion and eve<br>will be met:<br>udding of well;<br><b>shall be</b> posted<br>fied below <b>shal</b><br>nimum of 20 fee   | AFFI ntual pluge on each of the set by  | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig;  | K.S.A. 55 et. seq.<br>n all cases surface pipe   | Yes Yes   |
| e undersigned hereby as agreed that the following.  Notify the appropriance accepts the minimum amount through all unconsource.  If the well is dry hole for the appropriate distinctions.   | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be   | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the   | pletion and eve<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shal<br>nimum of 20 fee<br>ne operator and<br>efore well is eith  | AFFI ntual pluge on each of the set by the into the the distriction of the plugger                      | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen   | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in;   | Yes Yes   |
| e undersigned hereby as agreed that the following.  Notify the appropriance accepts a copy of the appropriance and through all unconsource.  If the well is dry hole for the appropriate disting.  | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be<br>COMPLETION,                                      | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be o  | AFFI  ntual pluge  on each of  the set by  the distriction of the distriction of the plugger  commented | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to  | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> Y  | Yes Yes Yes Yes Yes Shall be set ior to plugging;                 |
| tom Hole Location:  CC DKT #:  e undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe   | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be<br>COMPLETION,<br>endix "B" - Easter                | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC   | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter   | e shall be set for to plugging; YS of spud date. That I cementing |
| tom Hole Location:  CC DKT #:  e undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe   | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be<br>COMPLETION,<br>endix "B" - Easter                | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to  | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter   | e shall be set for to plugging; YS of spud date. That I cementing |
| the the total control  | ffirms that the dri<br>ng minimum requ<br>te district office <b>p</b><br>ved notice of inte<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be<br>COMPLETION,<br>endix "B" - Easter                | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC   | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter   | e shall be set for to plugging; YS of spud date. That I cementing |
| the undersigned hereby as agreed that the following the appropriance. A copy of the appropriance and through all unconsour through all unconsource and the appropriate distributions are all unconsourced through the appropriate distributions are all unconsourced th | ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of                                    | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC   | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter   | e shall be set for to plugging; YS of spud date. That I cementing |
| te undersigned hereby a sagreed that the followi  1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed   | ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of                                    | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with drilling rig; y circulating cement to the top; ir underlying formation. et office on plug length and placed or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of   | K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter   | e shall be set for to plugging; YS of spud date. That I cementing |
| to the location:  the undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed  | ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of                                    | illing, com<br>uirements<br>orior to spo<br>nt to drill se<br>e as specif<br>plus a mir<br>between the<br>notified be<br>production<br>n Kansas  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | (Note: A Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and placed or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of Remember to:   | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <b>pri</b> ted in; surface within <b>120 DA</b> )  CC District 3 area, alter <b>district office</b> prior to a  | Yes                           |
| te undersigned hereby as a greed that the followi  1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed  | ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement litrict office will be COMPLETION, endix "B" - Easter within 30 days of sically                           | illing, comularements orior to drill see as specificated by the seems of the seems  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing<br>date or the well   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO olugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form   | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <b>pri</b> ted in; surface within <b>120 DA</b> )  CC District 3 area, alter <b>district office</b> prior to a  | Yes                           |
| e undersigned hereby a s agreed that the followi 1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed   | ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement litrict office will be COMPLETION, endix "B" - Easter within 30 days of sically                           | illing, comularements orior to drill see as specificated by the seems of the seems  | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing<br>date or the well   | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1  | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a company of the company of  | Yes                           |
| e undersigned hereby as agreed that the following all unconsons.  The will unconsons appropriate distributed Electrons.  For KCC Use ONLY  EC DKT #:  e undersigned hereby as agreed that the following as agreed that the following as agreed that the appropriate distributed and the second and the second and the second are agreed to the second and the second are agreed as a second and the second are agreed as a second and the second are agreed as a second as a second are agreed as a second as a second are agreed as a second as  | ffirms that the dri<br>ng minimum requ<br>te district office p<br>ved notice of inter<br>nt of surface pipe<br>lidated materials<br>e, an agreement I<br>trict office will be<br>COMPLETION,<br>endix "B" - Easter<br>within 30 days of | illing, comulirements orior to spunt to drill see as specification plus a mire between the notified between the spund of t | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 fee<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing<br>date or the well  | AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:                | Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a  | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a company of the company of  | Yes                           |
| the undersigned hereby as a greed that the following a sagreed that the following and a sagreed that the appropriate and a sagreed and a sagreed that the sagreed and a s | iffirms that the dring minimum requite district office powed notice of internit of surface pipelidated materials e, an agreement brict office will be COMPLETION, endix "B" - Easter within 30 days of ically                           | illing, comuirements orior to spin to drill see as specification of the see as specification of the spin to the spin to the spin the spin the spin the spin to the | pletion and ever<br>will be met:<br>udding of well;<br>shall be posted<br>fied below shall<br>nimum of 20 feet<br>ne operator and<br>efore well is eith<br>n pipe shall be of<br>surface casing<br>date or the well   | AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p       | Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi                                     | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a limit of the company of th | Yes                           |
| ne undersigned hereby a s agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed  bmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required.  Minimum surface pipe rec   | effirms that the dring minimum requite district office pived notice of internit of surface pipelidated materials e, an agreement be COMPLETION, pendix "B" - Easter within 30 days of ically  | illing, comulirements orior to spin to drill see as specification of the see as specification of the spin original of the spin original or | pletion and ever will be met: udding of well; shall be posted fied below shall immum of 20 feed to experience well is eith pipe shall be a surface casing date or the well in | AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p       | Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with  drilling rig;  y circulating cement to the top; in underlying formation.  ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to:  - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi - Submit plugging report (CP-2 | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a limit of the company of th | Yes                           |
| ne undersigned hereby a is agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed   | effirms that the dring minimum requite district office pived notice of internit of surface pipelidated materials e, an agreement be COMPLETION, pendix "B" - Easter within 30 days of ically  | illing, comulirements orior to spin to drill see as specification of the see as specification of the spin original of the spin original or | pletion and ever will be met: udding of well; shall be posted fied below shall immum of 20 feed to experience well is eith pipe shall be a surface casing date or the well in | AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p       | Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi                                     | K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> ) CC District 3 area, alter <i>district office</i> prior to a compare of the compare of t | Yes                           |

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 -                          |  |
|---------------------------------------|--|
| Operator:                             | Location of Well: County:  |
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | SecTwpS. R 🗌 E 🗍 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 1995 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

021693

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

| Operator Name:   |   | License Number:  |                                |  |  |  |
|--|---|--|--------------------------------|--|--|--|
| Operator Address:  |   |  |                                |  |  |  |
| Contact Person:  |   | Phone Number:  |                                |  |  |  |
| Lease Name & Well No.:   |   | Pit Location (QQQQ):   |                                |  |  |  |
| Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure | Artificial Liner? Yes 1 Length (feom ground level to de | No No et)  Describe proce  |                                |  |  |  |
|  |   |  |                                |  |  |  |
| Distance to nearest water well within one-mile   | of pit  | Depth to shallo  | west fresh waterfeet.          |  |  |  |
| feet Depth of water wellfeet   |   |  | redwell owner electric logKDWR |  |  |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No  Submitted Electronically  |   | Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date. |                                |  |  |  |
|  |   |  |                                |  |  |  |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS  |   |  |                                |  |  |  |
| Date Received: Permit Num  | ber:  | Permi  | it Date: Lease Inspection:     |  |  |  |