

For KCC Use:	
Effective Date: _	
District #	

Spud date: \_\_

\_ Agent: \_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	(a/a/a/a) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMANO, and well information as fallows.	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
ottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; I from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed Electronically  For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet of the conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the defendance of the well shall be shall be conducted by the spud by the spud by the spud by the spud by the shall be shall	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: \_\_\_ Signature of Operator or Agent:



10216

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1330 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

021696

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner? Yes 1 Length (feom ground level to de	No No et)  Describe proce			
		ccgy,			
·		Depth to shallo	west fresh waterfeet.		
feet Depth of water well	feet Depth of water wellfeet		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:  Yes No		