

For KCC Use:	
Effective Date: .	
District #	
2010	

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: State: Zip: +	County:
ontact Person:	Lease Name: Well #:
none:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
TIS COMMAND and well inform the C. II	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
westigned Deviated and Louise stell wellle and 0	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth:	Well Farm Pond Other:
ottom Hole Location:	DWR Permit #:
	( <i>Note:</i> Apply for Permit with DWR )  Will Cores be taken?  Yes No
JC DKT#:	
3G DKT #:	If Yes, proposed zone:
AFI	If Yes, proposed zone:
CC DKT #:	If Yes, proposed zone:
<b>AFI</b> he undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
AFI the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.
AFI ne undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  FIDAVIT agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this in the set is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying for the surface pipe shall be set e underlying formation.  In the top is a surface pipe shall be set e underlying for the surface pipe shall be set e underlying for the surface pipe shall be set
AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugo  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this proposed zone:
AFI ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugo  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FIDAVIT  Integring of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Interior office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this price on plug length and placement is necessary prior to plugging; and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either pluge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilling
AFI  the undersigned hereby affirms that the drilling, completion and eventual pluts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface will be notified before well is either pluggent.  5. The appropriate district office will be notified before well is either pluggent.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be sufficiently.  For KCC Use ONLY	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilling
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggenerated. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date.	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilling
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the complete of the spud date or the well shall be about the complete of the spud date or the well shall be about the complete of the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the spud date	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is incit office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  Is incit office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  Is incit office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  Is incit office on plug length and placement is necessary prior to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the complete of the complete of the spud date or the well shall be about the complete of the	If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilling

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

(This authorization void if drilling not started within 12 months of approval date.)

\_ Agent: \_

Spud date: \_



# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

021737

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner? Yes 1 Length (feom ground level to de	No No et)  Describe proce			
		ccgy,			
Distance to nearest water well within one-mile of pit		Depth to shallo	west fresh waterfeet.		
feet Depth of water wellfeet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of material Number of work Abandonment	bover and Haul-Off Pits ONLY:  al utilized in drilling/workover:		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:		