

For KCC	Use:
Effective	Date:
District #	
SGA2	Vac No

Spud date: _

_ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

expected Spud Date:	Spot Description:
month day you	Sec. Twp. S. R. E \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
PPERATOR: License#	
ame:	Is SECTION: Regular Irregular?
ddress 1:ddress 2:	
ity: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
ontact Person:	County:
one:	Lease Name: Well #:
DNTRACTOR: License#	Field Name:
me:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet M
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Ducks at all Tatal Docates
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
res, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR)
CC DKT #:	Mail Come he telesco
CC DKT #:	
CC DKT #:	Will Cores be taken? If Yes, proposed zone:
AF	If Yes, proposed zone:
AF ne undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone:
AF e undersigned hereby affirms that the drilling, completion and eventual pl s agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig;
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the distriction. 4. If the well is dry hole, an agreement between the operator and the distriction.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging;
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging;
AF ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface properties of the surface	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the analyse of the search of the appropriate district office will be notified before well is either plug of the search of the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
AF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office with the search of the	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong that the second is a specified below the specified below through all unconsolidated materials plus a minimum of 20 feet into the specified is either plug to the specified before well is either plug to the specified before well is either plug to the specified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
Le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong that the well is dry hole, an agreement between the operator and the disentence of the appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
Le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search and the search and the search appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual ples agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong that well is dry hole, an agreement between the operator and the disentation of the appropriate district office will be notified before well is either pluguation. If an ALTERNATE II COMPLETION, production pipe shall be cementation or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
e undersigned hereby affirms that the drilling, completion and eventual planage of that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted of the approved notice of intent to drill <i>shall be</i> posted on each and the post of the spud all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the displanage of the spurious properties of the spud serious properties of the spud of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 -	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed. **Demitted Electronically** **Demitted Electronically** **Demitted Electronically** **Demitted Electronically**	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
AF ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. The appropriate district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. bmitted Electronically For KCC Use ONLY API # 15	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard s	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: _ Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ADING 15	
API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage:	io cooloni.
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

500 ft

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1022069

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp	_R East West
Settling Pit Drilling Pit If Existing, date co		onstructed:	Feet fror	m North / South Line of Section
Workover Pit Haul-Off Pit Pit capacity:			Feet fror	m East / West Line of Section
(If WP Supply API No. or Year Drilled)	(bbls)			County
Is the pit located in a Sensitive Ground Water	Area? Yes] No	Chloride concentration:	mg/l
			(For Emerge	ency Pits and Settling Pits only)
Is the bottom below ground level? Artificial Liner? Yes No Yes No		No	How is the pit lined if a	plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)	N/A: Steel Pits
Depth fro	om ground level to de	eepest point:	(feet)	No Pit
material, thickness and installation procedure		esegy,	ncluding any special monit	.co.m.g.
Distance to nearest water well within one-mile	of pit	Depth to shallor Source of infor	west fresh water mation:	feet.
feet Depth of water wellfeet		measu	redwell owner _	electric logKDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits (ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workov	/er:
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:	Abandonment	procedure:		
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must b	pe closed within 365 days	of spud date.	
Submitted Electronically				
	ксс	OFFICE USE OF	NLY Steel Pit	RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date:	Lease Inspection: Yes No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 10, 2008

Dennis Kershner Colt Energy Inc PO BOX 388 IOLA, KS66749-0388

Re: Drilling Pit Application Hucke Lease Well No. 15-34 SE/4 Sec.34-31S-17E Montgomery County, Kansas

Dear Dennis Kershner:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: Hucke 15-34

API/Permit #: 15-125-31699-00-00

Doc ID: 1022069

Correction Number: 1

Approved By: Rick Hestermann 09/10/2008

Field Name	Previous Value	New Value
Contractor Name	Advise on ACO-1 Must be licensed by KCC	Advise on ACO-1 Must be licensed by KCC Yes
Fresh Water Information Source: Measured	No	
Ground Surface Elevation	821	814
Is Footage Measured from the East or the	West	East
West Section Line Is Footage Measured from the East or the	West	East
West Section Line KCC Only - Approved By	Rick Hestermann 06/23/2008	Rick Hestermann 09/10/2008
KCC Only - Date Received	06/23/2008	09/08/2008
KCC Only - Lease Inspection	No	Yes
KCC Only - Permit Date	06/23/2008	09/10/2008
KCC Only - Regular Section Quarter Calls	NW SE SE SW	NE SW SW SE

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
LocationInfoLink Quarter Call 1 - Largest	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=34&t SW	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=34&t SE
Quarter Call 1 -Largest	SW	SE
Quarter Call 2	SE	SW
Quarter Call 2	SE	SW
Quarter Call 3	SE	SW
Quarter Call 3	SE	SW
Quarter Call 4 - Smallest	NW	NE
Quarter Call 4 - Smallest	NW	NE
RFAC		Yes
SaveLink	//kcc/detail/operatorE ditDetail.cfm?docID=10 19605	//kcc/detail/operatorE ditDetail.cfm?docID=10 22069