For KCC Use:

District	#	
----------	---	--

s 🔄 N

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

1023376

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:				Spot Description:	
	month	day	year	(@/@/@/0) Sec Twp S.	
OPERATOR: License#				feet from [] N /	
Name:				feet from E /	W Line of Section
Address 1:				Is SECTION: Regular Irregular?	
Address 2:				(Note: Locate well on the Section Plat on reve	erse side)
City:	State:	Zip:	+	County:	,
Contact Person:				Lease Name:	
Phone:				Field Name:	
CONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes No
Name:				Target Formation(s):	
				Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class.	туре	e Equipment:		
Oil Enh Re	c Infield		Mud Rotary	Ground Surface Elevation:	
Gas Storage	Pool E	ixt.	Air Rotary	Water well within one-quarter mile:	Yes No
Disposa	al Wildca	at 🗌	Cable	Public water supply well within one mile:	Yes No
Seismic ; # of	Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
	formation on fall			Surface Pipe by Alternate:	
If OWWO: old well in	normation as ione	JWS:		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Date	e:	Original Total	Depth:	Formation at Total Depth:	
				Water Source for Drilling Operations:	
Directional, Deviated or Horiz	zontal wellbore?		Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR)
KCC DKT #:				Will Cores be taken?	Yes No
				If Yes, proposed zone:	

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:

1. Notify the appropriate district office *prior* to spudding of well;

- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required feet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe requiredfeet per ALT. I II	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by:	- Obtain written approval before disposing or injecting salt water.
This authorization expires:	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:
Spud date: Agent:	Signature of Operator or Agent:



1023376

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Side Two


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the pro

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R EW
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

4620 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION 1023376 **OIL & GAS CONSERVATION DIVISION**


Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West			
Settling Pit Drilling Pit	If Existing, date c	onstructed:	Feet from North / South Line of Section			
U Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water	Area? Yes	(0013)		County		
				ts and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic	liner is not used?		
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)	N/A: Steel Pits		
Depth fr	om ground level to d	eepest point:	(feet)	No Pit		
Distance to nearest water well within one-mile		Source of infor	west fresh water mation: red well owner			
Emergency, Settling and Burn Pits ONLY:			cover and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover:			
Number of producing wells on lease:		Number of wor	Number of working pits to be utilized:			
Barrels of fluid produced daily:	Abandonment procedure:					
Does the slope from the tank battery allow all spilled fluids to flow into the pit?			nust be closed within 365 days of spud date.			
Submitted Electronically						
	ксс	OFFICE USE OI	NLY Steel Pit	RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease	Inspection: Yes No		

FIELD SURVEYORS		672-64		<u>101508</u> INVOICI
VAL ENERGY INC		<u>1-20</u>	Guthrie V	
Barber 20	<u>34s 10w</u>		C NW NE	
COUNTY S	TR			1364' GR
VAL ENERGY INC 200 W Douglas Wichita KS 6	Ste 520			
JTHORIZED BY: Todd Allam				
	SCA	LE: 1" = 1000'		
Technical services t relocation of old we		2		
Set 5' & 2' wood sta of highest meter rea	kes at the poin	nte	1	
_ Slight slope plowed	field.	1	OLD WELL BORE	HOLE
		1		
		20 — —		
		20		
		i I		
		+		
		1		
		1		





November 06, 2008

TODD ALLAM Val Energy, Inc. 200 W DOUGLAS AVE STE 520 WICHITA, KS67202-3005

Re: Drilling Pit Application GUTHRIE Lease Well No. V1-20 OWWO NE/4 Sec.20-34S-10W Barber County, Kansas

Dear TODD ALLAM:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Building Wichita, Kansas 67202	WELL PLUG K.A.R.					IBER <u>15-007-</u> NAME <u>Guthrie</u>	
	TYPE O Notice: Fili				WELL NU	IMBER <u>1-20</u>	
	and return	to Ĉ	ons. D	1.	4620	Ft. from S	Section Line
	office wit	כ חוח	U days	•	1980	Ft. from E	Section Line
LEASE OPERATOR Zinke & Trumbo,	LTD				sec. <u>20</u>		. <u>10 XXX</u> or (W)
ADDRESS 1202 E. 33rd Street, Su	<u>ite #100, Tul</u>	<u>sa, 0</u>	<u>K 741(</u>	25	COUNTY	Barber	
PHONE#(918) 743-5096 OPERATO	ORS LICENSE N	o. <u>30</u>	034 _{STAT}	 # cns	REGENSER	II Completed	N/A
Character of Well <u>GAS</u>					Piuggin	MISSION g Commenced	6-15-91
(OII, Gas, D&A, SWD, Input, Wate	er Supply Wel	D		ľ.111	1 1 1 199	g Completed	6-15-91
The plugging proposal was approv	ved on June	15, 1	991 C	o nstr			(date)
ъу <u>Richard Lacey of Dodge Cit</u>	y						
ls ACO-1 filed? <u>yes</u> if r	not, is well	log a	ttached	1?			
Producing Formation dry	Depth	to Ta	op		Bott	omT.	5261
Show depth and thickness of all	water, oll a	nd gas	s forma	110	ns.		
OIL, GAS OR WATER RECORDS	<u> </u>			CA	SING RECO	RD	
Formation Content	From	To	Size		Put In	Pulled out	
Dry		 	8-5/			0	
				<u> </u> -	318 per jo	103	
Describe in detail the manner in placed and the method or method were used, state the characte B J Titan plug as follows: 12 rat hole 15 sx, all cement 60/	s used in in r of same ar 00' 50 sx, 35 40 POZ, 6% ge	troduc nd de 0'50	cing it pth pl SX, 4	in ace)']	to the ho d, from .0 sx, mou	le. If cemen feet to Schole 10 sx	t or other piug
(If additional descri		əssary	, use	BAC	-		
Name of Plugging Contractor <u>B. J</u>	. Titan					License No	112-5862
Address <u>Medicene Lodge, KS</u>				<u> </u>			
NAME OF PARTY RESPONSIBLE FOR PL	UGGING FEES:	Zink	e & Tr	<u>umbc</u>	, LTD		
STATE OF <u>Kansas</u>	COUNTY OF	Sewar	d	<u> </u>		_,\$\$.	
David Rice, Agent above-described well, being firs	t duly sworn	00 07	th. sa				or (Operator) a a of the facts
statements, and matters herein the same are true and correct, s	contained ar	nd the 1.		f t	he above-		ll as fi⊧ed tha
		(A	ddress) P() <u>Box 1816</u>	5, Liberal, K	<u>s 67905-1816</u>
SUBSCRIBED AND	SWORN TO befo	ore me	this	9tl	lday	of <u>July</u>	,19 <u>91</u>
TARA BATMAN Natary Public - State of Kansas Ny Aget. Expres 8-16-94 My Commission E	_{xpires:} Augu		<u> Jar</u> , 1994	2	Satr Note	nand ary Public	
							Form CP-4 Revised 05-88

l