

For KCC Use:	
Effective Date: _	
District #	

Spud date: \_

\_ Agent: \_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	Spot Description:
month day year	(@@@@@) Sec Twp S. R E \
DPERATOR: License#	
ame:	foot from F / W Line of Socie
ddress 1:	In OFOTION Described Incomplete
ldress 2:	
ty: State: Zip: +	County:
ontact Person:	Lease Name: Well #:
none:	Field Name:
ONTRACTOR: License#	
ame:	
	Negroot League or unit boundary line (in feetage):
Well Drilled For: Well Class: Type Equipment.	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Yes N
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
UIT OVV VVO. OIG WEIT ITHOTTHATIOH AS TOHOWS.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
	S No Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	
	(Note: Apply for Fernite with DWT)
	(Note: Apply for Fernit With DWIT)
CC DKT #:	(Note: Apply for Fernite with DWT)
	Will Cores be taken?  If Yes, proposed zone:
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.
the undersigned hereby affirms that the drilling, completion and exists agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poster	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i>	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well  bmitted Electronically  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well bmitted Electronically	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well bmitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the surface of the spud date or the weather than the surface of the spud date or the surface of the surface of the spud date or the surface of the surface of the spud date or the surface of the spud date or the surface of the surfa	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
the undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin, must be completed within 30 days of the spud date or the weather than the surface of the surf	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



4024 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1023407

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner? Yes 1 Length (feom ground level to de	No No et)  Describe proce			
· · · · · · · · · · · · · · · · · · ·		Depth to shallo	west fresh waterfeet.		
feet Depth of water wellfeet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:  Yes No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 23, 2008

Thomas H. Oast Lamamco Drilling Co., a General Partnership 4444 E. 146TH ST N PO BOX 550 SKIATOOK, OK74070

Re: Drilling Pit Application
Bob Rogers/Alford Lease Well No. LAM - 1
NE/4 Sec.05-34S-12E
Chautauqua County, Kansas

Dear Thomas H. Oast:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.