# 

or KCC Use:
:ffective Date:
District #
CA2 Von No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

OPERATOR: License#   N / S Line of Section Name:	Expected Spud Date:	Spot Description:
SECTION:   Get from   N / S Line of Section   Name:   Get from   E /   W Line of Section   Name:   Get from   E /   W Line of Section   Name:   Get from   E /   W Line of Section   Name:   SECTION:   Get from   E /   W Line of Section   Name:   SECTION:   State:   Zip:   +   Countart Person:   County:   Countart Person:   County:   Countart Person:   Lease Name:   Well #:   Fleid Name:   Section Plat on reverse side)   County:   Countart Person:   Lease Name:   Well #:   Fleid Name:   Section Plat on reverse side)   County:   Section   Section Plat on reverse side)   County:   County:   Section   Section Plat on reverse side)   County:   Section   Section   Section   Section Plat on reverse side)   County:   Section Plat on reverse side)   Section Plat on reverse side	monin day year	Sec Twp S. R E W
Name:	OPERATOR: License#	feet from N / S Line of Section
Address 1:		feet from E / W Line of Section
Address 2:		Is SECTION: Regular Irregular?
County: Contact Person: Phone: CONTRACTOR: License# Name:  Well Drilled For: Well Class: Type Equipment:  Ground Surface Elevation: Ground Surface Elevation:  Seismic; # of Holes Other Other: Office If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Completion Date: Original Completion Date: Original Completion Date: Well Consultation: Well Name:    Directional, Deviated or Horizontal wellbore?   Water well within one duarter mile:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Water Sour		(Nate: Locate well on the Section Plat on reverse side)
Lease Name:   Well #:   Phone:   Field Name:   State Prorated / Spaced Field?   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Ground Surface Elevation:   Feet MSI Water well writin one-quarter mile:   Yes   No   No   No   No   No   No   No   N	City: State: Zip: +	,
Fleid Name:	Contact Person:	
Is this a Prorated / Spaced Field?   Yes   No   Name:	Phone:	
Name:    Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary line (in footage):   Search   Search	CONTRACTOR: License#	
Well Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation:		
Ground Surface Elevation:	Name	
Oil	Well Drilled For: Well Class: Type Equipment:	
Gas	Oil Enh Rec Infield Mud Rotary	
Seismic   # of Holes   Other   Depth to bottom of fresh water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   II   Userption Surface Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pip		·
Depth to bottom of usable water:    Depth to bottom of usable water:	Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set:  Operator: Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Well was propriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; A right and unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plugged or production as greented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	Seismic ; # of Holes Other	Depth to bottom of fresh water:
If OWWO: old well information as follows:   Coperator:	Other:	
Operator:  Well Name: Original Completion Date: Original Total Depth: Projected Total Depth:  Formation at Total Depth:  Water Source for Drilling Operations:  Water Source f		Surface Pipe by Alternate: III
Well Name:  Original Completion Date:  Original Total Depth:  Formation at Total Depth:  Water Source for Drilling Operations:  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: DWR Permit #:	Operator:	Length of Conductor Pipe (if any):
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   Will Cores be taken?   Will Cores be taken?   Well   Farm Pond   Other:   Well   Farm Pond   Other:   Well   Farm Pond   Other:   DWR Permit #:   Will Cores be taken?   Will Cores be taken?   Will Cores be taken?   Well   Farm Pond   Other:   Well   Farm Pond   Other:   Well   Farm Pond   Other:   Well   Farm Pond   Other:   DWR Permit #:   Well   Farm Pond   Other:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   DWR Permit #:   Well   Farm Pond   Other:   DWR Permit #:	Well Name:	Projected Total Depth:
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:   The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	Original Completion Date: Original Total Depth:	Formation at Total Depth:
If Yes, true vertical depth:		Water Source for Drilling Operations:
Bottom Hole Location:		Well Farm Pond Other:
Will Cores be taken?    Yes   Note: Apply for Family Will Cores be taken?   Yes   Note: Apply for Family Will Cores be tak		
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.		( <b>Note:</b> Apply for Permit with DWR)
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.	KCC DK1 #:	Will Cores be taken? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.		
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> </ol> </li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>	AFF	IDAVIT
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>	The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>	It is agreed that the following minimum requirements will be met:	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>		
<ol> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>		drillina ria:
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.</li> </ol>		
<ul><li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li><li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.</li></ul>	through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.		, , , , , , , , , , , , , , , , , , , ,
	11 1	,
Or pursuant to Appendix or - Lastern Ransas surface casing order #150,091-0, which applies to the ROO district 3 area, alternate in cernenting		
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.	va cansulant to Addedicts to - Eastern Mansas sunace casing order #1.	55,05 i-0, which applies to the NOO district 3 area, alternate it cementing

#### Submitted Electronically

	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe requiredfeet	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>
Minimum surface pipe requiredfeet per ALT. I II	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by:	- Obtain written approval before disposing or injecting salt water.
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.      WALLIA Delived - Description of the property of the propert
Spud date: Agent:	Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15			
Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwp S. R 🗌 E 🗍 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1220 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1023593

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp	_R East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	Feet fror	m North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet fror	m East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)		County
Is the pit located in a Sensitive Ground Water	Area? Yes	] No	Chloride concentration:	mg/l
			(For Emerge	ency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a	plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)	N/A: Steel Pits
Depth fro	om ground level to de	eepest point:	(feet)	No Pit
material, thickness and installation procedure		esegy,	ncluding any special monit	.co.m.g.
Distance to nearest water well within one-mile	of pit	Depth to shallor Source of infor	west fresh water mation:	feet.
feet Depth of water well	feet	measu	redwell owner _	electric logKDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits (	ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workov	/er:
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must b	pe closed within 365 days	of spud date.
Submitted Electronically				
	ксс	OFFICE USE OF	NLY Steel Pit	RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date:	Lease Inspection: Yes No

#### **Summary of Changes**

Lease Name and Number: Albina E. Wolff Trust 1-24

API/Permit #: 15-077-21643-00-00

Doc ID: 1023593

Correction Number: 1

Approved By: Rick Hestermann 10/29/2008

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	3379	3396
Ground Surface Elevation	1313	1315
KCC Only - Approved By	Rick Hestermann 10/07/2008	Rick Hestermann 10/29/2008
KCC Only - Date Received	10/07/2008	10/29/2008
KCC Only - Permit Date	10/07/2008	10/29/2008
KCC Only - Regular Section Quarter Calls	E2 W2 SE	NE NE SW SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=24&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=24&t
Number of Feet East or West From Section Line	1650	1551
Number of Feet East or West From Section Line	1650	1551
Number of Feet North or South From Section Line	1320	1220

### Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	1320	1220
Quarter Call 2	W2	SW
Quarter Call 2	W2	SW
Quarter Call 3	E2	NE
Quarter Call 3	E2	NE
Quarter Call 4 - Smallest		NE
Quarter Call 4 - Smallest		NE
RFAC		Yes
SaveLink	//kcc/detail/operatorE ditDetail.cfm?docID=10 22987 1313 Estimated	//kcc/detail/operatorE ditDetail.cfm?docID=10 23593 1315 Estimated