# 

For KCC	Use:
Effective	Date:
District #	
SGA2	Ves No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date: month day year	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
CONTRACTOR: License#	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes No
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
1 Notify the appropriate district office <b>prior</b> to enudding of well-	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	drilling rig:
2. A copy of the approved notice of intent to drill shall be posted on each	
, , , , , , , , , , , , , , , , , , , ,	by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugger</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;  I from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing

	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe requiredfeet	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>
Minimum surface pipe requiredfeet per ALT. I II	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by:	- Obtain written approval before disposing or injecting salt water.
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void it drining not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:
Spud date: Agent:	Signature of Operator or Agent:
opud date Agent	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1055 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# CORRECTION #1

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1023659

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

Operator Name:			License Number:	
Operator Address:		<u> </u>		
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwpR.	East West
Settling Pit Drilling Pit	If Existing, date constructed:  ———————————————————————————————————		Feet from	North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)			Feet from	East / West Line of Section
		(bbls)		County
Is the pit located in a Sensitive Ground Water	Area? Yes	] No		Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plas	· · · · · · · · · · · · · · · · · · ·
Yes No	Yes I	No		
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)	N/A: Steel Pits
Depth fro	om ground level to de	eepest point:	(feet)	No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenand	ŭ
material, the tribes and metallation procedure	•	iiiioi iiitogiity, ii	iolading any opeolal monitorin	9.
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water mation:	feet.
feet Depth of water well	feet	measu	redwell owner	electric logKDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONL	Y:
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:	Abandonment	procedure:		
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must t	pe closed within 365 days of s	pud date.	
Submitted Electronically				
Cabilities Electromosally				
	КСС	OFFICE USE ON	NLY Steel Pit	RFAC RFAS
		_		
Date Received: Permit Numl	ber:	Permi	t Date: Lea	se Inspection: Yes No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 30, 2008

R. P. Wilson R. P. Wilson, Inc. 609 E. South Loop Stephenville, TX76401

Re: Drilling Pit Application R. Stueve Lease Well No. 1 SE/4 Sec.02-13S-10E Wabaunsee County, Kansas

Dear R. P. Wilson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

## **Summary of Changes**

Lease Name and Number: R. Stueve 1 API/Permit #: 15-197-20279-00-00

Doc ID: 1023659

Correction Number: 1

Approved By: Rick Hestermann 10/31/2008

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	1562	1512
Ground Surface Elevation	1080	1102
KCC Only - Approved By	Steve Bond 10/24/2008	Rick Hestermann 10/31/2008
KCC Only - Date Received	10/24/2008	10/30/2008
KCC Only - Permit Date	10/24/2008	10/31/2008
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=2&to 165	ation.cfm?section=2&to 1055
Number of Feet North or South From Section	1155	1055
Line Number of Feet North or South From Section	1155	1055
Line SaveLink	//kcc/detail/operatorE ditDetail.cfm?docID=10 23518	//kcc/detail/operatorE ditDetail.cfm?docID=10 23659

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value

1080 Estimated 1102 Estimated