## 

For KCC Use:	
Effective Date:	
District #	
SGA2 Ves No	

Spud date: \_

\_ Agent: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### 1023752

Form C-1
October 2007
Form must be Typed
Form must be Signed

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monin day year	Sec Twp S. R E
OPERATOR: License#	feet from N / S Line of Sections
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
none:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	io tillo di Fordica / Opacodi Fold.
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:    Yes
Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water:  Yes
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
One with the	Lead the of County star Directiff and A
Operator:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	0 Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR )
	14711 0 1 1 1 0
CC DKT #:	viii Cores de taken?
OO DIN #	Will Cores be taken? Yes If Yes, proposed zone:
	viii Cores de taken?
	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventua	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventua	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i>	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a complete the posted on the standard posterior of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before wel	If Yes, proposed zone:  AFFIDAVIT  I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before well as either personal to appropriate district office will be notified before wel	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well is either personal to appropriate district office will be notified before well appropriate district office will be notified before	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  Pack This is a plugging to the set of the
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the prior of t	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the from below any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  1
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the prior of t	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into a lift the well is dry hole, an agreement between the operator and the control of the sport of the well is either proposed in the sport of the sport of the sport of the well shall be completed within 30 days of the spud date or the well shall be control of the sport	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended in the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either performance. If an ALTERNATE II COMPLETION, production pipe shall be come for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Domitted Electronically**  **For KCC Use ONLY**  API # 15 -	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into a lift the well is dry hole, an agreement between the operator and the control of the sport of the well is either proposed in the sport of the sport of the sport of the well shall be completed within 30 days of the spud date or the well shall be control of the sport	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the standard of the standard of the specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard the specified before well is either point of the specified before the specified before well is either point of the specified before the specified befor	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a completion of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well as either point of the appropriate of the ap	If Yes, proposed zone:  AFFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  Pach drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: \_
Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# 

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1023752

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit	Pit is:  Proposed  If Existing, date co	Existing	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	(feet) No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh waterfeet. mation:	
feet Depth of water well	feet		redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease: Number of wor		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment		procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE OI	NLY Steel Pit RFAC RFAS
Date Received: Permit Num	ıber:	Permi	it Date: Lease Inspection:

## **Summary of Changes**

Lease Name and Number: Durell 2 API/Permit #: 15-007-23390-00-00

Doc ID: 1023752

Correction Number: 1

Approved By: Rick Hestermann 11/05/2008

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of	2582	2531
Pit Ground Surface Elevation	1731	1742
KCC Only - Approved By	Steve Bond 10/24/2008	Rick Hestermann 11/05/2008
KCC Only - Date Received	10/21/2008	11/04/2008
KCC Only - Permit Date	10/23/2008	11/05/2008
KCC Only - Regular Section Quarter Calls	S2 SE NW	W2 SE SE NW
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=21&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=21&t
Number of Feet East or West From Section Line	1980	2060
Number of Feet East or West From Section Line	1980	2060
Quarter Call 3	S2	SE

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest		W2
Quarter Call 4 - Smallest		E2
SaveLink	//kcc/detail/operatorE ditDetail.cfm?docID=10 23382 Surveyed	//kcc/detail/operatorE ditDetail.cfm?docID=10 23752 Estimated
	1731 Surveyed	1742 Estimated