

For KCC	Use:		
Effective	Date:		
District #			
	п		

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed

Section Sect	Expected Spud Date:	Spot Description:
Section Sect	month day year	Sec Twp S. R E
Section	DEDATOR, License#	(0/0/0/0)
It is SECTION: Regular Irregular? (Mote: Locate well on the Section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section of the section Plat on reverse side) The section of the section Plat on reverse side) The section of		foot from T C / W Line of Coeti
County: State Zip: +		La OFOTIONI De materia de la constanta
Slate: Zip: + County:		
County C		(Note: Locate well of the Section Flat of feverse side)
Conditional Deviated or Horizontal wellbore? Set that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. sa agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum aurdace pipe required	· · · · · · · · · · · · · · · · · · ·	County
Is this a Prorated / Spaced Field? \textsquare yes \textsquare with During for the properties of the posterior of the production of the posterior of the production of the posterior of the production of the production of the posterior of the production of the produ		Lease Name: Weil #:
Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Security of the control of the con	WITDAGTOR III	
Well Drilled For: Well Class: Type Equipment: Groundary line (in footage):		10 time d. 10 taled / opassa 1 lola .
Ground Surface Elevation:	me:	
Gas Clorage Pool Ext. Cable	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Seismic: # of Holdes Other Uniformation as follows: Depth to bottom of fresh water: Depth to bottom of fresh wate	Oil Foh Bec Infield Mud Botary	
Seismic ;		Water well within one-quarter mile:
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water		Public water supply well within one mile:
Other:		Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Length of Conductor Pipe (if any): Length of C		Depth to bottom of usable water:
Operator:		Surface Pipe by Alternate: I II
Well Name: Original Completion Date: Original Total Depth: Sectional, Deviated or Horizontal wellbore? Set, true vertical depth: Set true vertical	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Projected Total Depth:	Operator:	Length of Conductor Pipe (if any):
Original Completion Date: Original Total Depth: Sectional, Deviated or Horizontal wellbore? Yes No No	•	Designated Total Design
Water Source for Drilling Operations: Water Saurce for Drill Water In Comply of the Saurce of Saurce Saurce on Saurce Saurce Saurce Saurce on Saurce Sau		
rectional, Deviated or Horizontal wellbore? //es, true vertical depth: //fes, proposed zone: //f	- 3 · · · · · · · · · · · · · · · · · ·	
DWR Permit #: DWR Permit #:	rectional, Deviated or Horizontal wellbore?	
AFFIDAVIT ne undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** For KCC Use ONLY API # 15 -	Yes, true vertical depth:	_
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 day Obtain written approval before disposing or injecting salt water.	ottom Hole Location:	<u>-</u>
AFFIDAVIT ne undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. bmitted Electronically For KCC Use ONLY API # 15	CC DKT #:	Will Cores be taken?
AFFIDAVIT ne undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. bmitted Electronically For KCC Use ONLY API # 15		If Yes, proposed zone:
### Proved by:	 s agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee If the well is dry hole, an agreement between the operator and The appropriate district office will be notified before well is eith If an ALTERNATE II COMPLETION, production pipe shall be of 	on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.
Minimum surface pipe required feet per ALT. I II Approved by:	omitted Electronically	Remember to:
Approved by: Obtain written approval before disposing or injecting salt water.	For KCC Use ONLY API # 15	- File Completion Form ACO-1 within 120 days of spud date;
Approved by.	For KCC Use ONLY API # 15	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
- If this permit has expired (See: authorized expiration date) please	For KCC Use ONLY API # 15	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

(This authorization void if drilling not started within 12 months of approval date.)

_ Agent: _

Spud date: _



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1023806

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes No Length (feet) om ground level to deepest point: liner Describe proce		SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh waterfeet.			
Distance to flearest water wer within one-fine of pit		Source of infor	mation:			
feet Depth of water well	feet		ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE U			NLY Steel Pit RFAC RFAS			
Date Received: Permit Num	ed: Permit Number: Pe		it Date: Lease Inspection: Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

November 05, 2008

Greg Bratton Running Foxes Petroleum Inc. 7060 S TUSCON WAY STE B CENTENNIAL, CO80112

Re: Drilling Pit Application Long Lease Well No. 2-35A NE/4 Sec.35-23S-22E Bourbon County, Kansas

Dear Greg Bratton:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.