

For KCC	Use:		
Effective	Date:		
District #			
00.40		п. .	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed

	ITENT TO DRILL All blanks must be Filled (5) days prior to commencing well		
Expected Spud Date:	Spot Description:		
month day year			
	Sec Twp S. R E W		
OPERATOR: License#	feet from E / W Line of Section		
Name:	Is SECTION: Regular Irregular?		
Address 1:			
Address 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)		
Contact Person:	County:		
Phone:	Lease Name: Well #:		
CONTRACTOR II	Field Name:		
CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
Name:	Target Formation(s):		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):		
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic ; # of Holes Other	Depth to bottom of fresh water:		
Other:	Depth to bottom of usable water:		
	Surface Pipe by Alternate: I II		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:		
Operator:	Length of Conductor Pipe (if any):		
Well Name:	Projected Total Depth:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:		
	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken? Yes No		
	If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
For KCC Use ONLY API # 15 - Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.		
This authorization expires:	- If this permit has expired (See: authorized expiration date) please		
11110 aaa110112ati011 0Api1001	check the hov below and return to the address below		

(This authorization void if drilling not started within 12 months of approval date.)

_ Agent: _

Spud date: _

check the box below and return to the address below.

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15			
Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	Sec Twp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1001 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1027417

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing		SecTwpR			
Settling Pit Drilling Pit	If Existing, date c	onstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Feet from East / West Line of Section			
			County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Is the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes	No				
Pit dimensions (all but working pits):	Pit dimensions (all but working pits): Length (fe		Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	(feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining nocluding any special monitoring.			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.			
feet Depth of water well _	feet		rredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:			

Beelman #12 Surface Casing and Cement Diagram

Ground 17 1/2" hole to 590' 13 3/8" water string set @ 590' Circulate Cement to surface Depth to Bottom of Usable Water = 600' Loss Zone @ 620' 12 1/4" hole to 800' 8 5/8" Surface Casing set @ 800' Raise cement 150' into 13 3/8" casing (440')

Presco Western, LLC Proposed Beelman #12-P10-31-33 Seward County, KS NW/4SE/4SE/4 of Sec. 10-7315- R33W

- Cement 13-3/8" conductor (to surface) w/ 315 5x of Allied Life Slurry Lead @ 11.0 PPG : Tail @ 14.5 PPG
- Cement 8-5/8" surface casing w/375 SX Allied Lite (Lead@ 12.8 PPG) \$ 100 SX of Allied Multidense (Tail@ 14.5 PPG). Objective is to pump Sufficient cement to obtain Minimum height of 440' in 8-5/8" x 13-3/8" annulus.
- Run temperature log to confirm Toc in 8-5/8" x 13-3/8" annulus.



ROBINSON SERVICES

Oil Field & Construction Staking

P.O. Box 2324 Garden City, Kansas 67846

Office/Fax: (620) 276-6159 Cell: (620) 272-1499



Presco Western LLC

Seward County, KS

COUNTY

AUTHORIZED BY:_

x032409-t

10 33w

Beelman #12-P10-31-33 (restake) LEASE NAME 1001' FSL - 1198' FEL

LOCATION SPOT

1" =1000' SCALE: Mar. 24th, 2009 DATE STAKED: Burt W. MEASURED BY: Gabe O. DRAWN BY: Randy V.

This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 2893.1°

Directions: From approx. 1 mile SW of Sublette, Ks at the intersection of Hwy 83 & Hwy 56 - Now go 7 miles South on Hwy 83 - Now go 1 miles West on Hwy 190 to the NE corner of section 10-31s-33w - Now 0.8 mile South on CR K trail to ingress stake West into - Now go 0.2 mile West on lease road -Now go approx. 255' South through bare ground & dry land wheat into location..

Final ingress must be verified with land owner or Presco Western LLC

