

For KCC	Use:		
Effective	Date:		
District #			
0040		<b>—</b>	

Spud date: \_

\_ Agent: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	month	day	year		Spot Description:		
	monur	uay	year			Sec Twp	
PERATOR: License#							N / S Line of Section
ame:							/ W Line of Section
ddress 1:					Is SECTION: Regular	Irregular?	
ddress 2:					(Note: Locate w	rell on the Section Plat on i	reverse side)
ty:					County:		
ontact Person:					Lease Name:		
ione:					Field Name:		
ONTRACTOR: License#_					Is this a Prorated / Spaced Fie		Yes N
ame:					Target Formation(s):		
Well Drilled For:	Well Class:	Ту	pe Equipment:		Nearest Lease or unit boundar	ry line (in footage):	
Oil Enh R	ec Infield	Г	Mud Rotary		Ground Surface Elevation:		feet MS
Gas Storag		xt.	Air Rotary		Water well within one-quarter i	mile:	Yes I
Dispos		<u> </u>	Cable		Public water supply well within	one mile:	Yes
Seismic ; # of	Holes Other				Depth to bottom of fresh water		
Other:					Depth to bottom of usable water		
If OWING: ald wall:	nformation as falls	MO:			Surface Pipe by Alternate:		
If OWWO: old well i	mormation as iolio	ows:			Length of Surface Pipe Planne		
Operator:					Length of Conductor Pipe (if a		
Well Name:					Projected Total Depth:		
Original Completion Dat	e: (	Original Tot	tal Depth:		Formation at Total Depth:		
estional Davistad sullan	٠		□ Vaa [	No	Water Source for Drilling Oper		
ectional, Deviated or Hor es, true vertical depth:			Yes [	140	Well Farm Pond	Other:	
					DWR Permit #:		
ttom Hole Location:					(Note: A	Apply for Permit with DWR	
ttom Hole Location:					(Note: A		Yes 1
ottom Hole Location:					(Note: A		Yes 1
ttom Hole Location:					(Note: A Will Cores be taken?  If Yes, proposed zone:		Yes
ttom Hole Location:				AFFI	(Note: A Will Cores be taken? If Yes, proposed zone:		Yes
ttom Hole Location: CC DKT #: e undersigned hereby a	ffirms that the dri	illing, com	pletion and eve	AFFI	(Note: A Will Cores be taken?  If Yes, proposed zone:		Yes
ttom Hole Location: CC DKT #: e undersigned hereby a s agreed that the followi	ffirms that the dri ng minimum requ	illing, com	pletion and eve will be met:	AFFI	(Note: A Will Cores be taken? If Yes, proposed zone:		Yes
ttom Hole Location: C DKT #: e undersigned hereby a s agreed that the followi 1. Notify the appropria	ffirms that the dri ng minimum requ te district office <b>p</b>	illing, com uirements <b>prior</b> to spu	pletion and eve will be met: udding of well;	<b>AFFI</b> ntual plug	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with		Yes
e undersigned hereby as agreed that the followi  Notify the appropria  A copy of the appropria	ffirms that the dri ng minimum requ te district office <i>p</i> ved notice of inte	illing, com uirements <b>prior</b> to spo nt to drill <b>s</b>	pletion and eve will be met: udding of well; <b>shall be</b> posted	AFFI ntual plug	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig;	K.S.A. 55 et. seq.	Yes
e undersigned hereby as agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amou	ffirms that the dri ng minimum requ te district office <i>p</i> ved notice of inte nt of surface pipe	illing, com uirements <b>prior</b> to spo nt to drill <b>s</b> as specif	pletion and eve will be met: udding of well; <b>shall be</b> posted fied below <b>shal</b>	AFFI ntual pluge on each of	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in	K.S.A. 55 et. seq.	Yes
e undersigned hereby as agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials	illing, com uirements <b>prior</b> to spo nt to drill <b>s</b> as specif plus a mir	pletion and eve will be met: udding of well; <b>shall be</b> posted fied below <b>shal</b> nimum of 20 fee	AFFI ntual pluge on each of the set by	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig;	K.S.A. 55 et. seq. n all cases surface pipe	Yes Yes
e undersigned hereby as agreed that the following.  Notify the appropriance accepts the minimum amount through all unconsource.  If the well is dry hole for the appropriate distinctions.	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials e, an agreement I trict office will be	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the	pletion and eve will be met: udding of well; shall be posted fied below shal nimum of 20 fee ne operator and efore well is eith	AFFI ntual pluge on each of I be set by at into the interplugger	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in;	Yes Yes
e undersigned hereby as agreed that the following.  Notify the appropriance accepts a copy of the appropriance and through all unconsource.  If the well is dry hole for the appropriate disting.	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials e, an agreement I trict office will be COMPLETION,	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be o	AFFI  ntual pluge  on each of  the set by  the distriction of the distriction of the content of	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> Y	Yes Yes Yes Yes Yes Shall be set ior to plugging;
tom Hole Location: CC DKT #:  e undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials e, an agreement I trict office will be COMPLETION, endix "B" - Easter	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter	e shall be set for to plugging; YS of spud date. That I cementing
tom Hole Location: CC DKT #:  e undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials e, an agreement I trict office will be COMPLETION, endix "B" - Easter	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter	e shall be set for to plugging; YS of spud date. That I cementing
the the total control	ffirms that the dri ng minimum requ te district office <b>p</b> ved notice of inte nt of surface pipe lidated materials e, an agreement I trict office will be COMPLETION, endix "B" - Easter	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter	e shall be set for to plugging; YS of spud date. That I cementing
the undersigned hereby as agreed that the following the appropriance. A copy of the appropriance and through all unconsour through all unconsource and the appropriate distributions are all unconsource and all u	ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KC	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter	e shall be set for to plugging; YS of spud date. That I cementing
te undersigned hereby a sagreed that the followi  1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with drilling rig; y circulating cement to the top; ir underlying formation. et office on plug length and placed or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of	K.S.A. 55 et. seq.  n all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DAY</i> CC District 3 area, alter	e shall be set for to plugging; YS of spud date. That I cementing
to the location:  the undersigned hereby as agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement burict office will be COMPLETION, endix "B" - Easter within 30 days of	illing, com uirements orior to spo nt to drill se e as specif plus a mir between the notified be production n Kansas	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	(Note: A Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and placed or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of Remember to:	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <b>pri</b> ted in; surface within <b>120 DA</b> )  CC District 3 area, alter <b>district office</b> prior to a	Yes
te undersigned hereby as a greed that the followi  1. Notify the appropria 2. A copy of the approva 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement litrict office will be COMPLETION, endix "B" - Easter within 30 days of sically	illing, comularements orior to drill see as specificated by the seems of the seems	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing date or the well	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO olugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <b>pri</b> ted in; surface within <b>120 DA</b> )  CC District 3 area, alter <b>district office</b> prior to a	Yes
e undersigned hereby a s agreed that the followi 1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	ffirms that the dring minimum requite district office powed notice of intent of surface pipelidated materials e, an agreement litrict office will be COMPLETION, endix "B" - Easter within 30 days of sically	illing, comularements orior to drill see as specificated by the seems of the seems	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing date or the well	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a company of the company of	Yes
e undersigned hereby as agreed that the following all unconsons.  The will unconsons appropriate distributed Electrons.  For KCC Use ONLY  EC DKT #:  e undersigned hereby as agreed that the following as agreed that the following as agreed that the appropriate distributed and the second and	ffirms that the dri ng minimum requ te district office p ved notice of inter nt of surface pipe lidated materials e, an agreement I trict office will be COMPLETION, endix "B" - Easter within 30 days of	illing, comulirements orior to spunt to drill see as specification plus a mire between the notified between the spund of t	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 fee ne operator and efore well is eith n pipe shall be of surface casing date or the well	AFFI  ntual pluge on each of the set by at into the user plugger the cemented order #13:	Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a company of the company of	Yes
the undersigned hereby as a greed that the following a sagreed that the following and a sagreed that the appropriate and a sagreed and a sagreed that the sagreed and a s	iffirms that the dring minimum requite district office powed notice of internit of surface pipelidated materials e, an agreement brict office will be COMPLETION, endix "B" - Easter within 30 days of ically	illing, comuirements orior to spunt to drill see as specification of the see as specification of the spund of	pletion and ever will be met: udding of well; shall be posted fied below shall nimum of 20 feet ne operator and efore well is eith n pipe shall be of surface casing date or the well	AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p	Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a limit of the company of th	Yes
ne undersigned hereby a s agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed  bmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required.  Minimum surface pipe rec	effirms that the dring minimum requite district office pived notice of internit of surface pipelidated materials e, an agreement be COMPLETION, pendix "B" - Easter within 30 days of ically	illing, comulirements orior to spin to drill see as specification of the see as specification of the spin original of the spin original of the spin original	pletion and ever will be met: udding of well; shall be posted fied below shall immum of 20 feed to experience well is eith pipe shall be a surface casing date or the well in	AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with  drilling rig;  y circulating cement to the top; in underlying formation.  ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to:  - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi - Submit plugging report (CP-2	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> )  CC District 3 area, alter <i>district office</i> prior to a limit of the company of th	Yes
ne undersigned hereby a is agreed that the followi  1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	effirms that the dring minimum requite district office pived notice of internit of surface pipelidated materials e, an agreement be COMPLETION, pendix "B" - Easter within 30 days of ically	illing, comulirements orior to spin to drill see as specification of the see as specification of the spin original of the spin original or	pletion and ever will be met: udding of well; shall be posted fied below shall immum of 20 feed to experience well is eith pipe shall be a surface casing date or the well in	AFFI ntual pluge on each of I be set by the distriction or plugger cemented order #133 shall be p	Will Cores be taken? If Yes, proposed zone:  DAVIT ging of this well will comply with  drilling rig; y circulating cement to the top; in underlying formation. ct office on plug length and place d or production casing is cemen from below any usable water to 3,891-C, which applies to the KO plugged. In all cases, NOTIFY of  Remember to: - File Drill Pit Application (form - File Completion Form ACO-1 - File acreage attribution plat a - Notify appropriate district offi	K.S.A. 55 et. seq.  In all cases surface pipe ement is necessary <i>pri</i> ted in; surface within <i>120 DA</i> ) CC District 3 area, alter <i>district office</i> prior to a compare of the compare of t	Yes

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 760 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

028117

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		SecTwp	R East West	
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
is the pit located in a Sensitive Ground water	Alea: Tes	] NO		cy Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a pl	astic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)	N/A: Steel Pits	
Depth fro	om ground level to de	epest point:	(feet)	No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	dures for periodic maintena ncluding any special monito		
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water mation:	feet.	
feet Depth of water well	feet	measu	redwell owner	electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits Of	NLY:	
Producing Formation:	Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:	Abandonment	procedure:			
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically					
	ксс	OFFICE USE OF	NLY Steel Pit	RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: L	ease Inspection: Yes No	



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

May 11, 2009

Tracy Miller Cherokee Wells LLC P.O. Box 296 Fredonia, KS66736

Re: Drilling Pit Application Countryman Lease Well No. A-5 SE/4 Sec.06-29S-13E Elk County, Kansas

## Dear Tracy Miller:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.