

For KCC	Use:	
Effective	Date:	
District #		
0040		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

Expected Spud Date:	Spot Description:
month day year	,
ODEDATOD: License#	(Q/Q/Q/Q) feet from N / S Line of Section
DPERATOR: License#	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	
State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
ontact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name:
ame:	Is this a Prorated / Spaced Field?
anie	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMACO, and wall information on fallows.	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:CC DKT #:	(Note: Apply for Permit with DWR)
50 DK1 #	Will Cores be taken?
	If Yes, proposed zone:
ΔΕ	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	h drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface properties of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It is necessary prior to plugging ;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the posted on the interval of the posted on each and the interval of the posted on the interval of the plant of the posted of the	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a place of the top is the
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ;
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a place of the top is the
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date. It is a great of the surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be bmitted Electronically For KCC Use ONLY	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the posted on the sum of the posted on each and the sum of the posted on the posted on each and the sum of the posted on the posted on each and the sum of the posted on the posted on the posted on each and the sum of the posted on each and the posted on the posted on each and the sum of the posted on each and the posted on the posted on the posted on each and the posted on the posted on each and the posted on each an	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the state of the posted on each and the interval of the posted on each and t	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: _

Spud date: _

- Obtain written approval before disposing or injecting salt water.

- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well Not Drilled - Permit Expired Signature of Operator or Agent:	Date:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

1800 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1029474

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Pit is:							
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed: Pit capacity:		SecTwpR East WestFeet from North / South Line of Section				
Settling Pit Drilling Pit							
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from	East / West Line of Section			
		(bbls)		County			
Is the pit located in a Sensitive Ground Water	Area? Yes] No		Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plas	· · · · · · · · · · · · · · · · · · ·			
Yes No	Yes I	No					
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)	N/A: Steel Pits			
Depth fro	om ground level to de	eepest point:	(feet)	No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenand	ŭ			
material, the tribes and metallation procedure	•	iiiioi iiitogiity, ii	iolading any opeolal monitorin	9.			
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh waterfeet. Source of information:					
feet Depth of water well	feet	measu	redwell owner	electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:	Abandonment	procedure:					
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.						
Submitted Electronically							
Cabilities Electromosally							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
		_					
Date Received: Permit Numl	ber:	Permi	t Date: Lea	se Inspection: Yes No			