

- Submit plugging report (CP-4) after plugging is completed (within 60 days);

- Obtain written approval before disposing or injecting salt water.

check the box below and return to the address below.

Well Not Drilled - Permit Expired Date: _

Signature of Operator or Agent:

- If this permit has expired (See: authorized expiration date) please

For KCC	Use:	
Effective	Date:	
District #		
0040		

Minimum surface pipe required _

(This authorization void if drilling not started within 12 months of approval date.)

Agent:

This authorization expires: __

Approved by:

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

Spot Description:		TENT TO DRILL (5) days prior to commencing well
Month Cap Year Sec. Twp. S. R. E. W. Cap Sec. Twp. S. R. E. W. Cap Sec. Twp. S. R. Sec. Twp. S. R. Sec. Twp. S. R. Sec. Twp. S. R. Sec. Twp.		
Comparison Com	month day year	Sec Two S.B. F. W.
Name: feet from E / W Line of Section Address 1: Address 2: City: Statio: Zip: +	ODERATOR 11 #	(0/0/0/0)
Address 1:		
Address 2: City: State: Zip: + Contact Person: Contact Person: Contact Person: Contact Person: Contact Person: Contract Person: Well #: Floid Name: Well #: Floid Name: Well Drillod For: Well Class: Type Equipment: Well Drillod For: Well Class: Type Equipment: Well provided For: Well provided For: Well possible for: Well p		
Contract Person: Phone: County: Lease Name: Well #: Ease Name: Well Market Name: Is this a Prorated / Spaced Field? Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Ground Surfac		
Contract Person: Well #: Fleid Name: Well #: Fleid Name: Well #: Fleid Name: Well Drilled For: Well Class: Type Equipment: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Gas Storage Pool Ext. Air Rotary Air Rotary Gable Selamic; # of Holes Other Ot		,
Phone:		•
Is this a Prorated / Spaced Field? Yes No Name: Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Test MSL Nearest Lease or unit lease or unit loundary line (in footage): Test MSL Nearest L	Phone:	
Name: Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Season Storage Pool Ext. Air Potary Public water supply well within one-quarter mile: Yes No No Public water supply well within one-quarter mile: Yes No Public water supply well within one-quarter mile: Yes No Public water supply well within one-quarter mile: Yes No No Public water supply well within one mile: Yes No No Public water supply well within one-quarter mile: Yes No No Public water supply well within one mile: Yes No No Public water supply well within one mile: Yes No Yes No Yes	CONTRACTOR: License#	
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): feet MSL		·
Oil	runo.	
Gal	Well Drilled For: Well Class: Type Equipment:	
Gas Storage Pool Ext. Air Hotary Saismic Disposal Wildcat Cable Dapht to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of fresh water: Surface Pipe Planned to be set: Length of Surface Pipe Planned To Planned To be set: Length of Surface Pipe Planned To be set: Length of Surface Pipe Planned To P	Oil Enh Rec Infield Mud Rotary	
Seismic :# of Holes Other Oth	Gas Storage Pool Ext. Air Rotary	·
Depth to bottom of usable water:	Disposal Wildcat Cable	
Surface Pipe by Alternate:		•
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set:	Other:	
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Well Decation: KCC DKT #: Well Cocation: KCC DKT #: Water square depth: Water Source for Drilling Operations: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface casing order #133,891-C, which application (form CDP-1) with Intent to Drill; must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductive plus according to field proration orders; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File accoage attribution plat according to field proration orders;	If OWWO: old well information as follows:	
Well Name: Original Completion Date: Original Total Depth: Projected Total Depth:	<u> </u>	
Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be emented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15	·	
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other:		•
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Well Farm Pond Other: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor as provided at a cording to field proration orders; File acreage attribution plat according to field proration orders;	Original Completion Date: Original Total Depth:	•
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone:	Directional, Deviated or Horizontal wellbore?	
Note: Apply for Permit with DWR Note: Apply for Permit with DWR Yes Note: Apply for Permit with Dward Yes Note: Apply for Permit with Permit with Dward Yes Note: Apply for Permit with Excending the Set Note: Apply for Permit with Ex		_
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY	Bottom Hole Location:	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	KCC DKT #:	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY	The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
API # 15	Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
- File acreage attribution plat according to field proration orders;	For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File acreage attribution plat according to field proration orders;	API # 15	
	Conductor pipe requiredfeet	

_feet per ALT.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner? Yes No Length (feet) rom ground level to deepest point: e liner Describe pr						
		ccgy,					
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh waterfeet.				
feet Depth of water well	feet		redwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No				



BOX 8604 - PRATT, KS 67124 (620) 672-6491

729091 INVOICE NO.

OIL FIELD SURVEYORS

| Table | Tabl

