

For KCC	Use:	
Effective	Date:	
District #		
0040		

Spud date: _

_ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	Vear	Spot Description:	
топт дау	year	Sec Twp S. R	E\
DPERATOR: License#		feet from N / S Li	ne of Section
ame:		feet from E / W Li	ne of Section
ddress 1:		Is SECTION: Regular Irregular?	
dress 2:		(Note: Locate well on the Section Plat on reverse side)	
ty: State: Zip:	+	County:	
ontact Person:		Lease Name: Well #: _	
none:		Field Name:	
ONTRACTOR: License#			Yes No
ame:			162 140
		Target Formation(s):	
Well Drilled For: Well Class: Type	Equipment:	, , , , , ,	
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Disposal Wildcat (Cable	Public water supply well within one mile:	Yes N
Seismic ; # of Holes Other		Depth to bottom of fresh water:	
Other:		Depth to bottom of usable water:	
If OWWO: old well information as follows:		Surface Pipe by Alternate: II	
Un Ovvvvo. Old well information as follows:		Length of Surface Pipe Planned to be set:	
Operator:		Length of Conductor Pipe (if any):	
Well Name:		Projected Total Depth:	
Original Completion Date: Original Total [Depth:	Formation at Total Depth:	
		Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:	
Yes, true vertical depth:		DWR Permit #:	
ottom Hole Location:			
		(Note: Apply for Permit with DWR)	
		(Note: Apply for Permit with DWR) Will Cores be taken?	Yes N
CC DKT #:			Yes N
		Will Cores be taken?	Yes N
CC DKT #:	AFF	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
	AFF	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
CC DKT #:	AFF etion and eventual plu	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
CC DKT #:	AFF etion and eventual plu I be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
the undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i>	AFF etion and eventual plu I be met: ding of well; all be posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;	
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. I drilling rig; by circulating cement to the top; in all cases surface pipe shall be se	
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen and enderlying formation.	et.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the or	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. I drilling rig; by circulating cement to the top; in all cases surface pipe shall be seen underlying formation. rict office on plug length and placement is necessary prior to plugging.	et.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the case of the propriate district office will be notified before	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen and enderlying formation. First office on plug length and placement is necessary prior to plugging and or production casing is cemented in;	rt ing;
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the complete the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and the complete through all unconsolidated materials plus a minimum and through all unconsolidated materials plus a minimum and through all unconsolidated materials plus a minimum and through a mini	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cemented	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen underlying formation. First office on plug length and placement is necessary prior to plugging and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud day.	ing;
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the composition of the surface will be notified before. 5. The appropriate district office will be notified before. 6. If an ALTERNATE II COMPLETION, production piper or pursuant to Appendix "B" - Eastern Kansas sur	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen and enderlying formation. First office on plug length and placement is necessary prior to plugging and or production casing is cemented in;	ing; ate.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the composition of the surface will be notified before the appropriate district office will be notified before the composition of the surface of the	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen underlying formation. First office on plug length and placement is necessary prior to plugging ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud do 33,891-C, which applies to the KCC District 3 area, alternate II cements.	ing; ate.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the composition of the surface will be notified before the appropriate district office will be notified before the composition of the surface of the	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen underlying formation. First office on plug length and placement is necessary prior to plugging ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud do 33,891-C, which applies to the KCC District 3 area, alternate II cements.	ing; ate.
ne undersigned hereby affirms that the drilling, completes agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the appropriate district office will be notified befor 5. The appropriate district office will be notified befor 6. If an ALTERNATE II COMPLETION, production pintor or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud dat	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; by circulating cement to the top; in all cases surface pipe shall be seen underlying formation. First office on plug length and placement is necessary prior to plugging ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud do 33,891-C, which applies to the KCC District 3 area, alternate II cements.	ing; ate.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the appropriate district office will be notified befor for an ALTERNATE II COMPLETION, production pin Or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud dat	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be see a underlying formation. Fict office on plug length and placement is necessary prior to plugging ed or production casing is cemented in; If I form below any usable water to surface within 120 DAYS of spud do 33,891-C, which applies to the KCC District 3 area, alternate II ceme plugged. In all cases, NOTIFY district office prior to any cementing	ing; ate.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the specified district office will be notified before. 5. The appropriate district office will be notified before. 6. If an ALTERNATE II COMPLETION, production piper or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud date. bmitted Electronically	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Individual ting cement to the top; in all cases surface pipe shall be seen an underlying formation. Individual ting cement to the top; in all cases surface pipe shall be seen underlying formation. Individual ting to the top; in all cases surface pipe shall be seen underlying formation. Individual ting ting to the top; in all cases surface pipe shall be seen underlying formation. In the top to the top; in all cases are plugged. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing the top to the top	ing; ate.
ne undersigned hereby affirms that the drilling, completes agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the spud district office will be notified befor 5. The appropriate district office will be notified befor 6. If an ALTERNATE II COMPLETION, production pin Or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud dat bmitted Electronically For KCC Use ONLY	AFF etion and eventual plut I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementer rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Individual comply with K.S.A. 55 et. seq. Individual comply with K.S.A. 55 et. seq. Individual complete to the top; in all cases surface pipe shall be set and entire to make a underlying formation. Individual complete to the top; in all cases surface pipe shall be set and entire to make a underlying formation. In individual complete to the top; in all cases surface pipe shall be set and entire to make a underlying formation. In individual cases, indiv	ing; ate.
ne undersigned hereby affirms that the drilling, completes agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the spud district office will be notified befor 5. The appropriate district office will be notified befor 6. If an ALTERNATE II COMPLETION, production pin Or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud dat bmitted Electronically For KCC Use ONLY	AFF etion and eventual plut I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementer rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In drilling rig; In all cases surface pipe shall be set a underlying formation. In the set and set and placement is necessary prior to plugging right and placement is necessary prior to plugging right and placement in the set and set	ing; ate.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the appropriate district office will be notified before. 5. The appropriate district office will be notified before. 6. If an ALTERNATE II COMPLETION, production piper or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud date. bmitted Electronically	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cementee rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In drilling rig; In drillin	ing; ate. enting g.
ne undersigned hereby affirms that the drilling, completes agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the appropriate district office will be notified before. 5. The appropriate district office will be notified before. 6. If an ALTERNATE II COMPLETION, production piperor or pursuant to Appendix "B" - Eastern Kansas surmust be completed within 30 days of the spud date. bmitted Electronically For KCC Use ONLY API # 15	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cemente rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In drilling rig; In drillin	ing; ate. enting g.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudo 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the of 5. The appropriate district office will be notified befor 6. If an ALTERNATE II COMPLETION, production pip Or pursuant to Appendix "B" - Eastern Kansas sur must be completed within 30 days of the spud dat bmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cemente rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In drilling rig; It is completed to the top; in all cases surface pipe shall be set a underlying formation. In drict office on plug length and placement is necessary prior to plugging and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud days, 33,891-C, which applies to the KCC District 3 area, alternate II cemes plugged. In all cases, NOTIFY district office prior to any cementing Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en- Submit plugging report (CP-4) after plugging is completed (within 6).	ing; ate. enting g.
ne undersigned hereby affirms that the drilling, completis agreed that the following minimum requirements will 1. Notify the appropriate district office <i>prior</i> to spudd 2. A copy of the approved notice of intent to drill <i>sha</i> 3. The minimum amount of surface pipe as specified through all unconsolidated materials plus a minim 4. If the well is dry hole, an agreement between the office of the appropriate district office will be notified before. 5. The appropriate district office will be notified before. 6. If an ALTERNATE II COMPLETION, production piperor of the completed within 30 days of the spud date. bmitted Electronically For KCC Use ONLY API # 15	AFF etion and eventual plu I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dist re well is either plugg ipe shall be cemente rface casing order #1 te or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In drilling rig; In drillin	ing; ate. enting g.

Well Not Drilled - Permit Expired Date: _ Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

030415

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner?		SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits				
	om ground level to de						
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.				
Distance to nearest water well within one-mile	e of pit	Depth to shallor Source of infor	owest fresh waterfeet. rmation:				
feet Depth of water well	feet	measu	uredwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.					
	KCC	OFFICE USE OF	NLY Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	nit Date: Lease Inspection: Yes No				