

For KCC	Use:	
Effective	Date:	
District #	<u> </u>	
0040		

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	In OFOTION De sule sul lune sule so
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
ontact Person:	Lease Name: Well #:
none:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : IT ID
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order statements. 	It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
bmitted Electronically For KCC Use ONLY API # 15	 Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
For KCC Use ONLY API # 15	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
For KCC Use ONLY API # 15 Conductor pipe required feet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

(This authorization void if drilling not started within 12 months of approval date.)

_ Agent: _

Spud date: _



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

4950 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1033381

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp	R East West	
Settling Pit Drilling Pit			Feet from	North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Feet from	East / West Line of Section County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
is the pit located in a Sensitive Ground water	Alea: Tes] NO		cy Pits and Settling Pits only)	
Is the bottom below ground level? Yes No			How is the pit lined if a pl	astic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)	N/A: Steel Pits	
Depth fro	om ground level to de	epest point:	(feet)	No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	dures for periodic maintena ncluding any special monito		
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water mation:	feet.	
feet Depth of water well	feet	measu	redwell owner	electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits Of	NLY:	
Producing Formation:	Type of materia	al utilized in drilling/workove	r:		
Number of producing wells on lease:	Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must t	pe closed within 365 days o	f spud date.	
Submitted Electronically					
	ксс	OFFICE USE OF	NLY Steel Pit	RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: L	ease Inspection: Yes No	

STATE OF KANSAS TATE CORPORATION COMMISSION

WELL PLUGGING RECORD K.A.R.-82-3-117

í
API NUMBER 15-077-21,183
LEASE NAME Loesch
WELL NUMBER 1-A
4950 Ft. from S Section Line
1005 Ft. from E Section Line
sec. 6 TWP. 33 RGE. 8 (XE) or (W)

200 Polorado Derby Building Wichita, Kansas 67202		LEASE NAME Loesch	
	RINT	WELL NUMBER 1-A	
NOTICE: Fill out and return to	completely	4950 Ft. from S Section Line	
office within		1005 Ft. from E Section Line	
LEASE OPERATOR Mineral Leasing Company		sec. 6 TWP. 33 RGE. 8 (XE) or (W)	
ADDRESS 3309 S. Everett Wichita, KS 67217		COUNTY Harper	
PHONE (316) 945-8601 OPERATORS LICENSE NO.		Date Well Completed 11-21-88	
Character of Well D&A		Plugging Commenced 11-21-88	
(Oll, Gas, D&A, SWD, Input, Water Supply Well)		Plugging Completed 11-21-88	
The plugging proposal was approved on11-2	1-88	(date)	
Steve Vangieson to be filed by			
to be filed by Is ACO-1 filed? Operator if not, is well log	attached?	ves	
Producing Formation Depth to			
Show depth and thickness of all water, oil and g			
OIL, GAS OR WATER RECORDS	CAS	SING RECORD	
Formation Content From To	\$1ze F	1	
	<u>-</u> -		
Describe in detail the manner in which the well placed and the method or methods used in introd		L. AL. L.I. II AGBART AC ATRAC ALUA	
Bottom Plug: 1300' w/35 sacks 60/40 pozmix 2 Next Plug: @ 265' w/35 " " " " "	depth place % del fhru d	d from feet to feet each set	
Next Plug: 0900' w/35	n ger um a	II II	
Next Plug: @ 265' w/35 " " "	11 11	11 11	
Top Plug: 060' w/25 sacks cement (if additional description is necessary)	ry, use BACk	(10 sacks in Rat Hole	
Duka Dudilia- Ca		License No. 5929	
Name of Plugging Contractor Duke Drilling Co	., 1110.	License No. 3023	
Address P.O. Box 823 Great Bend, KS 675	30		
STATE OF Kansas COUNTY OF	Barton	, \$5.	
John Armbruster	(Empl	loyee of Operator) or XXXXXXXXXXXXXXX	
above-described well, being first duly sworn or	oath, says:	That Thave knowledge of the facts above-described well as filed tha	
above-described well, being first duly sworn or statements, and matters herein contained and the the same appropriation commission of the same appropriation of the same ap	, ,0g 01 1110		
	(Slanature)	What Illem heart in	

CONSERVATION DIVISION
Wichita Kansas
Wichita Commission Expires: 4

55 90

(Address) <u>P.O. box 823</u> (Address) P.O. box 823
SUBSCRIBED AND SWORN TO before me this ______ day of__

Notary Public/

Form CP-4 Revised 07-87



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 08, 2009

larry G. Mans AGV Corp. PO Box 377 ATTICA, KS 67009-0377

Re: Drilling Pit Application JOEL SWD NE/4 Sec.06-33S-08W Harper County, Kansas

Dear larry G. Mans:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 120 hours of completion of drilling operations. Keep pits on west side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through SOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.