

For KCC	Use:		
Effective	Date:		
District #			
00.40		п. .	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

	TENT TO DRILL All blanks must be Filled
Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date:	Spot Description:
month day year	
	feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	is Scotion. Tregular integular:
Address 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Other.	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Organisa	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	ii res, proposed zone
AFFI	DAVIT
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each of	
The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the	
4. If the well is dry hole, an agreement between the operator and the district	, 0
5. The appropriate district office will be notified before well is either plugge	1 0 0 1
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	
	3,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be p	olugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY			
API # 15			_
Conductor pipe required	feet		
Minimum surface pipe required	feet per ALT.	1	П
Approved by:			_
This authorization expires: (This authorization void if drilling not started within 12 mo		late.)	_
Spud date: Agent:			_

Remember to:

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If this permit has expired (See: authorized expiration date) please

check the box below and return to the address below.			
Well Not Drilled - Permit Expired Signature of Operator or Agent:	Date:		



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


ADING 15	
API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage:	io cooloni.
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





402 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1033904

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes No Length (feet) om ground level to deepest point: liner Describe proce		SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section Count Count Chloride concentration: mg/line (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile of pit		Depth to shallo	owest fresh waterfeet.	
		Source of infor		
feet Depth of water wellfeet			uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		.	cover and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover:	
Number of producing wells on lease:			rking pits to be utilized:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			be closed within 365 days of spud date.	
Submitted Electronically				
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	nit Date: Lease Inspection: Yes No	



DRAWN BY:

ROBINSON SERVICES


Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499

8490 INVOICE NO.



b120109-k

Presco Western LLC Calibani #6-M31-32-39 LEASE NAME

31 402' FSL – 1254' FWL **Morton County, KS** 32s 39w COUNTY LOCATION SPOT Twp.

GR. ELEVATION: <u>3</u>252.7' 1" =1000 SCALE: Dec. 1st, 2009 James K. MEASURED BY: Gabe O.


AUTHORIZED BY: This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

Ron I.

Directions: From the South side of Richfield, Ks at the intersection of Hwy 51 & Hwy 27 North - Now go 7.5 mile East on Hwy 51 -Now go 3.1 mile South on Hwy 51 (approx. 0.1 mile South of river bridge) - Now go 1.4 mile E NE on curved lease road to ingress stake South into - Now go 0.5 mile South on trail to the SW corner of section 31-32s-39w - Now go 0.2 mile East on trail to ingress stake NE into - Now go approx. 350' NE through sandy pasture grass into staked location.

Final ingress must be verified with land owner or






ROBINSON SERVICES

Oil Field & Construction Staking

P.O. Box 2324 Garden City, Kansas 67846



(grave

b120109-k Office/Fax: (620) 276-6159 Cell: (620) 272-1499 **Presco Western LLC** Calibani #6-M31-32-39 LEASE NAME 402' FSL - 1254' FWL 31 Morton County, KS 32s 39w COUNTY LOCATION SPOT Twp. GR. ELEVATION: <u>3</u>252.7' 1" =1000 **Directions:** From the South side of Richfield, Ks at the intersection SCALE: Dec. 1st, 2009 of Hwy 51 & Hwy 27 North - Now go 7.5 mile East on Hwy 51 -DATE: Now go 3.1 mile South on Hwy 51 (approx. 0.1 mile South of river James K. MEASURED BY: bridge) - Now go 1.4 mile E NE on curved lease road to ingress stake Gabe O. DRAWN BY: South into - Now go 0.5 mile South on trail to the SW corner of Ron I. section 31-32s-39w - Now go 0.2 mile East on trail to ingress stake AUTHORIZED BY: NE into - Now go approx. 350' NE through sandy pasture grass into This drawing does not constitute a monumented survey staked location. or a land survey plat Final ingress must be verified with land owner or This drawing is for construction purposes only Presco Western LLC 2544.51 2640.67 R 40 ingress stake as We) South into 10 Calibani #6-M31-32-39 3250. 402' FSL & 1254' FWL 3252.7' = gr. elev. at staked loc.US NAD 27 KS-S X = 1095829.0Lat. = N 37° 12' 55.257594" Y = 214835.0Long = W 101° 36' 20.92772" I staked location with 7' wood (painted orange & blue) and t-post 2638.24 Location falls in sandy pasture grass While standing at staked loc. looking approx. 150' North has 2 ft of rise South has 4 ft of rise East & West are basically level. pasture grass ingress stake NE into T 32 S T 33 S

ClineSmith 6 #1 3257.7' = gr. elev.

producing well is 937.8' SW of staked loc.



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 22, 2009

Ron Ingersoll Presco Western LLC 5665 FLATIRON PKWY BOULDER, CO 80301

Re: Drilling Pit Application Calibani 6-M31-32-39 SW/4 Sec.31-32S-39W Morton County, Kansas

Dear Ron Ingersoll:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through SOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.