

For KCC	Use:		
Effective	Date:		
District #			
0040	$\Box$	<b>—</b>	

Spud date: \_

\_ Agent: \_

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

	Spot Description:
month day year	Sec Twp S. R E \( \bigcup \)
PERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
dress 2:	(Note: Locate well on the Section Plat on reverse side)
ty:	County:
ntact Person:	Lease Name: Well #:
one:	Field Name:
DNTRACTOR: License#	Is this a Prorated / Spaced Field?
ime:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any):
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
ottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
A F-1	FIDAVIT
ΔFI	
	igging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual plu	agging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:	agging of this well will comply with K.S.A. 55 et. seq.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:	n drilling rig;
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. crict office on plug length and placement is necessary <i>prior to plugging</i> ;
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. crict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>	In drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. crict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ul> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ul>	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either pluge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the disting the appropriate district office will be notified before well is either pluggent. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  In this production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Burict office on plug length and placement is necessary <i>prior to plugging;</i> Burged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. Burged:
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distingual of the surface propriate district office will be notified before well is either plugual. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **Demitted Electronically**  **For KCC Use ONLY**	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  bmitted Electronically  For KCC Use ONLY  API # 15 -	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluge in a surface casing order with a surface casing order with must be completed within 30 days of the spud date or the well shall be surface to the well shall be surface.  **Domitted Electronically**  **Domitted Electronically**  **For KCC Use ONLY*  **API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  bmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriate to the well shall be appropriated.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriated.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is eithe	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to surface within 120 DAYS of spud date.  circulating cemented in; d from below any usable water to surface within 120 DAYS of spud date.  circulating cement to surface within 120 DAYS of spud date.  circulating cement to plugging; deformable of surface within 120 DAYS of spud date.  circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to the set of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to the set of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **Domitted Electronically**  **Domitted Elec	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





## 660 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

351 Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit	Pit is:	Existing	 SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section  County
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): Leng		eet)	Width (feet) N/A: Steel Pits
Depth fr	om ground level to d	eepest point:	(feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh waterfeet. mation:
feet Depth of water well _	feet	measu	redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of wor	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	КСС	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

# 5-179-300 10-00-01 FOR

# STATE OF KANSAS STATE CORPORATION COMMISSION

Gi Ma Ma

### WELL PLUGGING RECORD

Make Required Affidavit Mail or Deliver Report to Conservation Division	Sheridan County. Sec. 32 Twp. 8 Rge. 28	
• •	The count out I	_E/W
Conservation Division	Location as "NE/CNWASWA" or footage from lines	
State_Corporation Comm.	Lease Owner Patton Oil Company KCC740	<del></del>
245 North Water	Lease Owner Patton Oil Company KCCZ#P  Lease Name Clark #2 SWD (W) Well No. 1	
Wichita, KS 67202	' Office Address Hoisington, Kansas	
110H1144, 110 01202		
	Character of Well (Completed as Oil, Gas or Dry Hole)_	
1 i i i i		
		19
	FF	19
والمراهد والمنافقة المنتقلة المنتقلة المنافقة ال	PP	19
		19 19
	Plugging completed $4/15/76$ Reason for abandonment of well or producing formation	
	depleted.	
	If a producing well is abandoned, date of last products	ion
		19
	Was permission obtained from the Conservation Division	
Locato nell convectiv en above Section Plat	its agents before plugging was commenced? yes	
Name of Conservation Agent who su		
Producing formation	Depth to top Bottom Total Depth of Well	4100
Show depth and thickness of all w	^	<u> </u>
OIL, GAS OR WATER RECORDS	CASING RECORD	D
FORMATION	CONTENT FROM TO GUE PUT CO PULLED OUT	
72000	8-5/8 187 none	
	$\frac{5^{2}}{3}$ " 2354 none	
	) J2 23/4 NONO	
was -laced and the method or meth	hade used in introducing it into the hold. If coment on	
plugs were used, state the charac	hods used in introducing it into the hold. If cement or ceter of same and depth placed, from feet to	
plugs were used, state the character for each plug	cter of same and depth placed, fromfeet to set.	othe
plugs were used, state the character feet for each plug Plugged well with 2 sacks	cter of same and depth placed, from feet to	othe
Plugged well with 2 sacks	set.  s hulls, 130 sacks 50-50 pos, 6% gel.	othe
plugs were used, state the character feet for each plug Plugged well with 2 sacks	cter of same and depth placed, fromfeet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED  STATE CORPORATION COMMISSION	set.  s hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks	cter of same and depth placed, fromfeet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED  STATE COMPRESSION COMMISSION  APR 2 1 1976	cter of same and depth placed, from feet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECELVED STATE COMPRESSION  APR 2 1 1076  CONSERVATION DIVISION	cter of same and depth placed, from feet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED STATE COMPONION COMMISSION  APR 2 1 1976	cter of same and depth placed, from feet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED STATE COMPRESSION COMMISSION  APR 2 1 1076  COMSERVATION DIVISION	cter of same and depth placed, from feet to set. cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED  STATE CORPORATION COMMISSION  APR 2 1 1976  CONSERVATION DIVISION  Withita, Kansas	cter of same and depth placed, from feet to set.  cs hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED STATE CORPORATION COMMISSION  APR 2 1 1076  CONSERVATION DIVISION Wickits, Kansas	cter of same and depth placed, from feet to set.  s hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  PLECEIVED  STATE CORPORATION COMMISSION  APR 2 1 1976  CONSERVATION DIVISION  Withits, Kansas	cter of same and depth placed, from feet to set.  As hulls, 130 sacks 50-50 pos, 6% gel.  Escription is necessary, use BACK of this sheet)  Kelso Casing Pulling	othe
Plugged well with 2 sacks  PLECEIVED STATE CORPORATION COMMISSION  APR 2 1 1076  CONSERVATION DIVISION Wickits, Kansas	cter of same and depth placed, from feet to set.  s hulls, 130 sacks 50-50 pos, 6% gel.	othe
Plugged well with 2 sacks  Plugged well with 2 sacks  RECEIVED  STATE CORPORATION COMMISSION  APR 2 1 1076  CONSERVATION DIVISION  Wichita, Kansas  (If additional des	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  Rice	othe
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECEIVED  STATE COMPONITION COMMISSION  APR 2 1 1976  CONSERVATION DIVISION  Wichita, Kansas  (If additional des	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  Rice  Rice	othe
Plugged well with 2 sacks  PLECTIVED STATE COPPORATION COMMISSION  APR 2 1 1076  CONSERVATION DAYSION Wickits, Mansas  (If additional des  Name of Plugging Contractor  Kansas  R. Da	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  As a court of Rice  Camployee of owner) or (owner or operator) of the above description is necessary) or (owner or operator) of the above description is necessary.	ibed
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 2 1 1976  CONSERVATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  Kansas  R. Days  STATE OF  Kansas	cter of same and depth placed, from feet to set.  Is hulls, 130 sacks 50-50 pos, 6% gel.  Escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  A COUNTY OF Rice  Darrell Kelso  (employee of owner) or (owner or operator) of the above-description of the above-descr	ibed
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 2 1 1976  CONSERVATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  Kansas  R. Days  STATE OF  Kansas	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  A COUNTY OF Rice  Carrell Kelso  Cemployee of owner) or (owner or operator) of the above-description are true and correct. So help me Coll.	ibed
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 2 1 1976  CONSERVATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  Kansas  R. Days  STATE OF  Kansas	set.  So hulls, 130 sacks 50-50 pos, 6% gel.  Secription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  As Court of Rice  Cemployee of owner) or (owner or operator) of the above-description is necessary.  That I have knowledge of the facts, statements, and matters berein contained and the log of same are true and correct. So help me Coll.  (Signsture)	ibed
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 2 1 1976  CONSERVATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  Kansas  R. Days  STATE OF  Kansas	cter of same and depth placed, from	ibed
Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 21 1976  CONSERVATION DAYSION  Wickitz, Kansas  (If additional des  Name of Plugging Contractor  STATE OF  Kansas  R. Da  above described well as filed and that the se	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  April  Chase, Kansas	ibed
Plugged well with 2 sacks  Plugged well with 2 sacks  PLECTIVED  STATE CORPORATION COMMISSION  ADD 2 1 1976  CONSERVATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  Kansas  R. Days  STATE OF  Kansas	escription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  April  Chase, Kansas	ibed
Plugged well with 2 sacks  PLOCETYED  CHARE COPPORATION COMMISSION  ADD 21 1976  CONSERVATION DAYSION  Wickitz, Kansas  (If additional des  Name of Plugging Contractor  STATE OF Kansas  R. Days  above described well as filed and that the second contract of the same of t	set.  As hulls, 130 sacks 50-50 pos, 6% gel.  Secription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  Chase, Kansas  Country of Rice  (employee of owner) or (owner or operator) of the above description is necessary.  That I have knowledge of the facts, statements, and matters berein contained and the log of same are true and correct. So help me Col.  (Signsture)  Chase, Kansas  Chase, Kansas  Chase, Kansas  April	ibed
Plugged well with 2 sacks  PLOCETYED  STATE COMPORATION COMMISSION  ADD 21 1976  COMMENTATION DAYSION  Wichita, Kansas  (If additional des  Name of Plugging Contractor  STATE OF  Kansas  R. Days  above described well as filed and that the sacks  STATE OF  STATE OF MARGAR  AND SWORN TO before me	set.  Ses hulls, 130 sacks 50-50 pos, 6% gel.  Sescription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  Chase, Kansas  Carrell Kelso  (employee of owner) or (owner or operator) of the above description is necessary.  That I have knowledge of the facts, statements, and matters berein contained and the log of same are true and correct. So help me Coll.  (Signature)  Chase, Kansas  Chase, Kansas  Chase, Kansas  April  ARET MELEHF  B County, Managaret Malley  Notary Public  Notary Public	ibed
Plugged well with 2 sacks  PLECEIVED  CHAIR CORPORATION COMMISSION  ADD 2 1 1076  CONSERVATION DIVISION  Witchite, Kansas  (If additional des  Name of Plugging Contractor  STATE OF Kansas  R. Division being first duly swom on oath, says:  above described well as filed and that the second contractor  STATE OF MARGA  AND SWORN TO before me	set.  Ses hulls, 130 sacks 50-50 pos, 6% gel.  Sescription is necessary, use BACK of this sheet)  Kelso Casing Pulling  Chase, Kansas  Chase, Kansas  Carrell Kelso  (employee of owner) or (owner or operator) of the above description is necessary.  That I have knowledge of the facts, statements, and matters berein contained and the log of same are true and correct. So help me Coll.  (Signature)  Chase, Kansas  Chase, Kansas  Chase, Kansas  April  ARET MELEHF  B County, Managaret Malley  Notary Public  Notary Public	ibed