

For KCC Use:	
Effective Date: _	
District #	
0040	

Spud date: \_

\_ Agent: \_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

	Spot Description:			
month day year	Sec Twp S. R E \( \bigcup \)			
PERATOR: License#	feet from N / S Line of Section			
ame:	feet from E / W Line of Section			
ddress 1:	Is SECTION: Regular Irregular?			
dress 2:	(Note: Locate well on the Section Plat on reverse side)			
ty:	County:			
ntact Person:	Lease Name: Well #:			
one:	Field Name:			
DNTRACTOR: License#	Is this a Prorated / Spaced Field?			
ime:	Target Formation(s):			
	Nearest Lease or unit boundary line (in footage):			
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:			
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:			
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:			
Disposal Wildcat Cable	Depth to bottom of fresh water:			
Seismic ; # of Holes Other	Depth to bottom of usable water:			
Other:	Surface Pipe by Alternate: I II			
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:			
	Length of Conductor Pipe (if any):			
Operator:				
Well Name:	Projected Total Depth:			
Original Completion Date: Original Total Depth:	Formation at Total Depth:			
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:			
Yes, true vertical depth:	Well Farm Pond Other:			
ottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )			
CC DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
A F-1	FIDAVIT			
ΔFI				
	igging of this well will comply with K.S.A. 55 et. seq.			
ne undersigned hereby affirms that the drilling, completion and eventual plu	agging of this well will comply with K.S.A. 55 et. seq.			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:	agging of this well will comply with K.S.A. 55 et. seq.			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;				
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:	n drilling rig;			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. crict office on plug length and placement is necessary <i>prior to plugging</i> ;			
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. crict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;			
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>	In drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.			
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. crict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;			
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ul> <li>undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ul>	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing			
e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either pluge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the disting the appropriate district office will be notified before well is either pluggent. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  In this production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.			
le undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be somitted Electronically.	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Burict office on plug length and placement is necessary <i>prior to plugging;</i> Burged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. Burged:			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distingual of the surface propriate district office will be notified before well is either plugual. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **Demitted Electronically**  **For KCC Use ONLY**	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;			
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the appropriate district of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be completed.  **Domitted Electronically**  **For KCC Use ONLY**  API # 15	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluge in a half be completed. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be completed.  bmitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;			
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  bmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriate to the well shall be appropriated.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriated.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is either plugged. The production pipe shall be cemented before well is eithe	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  by circulating cement to surface within 120 DAYS of spud date.  circulating cemented in; d from below any usable water to surface within 120 DAYS of spud date.  circulating cement to surface within 120 DAYS of spud date.  circulating cement to plugging; deformable of surface within 120 DAYS of spud date.  circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to the set of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to the set of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date; circulating cement to plugging; deformable of surface within 120 days of spud date.			
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be completed.  **Domitted Electronically**  **Domitted Elec	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);			

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County:
feet from N / S Line of Section
feet from E / W Line of Section
Sec Twp S. R
Is Section: Regular or Irregular
If Section is Irregular, locate well from nearest corner boundary.
Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 2445 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


1037893

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		SecTwpR East WestFeet from North / South Line of Section			
Settling Pit Drilling Pit						
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	,		
is the pit located in a Sensitive Ground water Area? fes No		] NO	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (feet)		Width (feet)	N/A: Steel Pits		
Depth fro	(feet)	No Pit				
If the pit is lined give a brief description of the material, thickness and installation procedure		•	dures for periodic maintena ncluding any special monito			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:				
feet Depth of water wellfeetr		measu	redwell owner	electric logKDWR		
Emergency, Settling and Burn Pits ONLY:	Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:	Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: Permit Num	ber:	Permi	t Date: L	ease Inspection: Yes No		





May 10, 2010

Steve Jackson Jackson, Steve dba S & K Oil Company PO BOX 184 BLUE MOUND, KS 66010-0184

Re: Drilling Pit Application Page 3 SE/4 Sec.18-25S-22E Bourbon County, Kansas

Dear Steve Jackson:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through SOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.