

For KCC	Use:		
Effective [Date:		
District # .			

Spud date: _

Agent:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Section State Section State Section				
DEPATOR: License# Name: Address 1:	Twp S. R 🔲 E 🔲 W			
Is SECTION: Regular Irrection Irre	feet from N / S Line of Sectio			
Address 2:	feet from E / W Line of Section			
ddress 2:	gular?			
State: Zip: + County: Lease Name: Lease Name	the Section Plat on reverse side)			
Lease Name:	*			
Sontractors: License#				
Is this a Prorated / Spaced Field? Target Formation(s): Nearest Lease or unit boundary line Spaced Field? Target Formation(s): Nearest Lease or unit boundary line Gas Storage Pool Ext. Mud Rotary Midcat Cable Seismic ; # of Holes Other Other: Depth to bottom of resh water : Depth to bottom of fresh water : Depth to bottom of usable water : Depth to bottom of tresh water : Depth to bottom of usable water : Depth to bottom of usable water is understance in the post of usable water is experiment of page and is understance in the post of usable water is understance water is understance in the post of usable water is understance in the post of usable water is understance in				
Mell Drilled For: Well Class: Type Equipment: Ground Surface Elevation: Water well willn one-quarter mile: Public water supply well within one-quarter mile: Public water supply well well velouder pipe thaned to pept well in formation and velouder pipe pipe water	Yes N			
Nearest Lease or unit boundary line Ground Surface Elevation: Water well within one quarter mile: Seismic; # of Holes Other Other: Depth to bottom of tresh water: Depth to bottom of usable water: Surface Pipe Planned to Length of Surfac				
Oil				
Gas Storage Pool Ext. Air Rotary Gas Storage Pool Ext. Air Rotary Seismic : # of Holes Other Other: Gas Disposal Wildcat Cable Cable Cable Public water supply well within one Depth to bottom of usable water:				
Gas Storage Pool Ext. Cable Public water supply well within one Depth to bottom of fresh water: Depth to bottom of usable weter: Surface Pipe by Alternate: I Length of Surface Pipe by Alternate: I Length of Surface Pipe Planned to Length of Conductor Pipe (if any): Projected Total Depth: Length of Surface Pipe Planned to Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operation Projected Total Depth: Water Source for Drilling Operation Well Farm Pond Other: Well well Farm Pond Other: Well Farm Pond	Yes			
Seismic ; # of Holes				
Depth to bottom of usable water: Surface Pipe by Alternate: 1				
If OWWO: old well information as follows: Operator:				
Length of Surface Pipe Planned to Length of Surface Pipe Planned to Length of Conductor Pipe (if any): Original Completion Date: Original Completion Date: Original Total Depth: Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operation Well Farm Pond Ot Well Farm Pond				
Operator: Well Name: Original Completion Date: Original Total Depth: Water Source for Drilling Operation Ectional, Deviated or Horizontal wellbore? See, true vertical depth: Itom Hole Location: CD KT #: Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Properties Water Source for Drilling Operation Well Farm Pond Other Proper				
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operation Well Care Permit #: Water Source for Drilling Operation Well Farm Pond Ot Well Farm Pond Ot DWR Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: AFFIDAVIT e undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement of the appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office will be read to the well shall be plugged. In all cases of the KCC D in the complete of the completion form ACO-1 with application (form CDI) in the case of the completion form ACO-1 with appropriate district office at the completion form ACO-1 with application (form CDI) is file careage attribution plat according to the complete of the completion form ACO-1 with application (form CDI) is provided by a propriate district office at the complete of the complete	Length of Surface Pipe Planned to be set:			
Original Completion Date: Original Total Depth: Water Source for Drilling Operation ectional, Deviated or Horizontal wellbore? Yes No fes, true vertical depth: Water Source for Drilling Operation with Mole Location: Well Farm Pond Ot DWR Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will comply with K.S. as agreed that the following minimum requirements will be met: 1. Notify the approvate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement. The appropriate district office will be notified before well is either plugged or production casing is cemented in an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office of the CC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office of the completion form ACO-1 with applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office are age attribution plat according the sproved by: Semember to:	Length of Conductor Pipe (if any):Projected Total Depth:Projected Total Depth:			
Water Source for Drilling Operation fes, true vertical depth: ttom Hole Location: CD DKT #: Wall Farm Pond Ot DWR Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: AFFIDAVIT e undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office areage attribution plat according to the surface of the spud date or the well shall be plugged. In all cases and considered the surface of the spud date or the well shall be plugged. In all cases and considered the surface of the spud date or the well shall be plugged. In all cases attribution plat according the surface of the surface of the spud date or the well shall be plugged. In all cases attribution plat according the surface of the surface of the surface of the well shall be plugged. In all cases attribution plat according the surface of t				
rectional, Deviated or Horizontal wellbore? Yes No DWR Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: Well Farm Pond On the Permit #: (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? (Note: Apply Will Cores be taken? If Yes, proposed zone: (Note: Apply Will Cores be taken? (Note: Apply Will Asset Permit #: (Note: Apply Will Asset Pe				
DWR Permit #:				
in the location:	her:			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC Dimust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of this well will comply with K.S. **Remember to:** 5. File Ormile Pit Application (form CDI in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producted in the plugged of production pipe shall be plugged. In all cases, NOTIFY districtions are producte	or Permit with DWR)			
AFIDAVIT ne undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placements. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC Dimust be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY distri</i> **Brie Completion Form ACO-1 with 15 - File Completion Form ACO-1 with 16 - File acreage attribution plat according to the complete of the complete district office 44 - Submit plugging report (CP-4) after 16 - Submit plugging report (CP-4) after 27 - Submit plugging report (CP-4) after 28 - Submit plugging report (CP-4) after 29 - If this permit has expired (See: a. If the permit has expired	Yes			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY distri</i> **IDMITTED COMPLETION COMPLETIO				
ne undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY distri</i> **Domitted Electronically** **Remember to: - File Drill Pit Application (form CDI - File acreage attribution plat accordance) - Notify appropriate district office 48 - Submit plugging report (CP-4) aftribution of the production of the permit has expired (See: au.) - Obtain written approval before disparded the permit has expired (See: au.)				
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY distri</i> **Domitted Electronically** **Remember to: - File Drill Pit Application (form CDI - File acreage attribution plat accorn - Notify appropriate district office 48 - Submit plugging report (CP-4) aftribution - Submit plugging report (CP-4) aftribution - Submit plugging report (CP-4) aftribution - File acreage attribution plat accorn - Notify appropriate district office 48 - Submit plugging report (CP-4) aftribution - File acreage attribution plat accorn - Notify appropriate district office 48 - Submit plugging report (CP-4) aftribution - File acreage attribution plat accorn - Notify appropriate district office 48 - Submit plugging report (CP-4) aftribution - File acreage attribution plat accorn - Notify appropriate district office 48 - File acreage attribution - File acre				
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer The appropriate district office will be notified before well is either plugged or production casing is cemented in a NATERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC Description must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY distri</i> For KCC Use ONLY File Drill Pit Application (form CDI File acreage attribution plat accornor in Notify appropriate district office 46 in N	A. 55 et. seq.			
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in a placement of the plugged or production casing is cemented in the appropriate district office will be notified before well is either plugged or production casing is cemented in the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement of the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement of the underlying formation. 5. The appropriate district office well is either plugged or production casing is cemented in the underlying formation. 6. If this permit has expired (See: au. a. Submit plugging report (CP-4) after the plugged or production plugged or production				
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all of through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC Dimust be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district</i> **Description** **Remember to: - File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat according to the complete of the complet				
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office 48. For KCC Use ONLY API # 15 - File Drill Pit Application (form CDI - File Completion Form ACO-1 with - File acreage attribution plat accor - Notify appropriate district office 48. Submit plugging report (CP-4) aftrict office 48. Obtain written approval before district office 49. If this permit has expired (See: au.)				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placemer 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution but the file of the file	ases surface pipe shall be set			
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the file acreage attribution plat according to the KCC Use ONLY API # 15	A in the second			
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the spud date or	,, , , , , , , , , , , , , , , , , , , ,			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the KCC D must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution by the KCC D must be plugged. In all				
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the plugged of the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the plugged of the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the well shall be plugged. In all cases, NOTIFY distribution binding the spud date or the sp				
Remember to: For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
API # 15	2-1) with Intent to Drill:			
Conductor pipe required	•			
Conductor pipe required				
Minimum surface pipe requiredfeet per ALT.	•			
Approved by: Obtain written approval before dis	er plugging is completed (within 60 days);			
- If this permit has expired (See: au				
The state of the s	thorized expiration date) please			
This authorization expires: check the box below and return to (This authorization void if drilling not started within 12 months of approval date.)	the address below.			

Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15						
Operator:	Location of Well: County:					
Lease:	feet from N / S Line of Section					
Well Number:	feet from E / W Line of Section					
Field:	SecTwpS. R 🗌 E 🗍 W					
Number of Acres attributable to well:	Is Section: Regular or Irregular					
	If Section is Irregular, locate well from nearest corner boundary.					
	Section corner used: NE NW SE SW					

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

038299

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes Length (feom ground level to de	No No eet) eepest point: Describe proce	SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? N/A: Steel Pits			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh waterfeet.			
		Source of infor	mation:			
feet Depth of water well	feet		uredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure:			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No			





BOX 8604 - PRATT, KS 67124 (620) 672-6491

419104 INVOICE NO.

OF	ERATOR			NO.			FARM	
Pratt COUNTY		29s T	15w	SW	SW NE	LOCATION	2 -	
100	S OPERATING S Main Ste ita KS 67	420	NY LLC			ELEVATION:	2051' gr	
RIZED BY: Tim								
			SCAL	_E: 1" = 100			g	
			2310'	*	SI	'AKE		
				19 _	**		××	-
Set 5' & 3' Slight slope of circle in	plowed fie		ntside		4	2310 '		>
				 			CROF	T KANSAS

Staked 04/19/10







HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
 - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
 - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
 - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;

- (2) a \$2,500 penalty for the second violation; and
- (3) a \$5,000 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in SOLAR. Review the information below and attach all</u> required documents to the pit application when submitting through SOLAR. This form will automatically generate and fill in from questions asked in SOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.	en
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application.	





June 04, 2010

Tim Hellman Lotus Operating Company, L.L.C. 100 S MAIN STE 420 WICHITA, KS 67202-3737

Re: Drilling Pit Application Lee 1 NE/4 Sec.19-29S-15W Pratt County, Kansas

Dear Tim Hellman:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at this location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through SOLAR. This location will have to be inspected prior to approval of the haul-off pit application.