

For KCC	Use:		
Effective	Date:		
District #			
0040		п. .	

Spud date: _

Agent:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1038870

Form C-1
October 2007
Form must be Typed
Form must be Signed

month day year	_ Spot Description:
, ,	Sec Twp S. R E\
DPERATOR: License#	feet from N / S Line of Section
lame:	
ddress 1:	_ Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes N
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
pirectional, Deviated or Horizontal wellbore? Yes No	
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each of the shall be posted on the shall be post	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order	listrict office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the office the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall abmitted Electronically	district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; attend from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bmitted Electronically For KCC Use ONLY	listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bmitted Electronically For KCC Use ONLY API # 15	listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the office the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall Ibmitted Electronically For KCC Use ONLY API # 15	listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be determined by the spud date or the well shall be shall as a surface casing order must be completed within 30 days of the spud date or the well shall be shall be determined by the spud date or the well shall be shall as a surface casing order must be completed within 30 days of the spud date or the well shall be sha	Idistrict office on plug length and placement is necessary prior to plugging; larged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing It be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall Ubmitted Electronically For KCC Use ONLY API # 15	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration 120 date) prior to plugging; In plugging report (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the office to the appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. IDMNITTED TO THE WELL OF THE WELL O	listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.

Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





990 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1038870

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate


Operator Name:			License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date complete capacity:		SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	(feet) No Pit		
material, thickness and installation procedure	ł.	liner integrity, in	ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.		
feet Depth of water well	feet		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: Permit Num	ıber:	Perm	it Date: Lease Inspection:		



BOX 8604 - PRATT, KS 67124 (620) 672-6491

54102 INVOICE NO.

Barber 10 34s 11w COUNTY S T R VAL ENERGY INC 200 W Douglas, Ste 520 Wichita KS 67202-3005	4-10 NO.	9901	FSL & 9901 LOCATI	FWL ON ON: 1337	gr
VAL ENERGY INC 200 W Douglas, Ste 520 Wichita KS 67202-3005					gr
			•		
SCA					
	ALE: 1" = 100	00'			
Set 5' & 3' wood stakes.					
Level Alfalfa					
	Ì				_
1					
†	10				
×××	10 _				
990'					
STAKE	+				_
* 1					
.					
990'					





June 07, 2010

K TODD ALLAM Val Energy, Inc. 200 W DOUGLAS AVE STE 520 WICHITA, KS 67202-3005

Re: Drilling Pit Application TALBOTT 4-10 SW/4 Sec.10-34S-11W Barber County, Kansas

Dear K TODD ALLAM:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased. Do not dig reserve pit deeper than 3'

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through SOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.