

For KCC Use:	
Effective Date: _	
District #	

Spud date: _

Agent:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1039568

Form C-1
October 2007
Form must be Typed
Form must be Signed

Expected Spud Date:			Spot Description:
	month day	year	
OPERATOR: License#			(0/0/0/0) feet from N / S Line of Section
			feet from E / W Line of Secti
	State: Zip: _		(
			County
			Lease Name: Well #:
CONTRACTOR II			Field Name:
Name:			Target Formation(s):
Well Drilled For:	Well Class: Ty	rpe Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Re	ec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage		Air Rotary	Water well within one-quarter mile:
Dispos		Cable	Public water supply well within one mile:
Seismic ; # of			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
			Surface Pipe by Alternate: II II
If OWWO: old well in	nformation as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
	e: Original To	tal Depth:	Formation at Total Depth:
	•	·	Water Source for Drilling Operations:
Directional, Deviated or Hori	zontal wellbore?	Yes	
If Yes, true vertical depth:			
			(Note: Apply for Permit with DWR)
KCC DKT #:			Will Cores be taken?
			Will Coles be taken:
π			If Yes, proposed zone:
The undersigned hereby a	ffirms that the drilling, com	•	
The undersigned hereby a It is agreed that the followin	ffirms that the drilling, com	will be met:	If Yes, proposed zone: AFFIDAVIT
The undersigned hereby a It is agreed that the followir 1. Notify the appropriat 2. A copy of the approx 3. The minimum amou through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ffirms that the drilling, coming minimum requirements the district office <i>prior</i> to specific of intent to drill some surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be COMPLETION, production and in the company of the complete	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord	If Yes, proposed zone: AFFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby a t is agreed that the following 1. Notify the appropriat 2. A copy of the approximation 3. The minimum amounthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apper	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spived notice of intent to drill some of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be COMPLETION, production and the spud within 30 days of the spud	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby a t is agreed that the following a supersisted in the supersisted	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spived notice of intent to drill some of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be COMPLETION, production and the spud within 30 days of the spud	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby a t is agreed that the following and the superopriate appropriate appropriate appropriate and through all unconsoles. The well is dry hole appropriate dist for pursuant to Appermust be completed with the superopriate and the superopriate dist for pursuant to Appermust be completed with the superprinciple and the superprinciple appropriate distributions. The superprinciple appropriate distributions are superprinciple appropriate appropr	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spread notice of intent to drill some of surface pipe as specificated materials plus a mire, an agreement between the completion, production and the completion, production and the completion of the spudically	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord date or the well shall	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby at tis agreed that the following a supersistive appropriated and the approximate and the approximate and the approximate approx	ffirms that the drilling, coming minimum requirements the district office <i>prior</i> to spiced notice of intent to drill sold and the surface pipe as specificated materials plus a mire, an agreement between the completion of the completion, production and the completion of the spud the spud the surface of the surf	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in he operator and the efore well is either in pipe shall be cem surface casing ord date or the well sha	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby at is agreed that the following a supersisted in the superson of the approximate. A copy of the approximation of the superson of the su	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spread notice of intent to drill some of surface pipe as specificated materials plus a mire, an agreement between the completion, production and the completion, production and the completion of the spudically	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in he operator and the efore well is either in pipe shall be cem surface casing ord date or the well sha	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby at is agreed that the following a sign of the appropriator of the approximation of the approximation of the approximation of the approximation of the appropriate distored in the appropriate distored of the appropriate of the appropriate distored of the appropriate distored of the appropriate distored of the appropriate of t	ffirms that the drilling, coming minimum requirements the district office <i>prior</i> to spiced notice of intent to drill sold and the surface pipe as specificated materials plus a mire, an agreement between the completion of the completion, production and the completion of the spud the spud the surface of the surf	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord date or the well shall	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; colugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby at tis agreed that the following a sign of the appropriate of the approximation of the approximation of the approximation of the approximation of the well is dry hole of the appropriate dist of the appropriate dist of the appropriate of	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spread notice of intent to drill and of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be COMPLETION, production and its "B" - Eastern Kansas within 30 days of the spudically	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord date or the well shall feet feet feet	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. edistrict office on plug length and placement is necessary prior to plugging; clugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
The undersigned hereby at tis agreed that the following a sign of the appropriate of the approximation of the approximation of the approximation of the approximation of the well is dry hole of the appropriate dist of the appropriate dist of the appropriate of	ffirms that the drilling, coming minimum requirements te district office <i>prior</i> to spived notice of intent to drill some of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified by COMPLETION, production and its "B" - Eastern Kansas within 30 days of the spudically	will be met: udding of well; shall be posted on fied below shall be nimum of 20 feet in the operator and the efore well is either in pipe shall be cem surface casing ord date or the well shall feet feet feet	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; elugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	330	Oft.	(
990 ft	 •	:	:			
	 : : :		:		 	
	 			•••••	 	
	: : : :	:	5			:
	 				 ·	
	 			••••	 	
	 			·····	 	
		:				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


1039568

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:				
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes No Length (feet) om ground level to deepest point: liner Describe proce		SecTwpR East West West Feet from North / South Line of Section Feet from East / West Line of Section Coun Coun Chloride concentration: mg/ (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits				
Distance to nearest water well within one-mile of pit		Depth to shallo	owest fresh waterfeet.				
		Source of infor					
feet Depth of water well	feet		uredwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY:		•	cover and Haul-Off Pits ONLY:				
Producing Formation:			al utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure:					
Submitted Electronically							
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:Perm		nit Date: Lease Inspection:				





June 18, 2010

CHRIS MARTIN Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: Drilling Pit Application SOBBA 1-IW NW/4 Sec.05-20S-20E Anderson County, Kansas

Dear CHRIS MARTIN:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through SOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.