

For KCC Use:	
Effective Date:	
District #	
0040	

Spud date: \_

\_ Agent: \_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date:	Spot Description:
month day year	(@@@@@) Sec Twp S. R E \
DPERATOR: License#	
ame:	foot from F / W Line of Socie
ddress 1:	In OFOTION Described Incomplete
ldress 2:	
ty: State: Zip: +	County:
ontact Person:	Lease Name: Well #:
none:	Field Name:
ONTRACTOR: License#	
ame:	
	Negroot League or unit boundary line (in feetage):
Well Drilled For: Well Class: Type Equipment.	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Yes N
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
UIT OVV VVO. OIG WEIT ITHOTTHATIOH AS TOHOWS.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
	S No Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	
	(Note: Apply for Fernite with DWT)
	(Note: Apply for Fernit With DWIT)
CC DKT #:	(Note: Apply for Fernite with DWT)
	Will Cores be taken?  If Yes, proposed zone:
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CC DKT #:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.
the undersigned hereby affirms that the drilling, completion and exists agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poster	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i>	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vall be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  vali be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  e cemented from below any usable water to surface within 120 DAYS of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well  bmitted Electronically  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I; ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well  bmitted Electronically  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator ar  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well bmitted Electronically	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  I;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well bmitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; ecemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
ne undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the surface of the spud date or the weather than the surface of the spud date or the surface of the surface of the spud date or the surface of the surface of the spud date or the surface of the spud date or the surface of the surfa	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
the undersigned hereby affirms that the drilling, completion and exis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin, must be completed within 30 days of the spud date or the weather than the surface of the surf	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  It;  ed on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well Not Drilled - Permit Expired Date: \_ Signature of Operator or Agent:



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ADING 15					
API No. 15					
Operator:	Location of Well: County:				
Lease:	feet from N / S Line of Section				
Well Number:	feet from E / W Line of Section				
Field:	SecTwp S. R 🗌 E 🗍 W				
Number of Acres attributable to well:	Is Section: Regular or Irregular				
QTR/QTR/QTR/QTR of acreage:	io cooloni.				
	If Section is Irregular, locate well from nearest corner boundary.				
	Section corner used: NE NW SE SW				

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 990 ft

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1040051

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

# Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):  Depth from If the pit is lined give a brief description of the material, thickness and installation procedure	Artificial Liner? Yes 1 Length (feom ground level to de	No No et)  Describe proce	
		ccgy,	
·		Depth to shallo	west fresh waterfeet.
feet Depth of water well	feet		redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of material Number of work Abandonment	bover and Haul-Off Pits ONLY:  al utilized in drilling/workover:
	KCC (	OFFICE USE OF	NLY Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:



# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.





June 29, 2010

Bob Eberhart Bobcat Oilfield Services, Inc. 30805 COLD WATER RD LOUISBURG, KS 66053-8108

Re: Drilling Pit Application Harvey C-3 SE/4 Sec.05-20S-23E Linn County, Kansas

Dear Bob Eberhart:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through SOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.



# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

# 82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
  - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
  - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
  - dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
    - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
    - removal and placement of the contents in an on-site disposal area approved by the commission;
    - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
    - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
  - (1) A \$1,000 penalty for the first violation;

- (2) a \$2,500 penalty for the second violation; and
- (3) a \$5,000 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in SOLAR. Review the information below and attach all</u> required documents to the pit application when submitting through SOLAR. This form will automatically generate and fill in from questions asked in SOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.	en
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application.	