

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

SGA?

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Sec.   Typ.	•	month day	year	Spot Description:	
SECTION:   Regular   Irregular?   Well of Stackfores 2:   The Country:   Lease Name:   State   Section   E /   W Line of Stackfores 2:   Well prilied For:   State:   Zip:   +     Country:   Lease Name:   Lease Name:   Well prilied For:   Well Class:   Type Equipment:   Country:   Lease Name:		monur day	year	(0/0/0/0)	
dotess 1:	PERATOR: License#			feet from N /	S Line of Section
ddress 2:	lame:				W Line of Section
County:	ddress 1:			Is SECTION: Regular Irregular?	
County.  Country.  Country				(Note: Locate well on the Section Plat on revers	e side)
Lease Name:   Well #:	ity:	State: Zi	p: +	·	*
Field Name:   Surface   Fromation(s):   Is this a Prorated / Spaced Field?   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Nearest Lease or unit boundary line (in footage):   Nearest Lease or unit boundary line (in					
Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Nearest Lease or unit boundary line (in foota	hone:				
Target Formation(s):    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Ground Surface Elevation:   Selevation:   Televation   Selevation:   Televation:   Tel	ONTRACTOR: License#.			Is this a Prorated / Spaced Field?	Yes No
Nearest Lease or unit boundary line (in footage):   feet	lame:			•	
Gold   Enh Rec	Well Drilled For:	Wall Class:	Type Equipment:	• • • • • • • • • • • • • • • • • • • •	
Gas   Storage   Pool Ext.   Air Rotary   Wallocat   Cable   Storage   Pool Ext.   Air Rotary   Wallocat   Cable   Public water supply well within one-quarter mile:   Yes   Ves   Disposal   Wallocat   Cable   Public water supply well within one-quarter mile:   Yes   Ves   Depth to bottom of Iresh water:   Depth to Detom of Iresh water:   Depth to				· · · · · · · · · · · · · · · · · · ·	
Cable   Disposal   Wildcart   Cable   Depth to bottom of trab water:   Depth to bottom of usable valuer:   Depth to botto			= '		
Seismic ; # of Holes Other Other Other Other Other Other Other: # Depth to bottom of fresh water: Depth to bottom of less balle water: Depth to bottom of less balle water: Depth to bottom of less balle water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water to Depth water. Depth to bottom of usable water to Depth water. Depth of conductor Pipe (if any): Projected if it is I length of Conductor Pipe (if any): Projected I length of Conductor Pipe (if any): Projected I length of Conductor Pipe water. Depth water Projected I length of Conductor Pipe water Projected I length of Conductor Pipe water Projected I length of Conductor Pipe water and the district office on Pipe ling length and placement is necessary prior to plugging; 5. The appropriate district office water is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe safel be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C,					Yes
Depth to bottom of usable water:  Depth to bottom of usable water:  Depth to bottom of usable water:  Surface Pipe by Alternate:  Depth and the set:  Usaface Pipe by Alternate:  Depth and the set:  Usaface Pipe by Alternate:  Depth and the set:  Usaface Pipe by Alternate:  Usaface Pipe Pipe Pipe Pipe Bipe Bipe Bipe Bipe Bipe Bipe Bipe B			Capie		
Surface Pipe by Alternate:					
Length of Surface Pipe Planned to be set:    Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Promation at Total Depth:   Promation at Total Depth:   Promation at Total Depth:   Promation at Total Depth:   Water Source for Drilling Operations:   Water Source for Drilling Operations of Drilling Operations of Drilling Operations of Drilling Operation Operation Operation Operation Ope					
Departor:   Well Name:   Original Completion Date:   Original Total Depth:   Formation at Total Depth:   Service of Total Depth:   Service of Total Depth:   Service of Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Well   Farm Pond   Other:   Weter Source for Drilling Operations:   Weter	If OWWO: old well	information as follows:			
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves, true vertical depth: Union Hole Location: CC DKT #:  Water Source for Drilling Operations: Water Source for Drilling Operations: Well   Farm Pond   Other:	Operator:				
Original Completion Date:Original Total Depth:	·				
Water Source for Drilling Operations:  Water Saurce for Drilling Operation of Land Saurce Supples Saurce Sa					
Vest   No   Vest   Farm Pond   Other:   Vest   Down   Vest   Down   Vest   Tever vertical depth:   DWR Permit #:   Vest   DWR Permit #:   Vest   DWR Permit #:   DWR Permit #:   Vest   DWR Permit #:   Vest   DWR Permit #:   Vest   DWR Permit #:   DWR Permit #:   Vest   DWR Permit #:   Vest   DWR Permit #:   Vest   DWR Permit #:   D	g				
Mote: Apply for Permit with DWR   DWR Permit #:     DWR Permit #:	Directional, Deviated or Ho	rizontal wellbore?	Yes No		
Will Cores be taken?   Will Cores be taken?   Will Cores be taken?   Yes   Y	f Yes, true vertical depth: $\_$				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Price KCC Use ONLY  API #15				( <b>Note:</b> Apply for Permit with DWR)	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (from CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	(CC DKT #:			Will Cores be taken?	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.				If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C; which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.			ΛΕ	FIDAVIT	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate distriction of it drilling not started within 12 months of approval date.)  Obtain written approval before disposing or injecting salt water.					
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  District office and placement is necessary <i>prior to plugging</i> ;  For KCC Use ONLY  API # 15 -  Conductor pipe required	he undersigned hereby	attırma that tha drilling a	ombielion and eventual b	ugging of this well will comply with K.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Districted Electronically  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	-	_			
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  With the complete of the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.	t is agreed that the follow	ring minimum requiremer	nts will be met:		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cermented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  While the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  The appropriate district office will be notified before well is either plugged or production casing is cemented in;  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	t is agreed that the follow  1. Notify the appropria	ring minimum requirement ate district office <i>prior</i> to	nts will be met: spudding of well;	L. Addison do	
<ul> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> <li>For KCC Use ONLY</li> <li>API # 15</li></ul>	t is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ring minimum requirement that e district office <i>prior</i> to oved notice of intent to dr	nts will be met: spudding of well; ill shall be posted on each	G G.	II ba sat
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  District Office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounts	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se	t by circulating cement to the top; in all cases surface pipe sha	ll be set
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.    Conductor pipe required	t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amount through all unconsor	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as spolidated materials plus a	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the	t by circulating cement to the top; in all cases surface pipe <b>sha</b> ne underlying formation.	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  District office prior to any cementing.  Remember to:  For KCC Use ONLY  API # 15	t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry ho  5. The appropriate dis	ring minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug	t by circulating cement to the top; in all cases surface pipe <b>sha</b> ne underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in;	plugging;
### Remember to:  For KCC Use ONLY  API # 15	<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, product	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement	t by circulating cement to the top; in all cases surface pipe <b>sha</b> ne underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of	plugging;
Remember to:  For KCC Use ONLY  API # 15	<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>sha</b> be underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Remember to:  For KCC Use ONLY  API # 15	<ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>sha</b> be underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Remember to:  For KCC Use ONLY  API # 15	<ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>sha</b> be underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of 133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. II cementing
For KCC Use ONLY  API # 15	<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amore through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appropriate dis</li> </ol>	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>sha</b> be underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
API # 15	<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amore through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appropriate dis</li> </ol>	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe <b>sha</b> be underlying formation.  Strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Conductor pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case.  Remember to:	spud date. II cementing ementing.
Conductor pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electron  For KCC Use ONLY	ring minimum requirement at a district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the production of the sponding of	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the in the operator and the dis dibefore well is either plug tion pipe shall be cement has surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case.  Remember to:  File Certification of Compliance with the Kansas Surface Own	spud date. II cementing ementing.
Minimum surface pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed  Ibmitted Electron  For KCC Use ONLY  API # 15	ring minimum requirement at a district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production of the production of the sport of th	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case.  Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;	spud date. II cementing ementing.
Approved by:	1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed  Ibmitted Electron  For KCC Use ONLY  API # 15	ring minimum requirement at a district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production of the production of the sport of th	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case.  Remember to:  - File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	spud date. II cementing ementing.
This authorization expires:	is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sponically	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cement as surface casing order # and date or the well shall be the operator and the district of the operator and the district of the operator and the operator of the well shall be the operator of the well shall be the operator of	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District of the KCC	spud date. II cementing ementing.
(This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the production of the spondard production of t	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be the operator in the well shall be the operator.  — feet  — feet  — feet per ALT.   I I II	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District 3 area, alternate and plugged.  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders.	spud date. Il cementing ementing.  mer Notification  s;
	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  UDMITTED  FOR KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe rec	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, product endix "B" - Eastern Kans within 30 days of the sponically	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be the operator in the well shall be the operator.  — feet  — feet  — feet per ALT.   I I II	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area, alte	spud date. Il cementing ementing.  The Notification  s; re-entry;
- ii weii wiii not be uniieu oi permit nas expireu (see. autionzeu expiration date)	1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. Or pursuant to Appropriate dis 8. If an ALTERNATE I Or pursuant to Approved by:  Conductor pipe required I Minimum surface pipe reconstruction of the surface	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production in the production of the spondial company of the spond	nts will be met: spudding of well; iill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # und date or the well shall be feetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area,	spud date. Il cementing ementing.  ner Notification  s; re-entry; ithin 60 days);
Spud date: Agent: please check the box below and return to the address below.	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  JDMITTED Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted by:  This authorization expires	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production in the production of the spondial company of the spond	nts will be met: spudding of well; iill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # und date or the well shall be feetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe shape underlying formation.  In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area,	spud date. Il cementing ementing.  ner Notification  s; re-entry; ithin 60 days); er.

Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

		Location of Well: County:
		feet from N / S Line of Section
		feet from E / W Line of Section Sec Twp S. R E W
	l:	Is Section: Regular or Irregular
		If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
Chau la sation at		LAT
	ries, pipelines and electrical lines, as req	ease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired.
: :	<u> </u>	<u> </u>
		LEGEND
		O Well Location
		Tank Battery Location
		Pipeline Location
		Electric Line Location
	: : : :	Lease Road Location
: :	: : :	:
		EXAMPLE : :
: :		
	5	
:		
	:   : :	: : : : : : : : : : : : : : : : : : : :
: :	: : : :	1980' FSL
		1320 EWARD CO. 3390' FEL

# In plotting the proposed location of the well, you must show 330 ft.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1040074

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Proposed  If Existing, date con  Workover Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water Area?  Is the bottom below ground level?  Artificial Liner?  Yes  No  Pit dimensions (all but working pits):  Length (fee Depth from ground level to dee  If the pit is lined give a brief description of the liner material, thickness and installation procedure.		(bbls)  No  lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile of pit:  Deptl			west fresh water feet.	
feet Depth of water well	feet	Source of information measured	mation:	
Emergency, Settling and Burn Pits ONLY:	1001	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all specified into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No	



### Kansas Corporation Commission Oil & Gas Conservation Division

1040074

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.





June 29, 2010

Bob Eberhart Bobcat Oilfield Services, Inc. 30805 COLD WATER RD LOUISBURG, KS 66053-8108

Re: Drilling Pit Application Harvey G-5 SE/4 Sec.05-20S-23E Linn County, Kansas

Dear Bob Eberhart:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through SOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.



# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

#### 82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
  - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
  - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
  - dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
    - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
    - removal and placement of the contents in an on-site disposal area approved by the commission;
    - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
    - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
  - (1) A \$1,000 penalty for the first violation;

- (2) a \$2,500 penalty for the second violation; and
- (3) a \$5,000 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in SOLAR. Review the information below and attach all</u> required documents to the pit application when submitting through SOLAR. This form will automatically generate and fill in from questions asked in SOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.	en
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application.	