

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:		
Effective Date:			
District #	·		
SGA?	Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1041025

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	Sec Twp S. R E V
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: State: Zip: +	County:
contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
or Pirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note : Apply for Permit with DWR)
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
. —	
ΔΕ	FIDAVIT
	FIDAVIT laging of this well will comply with K.S.A. 55 et. seg.
he undersigned hereby affirms that the drilling, completion and eventual plu	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ggging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ngging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the driving of the state of the	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the proved and the series of the posted on the proved all unconsolidated materials plus a minimum of 20 feet into the series of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the proved and the series of the posted on each and the series of the well is dry hole, an agreement between the operator and the disense of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the posted on each and the intensity of the provided half the posted on the intensity of the properties of the intensity of the provided half the properties of the intensity of the properties of the provided half the properties of the properties o	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the provided interval of the posted on the posted on the interval of the posted of	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the posted on the interval of the interval of the posted on each and the interval of the posted on the interval of the posted on the interval of the posted on the interval of the posted	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the posted on the interval of the interval of the posted on each and the interval of the posted on the interval of the posted on the interval of the posted on the interval of the posted	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted of the posted on each and the state of the posted of the posted on each and the posted of the posted of the posted on each and the posted of the posted	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In the set by the set of
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a support of the spud be completed. Ibmitted Electronically For KCC Use ONLY API # 15 -	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In the set by the set of
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be set through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all the strong and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In the set by the set of
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be set through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all the strong and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In the set by the set by the set of
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the district of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **Torricle Only** **Por KCC Use ONLY** API # 15	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set e underlying formation is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified like well is dry hole, an agreement between the operator and the disest through all unconsolidated materials plus a minimum of 20 feet into the specified like well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **IDENTIFY COMPLETION** **Provided Flectronically** **Provided F	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In all casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. If all cases, NOTIFY district 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **Por KCC Use ONLY** API # 15 - Conductor pipe required	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of the
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of the

Side Two



For KCC Use ONLY	
API # 15	

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ___

_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the neares	PLAT It lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032).
	separate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
	Lease Road Location
23	EXAMPLE
	1980' FSL
080 ft.	SEWARD CO. 3390' FEL

In plotting the proposed location of the work show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1041025

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fe			Width (feet)	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1041025

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Address 1:	County: Well #:		
Address 2: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			
[_		

COLSEY OPERATING COMPANY, I CANTRELL LEASE SW.1/4, SECTION 23, T34S, R9W HARPER COUNTY, KANSAS


ROAD GRAVEL (SW. 50 RD.) Notes: 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at E. line, Sec.23. 4. Kansas One Call System Inc. should be notified before excavation (1-80)-344-7233). 5. CAUTION; Various pipelines in Sec.23. 6. Cattle in pasture at ddte of staking. 7. Contact landowner for best access. 8. Location fell on the edst edge of a sandhill, no alternate set per representative. 120 *23* · Drillsite Location 80 Cantrell #1 350'FSL 2080'FWL ound Elevation = 1279 Lease Rd/flow SANDHILL line GATE (SW 60 RD.) GRAVEL ROAD Tank Battery Crisfield ANTHONY g 뒭(179) || U.P.

Elevations derived from National Geodetic Vertical Datum-

July 15, 2010

Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the pracise section lines, were not necessarily located, and the exoct location of the drillstie location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plant of althorough the section of the process of the securing this service and accepting this plant of althorough the securing this plant of the securing the securing the securing the securing the securing the securing this plant of the securing this plant of the securing the s





July 22, 2010

DEAN PATTISSON Woolsey Operating Company, LLC 125 N MARKET STE 1000 WICHITA, KS 67202-1729

Re: Drilling Pit Application CANTRELL 1 SW/4 Sec.23-34S-09W Harper County, Kansas

Dear DEAN PATTISSON:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 1 week after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.