For KCC Use:

Effective	Date:

Lucour	0	Duito.
District	#	

Yes No SGA?

CORRECTION #1

1041245

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:	
month day year		E W
OPERATOR: License#		W Line of Section
Name:		VV LINE OF Section
Address 1:	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse	side)
City: State: Zip: +	County:	
Contact Person:	Lease Name: We	ell #:
Phone:	Field Name:	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	Yes No
Name:	Target Formation(s):	
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth:	feet MSL Yes No Yes No
Original Completion Date: Original Total Depth:	Formation at Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires: (This authorization void if drilling not started within 12	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

ш

Mail to: KCC - Conservation Division	,
130 S. Market - Room 2078, Wichita, Kansas	67202

For KCC Use ONLY

API # 15 - ____

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

	······		· · · · · · · · · · · · · · · · · · ·	·····	······	·····		O Well Location Image: Construction in the second secon
······	······	······	2		·	······	·	Electric Line Location Lease Road Location
	······			······	······			0-7 1980'F
	······		spot of t		·····			- 246 Geffard co. 3390' FEL

In plotting the proposed location of the well, yagmust show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1041245

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form must be Typed

Form CDP-1 May 2010

APPLICATION FOR SURFACE PIT

Operator Name: License Number: Operator Address: Phone Number: Contact Person: Phone Number: Lease Name & Well No: Phone Number: Deprator Address: Phone Number: Lease Name & Well No: Phone Number: Deprator Nume: Phone Number: Lease Name & Well No: Phone Number: Desting PH Burn Pt Image: Strain Pt Phone Number: Desting PH Phone Number: Image: Strain Pt Nander Nethore Strain Pt Image: S	Submit in Duplicate					
Contact Person: Phone Number: Lease Name & Well No:: Pit Location (QQQQ): Type of Pit: Pit is: Emergency Pit Dufiling Pit If Workower Pit Haul-Off Pit (If WP Suppy Art No or Verr Differ) If Existing, date constructed: (If WP Suppy Art No or Verr Differ) If Existing, date constructed: (If WP Suppy Art No or Verr Differ) If Existing, date constructed: (If WP Suppy Art No or Verr Differ) If Existing, date constructed: (If WP Suppy Art No or Verr Differ) (If WP Suppy) Art No or Verr Differ) (If WP Suppy) Art No or Verr Differ) (If West Construction: (If WP Suppy) Art No or Verr Differ) (If West Construction: (If West Construction: Nor	Operator Name:			License Number:		
Lease Name & Well No: Pit Location (QQQQ): Type of Pit: Pit is: I Energency Pit Durling Pit Montover Pit Drilling Pit Workover Pit Haul-Off Pit Pit casacity: Feet from	Operator Address:					
Type of Pit: Pit is: Pit is:	Contact Person:			Phone Number:		
Emergency Pit Burn Pit Proposed Existing SecR Best West Setting Pit Diffing Pit Haul-Off Pit Feet from South Line of Section If Workover Pit Haul-Off Pit Pit capacity:	Lease Name & Well No.:			Pit Location (QQQQ)	:	
Workover Pit Haul-Off Pit If Wer Supply API No. or Year Dnilled) Pit capacity:			Existing	 SecTwp R D East D West		
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mgn Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Pit dimensions (all but working pits): Length (feet) Width (feet) NA: Steel Pits Depth from ground level? Length (feet) Width (feet) NA: Steel Pits Depth from ground level to deepest point: (feet) NO Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh waterfeet. Source of information: feet. measured well owner ellectric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling.Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of producing wells on lease: No Number of working pits to be utilized: Abandonment procedure: Does the slope from the tark battery allow all spilled fluids to flow into the pit? Yes _ No Drill pits must be closed within 365 days of spud date. Submitted Electronically Liner _ Steel Pit _ RFAC _ RFAS RFAS <	Workover Pit Haul-Off Pit		nstructed:			
Image: control level? Artificial Liner? How is the pit lined if a plastic liner is not used? Image: control level? Image: control level? Image: control level? No Pit dimensions (all but working pits): Length (feet) Image: control level is lined give a brief description of the liner material, thickness and installation procedure: No Pit NA: Steel Pits Distance to nearest water well within one-mile of pit: Depth from ground level is level? Image: control level? Image: control level? Producing Formation: Feet Depth to shallowest fresh waterfeet. Source of information: Producing Formation: Feet Image: control level? Image: control level? Mumber of working pits to be utilized: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Number of working pits to be utilized: Submitted Electronically Drill pits must be closed within 365 days of spud date. Image: control level? RFAS			(bbls)			County
Yes No Pit dimensions (all but working pits): Length (feet) Depth from ground level to deepest point: (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit:	Is the pit located in a Sensitive Ground Water A	Area? Yes	No			
Depth from ground level to deepest point:			ю	How is the pit lined if a	a plastic liner is no	bt used?
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:						
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet	Depth fro	om ground level to dee				
Source of information: feet Depth of water well feet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Number of produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No KCC OFFICE USE ONLY						J
Emergency, Settling and Burn Pits ONLY: Producing Formation: Mumber of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit	Distance to nearest water well within one-mile			feet		
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	feet Depth of water well	measured	well owner	electric lo	g KDWR	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit	Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits	ONLY:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS	Producing Formation:		Type of material utilized in drilling/workover:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease:		Number of working pits to be utilized:			
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily:	Abandonment procedure:				
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS		Drill pits must be closed within 365 days of spud date.				
Liner Steel Pit RFAC RFAS						
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No		КСС	OFFICE USE OI		Steel Pit [RFAC RFAS
	Date Received: Permit Num	ber:	Permi	t Date:	Lease Inspecti	ion: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

are preliminary non-binding estimates.	The locations may be entered	on the Form C-1 plat,	Form CB-1 plat,	or a separate plat may l	be submitted.

Select one of the following:

I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat

I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

I

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

KANSAS CORPORATION COMMISSION


OIL & GAS CONSERVATION DIVISION


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License # Name:	Well Location: S. R East West			
Address 1:	County: Well #: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Surface Owner Information: Name: Address 1: Address 2: City: State: Zip: +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			


Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled





Sec 28 - T32S - R39W

SE4



Detail of SE4 Sec 28-T32S-R39W



Note-Drawing Not to Scale



August 03, 2010

LAURA BETH HICKERT OXY USA Inc. 5 E GREENWAY PLZ PO BOX 27570 HOUSTON, TX 77227-7570

Re: Drilling Pit Application API 15-129-21921-00-00 STECKEL FARMS A 1 SE/4 Sec.28-32S-39W Morton County, Kansas

Dear LAURA BETH HICKERT:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: STECKEL FARMS A 1 API/Permit #: 15-129-21921-00-00 Doc ID: 1041245 Correction Number: 1

Approved By: NAOMI HOLLON 07/22/2010

Field Name	Previous Value	New Value
ElevationPDF	3214 Surveyed	3215 Surveyed
Feet to Nearest Water Well Within One-Mile of	4378	4330
Pit Ground Surface Elevation	3214	3215
KCC Only - Date Received	07/21/2010	08/03/2010
KCC Only - Regular Section Quarter Calls	W2 SW SW SE	NW SW SW SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=28&t	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=28&t
Nearest Lease Or Unit Boundary	330	430
Number of Feet North or South From Section Line	330	430
Number of Feet North or South From Section	330	430
Line Quarter Call 4 - Smallest	W2	NW

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	W2	NW
RFAC		Yes
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 41100	//kcc/detail/operatorE ditDetail.cfm?docID=10 41245

Summary of Attachments

Lease Name and Number: STECKEL FARMS A 1 API: 15-129-21921-00-00 Doc ID: 1041245 Correction Number: 1 Approved By: NAOMI HOLLON 07/22/2010

Attachment Name

Stecked Farms Site Diagram Correction

72 Hrs