

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Section	Line of Section V Line of Section V Line of Section de) #:YesNo
OPERATOR: License#   Set from   Y	Line of Section V Line of Section V Line of Section de) #:YesNo
Name:	#:No
Address 2:	#:Yes No
Address 2:	#:Yes No
County:	#:Yes No
Contract Person:	#:
Field Name:  CONTRACTOR: License#  Name:  Well Drilled For: Well Class: Type Equipment:  Oil Enh Rec Infield Mud Rotary Seismic: # of Holes Other Oother:  Oil Other:  Oother: # of Holes Other Oother:  Original Completion Date: Original Total Depth:  Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be must be completed district office on pile of port work on any usable water to surface within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged. In all cases, NOTIFY district office prior to any cemulus belonged.	Yes No
Is this a Prorated / Spaced Field?	
Name:    Mell Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation:   Search Rec   Infeld   Mud Rotary   Mud Rotary   Mud Rotary   Seismic ;	
Well Drilled For: Well Class: Type Equipment:  Oil	
Oil   Enh Rec   Infield   Wad Rotary   Water well within one-quarter mile:   Water well within one-quarter mile:   Water well within one-quarter mile:   Public water supply	
Gas	teet MSi
Gas   Storage   Pool Ext.   Cable   Ca	
Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   Usength of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   DWR Permit on at Total Depth:   Promation at Total Depth:   DWR Permit on at Total Depth:   DWR	Yes No
Depth to bottom of usable water:    Surface Pipe by Alternate:   I   II   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well Farm Pond Other:   DWR Permit #:   Water Source for Drilling Operations:   Note: Apply for Permit with DWR   Well Farm Pond Other:   DWR Permit #:   Water Source for Drilling Operations:   Note: Apply for Permit with DWR   Well Cores be taken?   If Yes, proposed zone:   AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.   It is agreed that the following minimum requirements will be met:   Notify the appropriate district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pl 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:   Section 120 DAYS of sp Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud d	Yes N
Surface Pipe by Alternate: I I II  Length of Surface Pipe Planned to be set:  Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth: Projected Total Depth: Projected Total Depth: Water Source for Drilling Operations:  Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Water Source for Drilling Operations:  Directional, Deviated or Horizontal wellbore? Yes No  If Yes, true vertical depth: Water Source for Drilling Operations:  Bottom Hole Location: Well Farm Pond Other:  DWR Permit #: (Note: Apply for Permit with DWR)  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office of plug length and placement is necessary prior to plug.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix 'B'' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deficiency in the plugged of this well will comply the case of the complete complete to surface within 20 DAYS of sp Or p	
Length of Surface Pipe Planned to be set:  Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Original Completion Date:  Water Source for Drilling Operations:  Will Cores be taken?  If yes, proposed zone:  If yes, proposed zone:  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug.  The appropriate district office will be notified before well is either plugged or production casing is cemented in; If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug.  The appropriate district office will be notified before well is either plugged or production casing is cemented in; If all ALTERNATE ICOMPLETION, production pipe shall be cemented from below yusable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deferments.	
Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus in an appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or prusuant to Appendix "B": Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus to surface within 20 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an approach of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Other: Water Sour	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilli	
Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit with DWR ) Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office *prior* to spudding of well; 2. A copy of the approved notice of intent to drill *shall be* posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall be* set* by circulating cement to the top; in all cases surface pipe *shall be* through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prior* to *pl* or *pursuant* or *pursua	
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   If Yes, proposed zone:   Well   Farm Pond   Other:   DWR Permit with DWR   OWN Permit with DWR Permit with DWR   OWN Permit with DWR   OWN Permit with DWR   O	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Well Farm Pond Other:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability.  Remember to:	
Bottom Hole Location:	
KCC DKT #:   Will Cores be taken?   If Yes, proposed zone:     Will Cores be taken?   If Yes, proposed zone:     Will Cores be taken?   If Yes, proposed zone:       Will Cores be taken?   If Yes, proposed zone:       Will Cores be taken?   If Yes, proposed zone:	
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials.  Submitted Electronically	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented Electronically  **Remember to:**	Yes No
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to ploed. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials.  **Remember to:**	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the complete to:	
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the complete of the complete of the spud date or the well shall be plugged.</li> </ol> </li> </ol>	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented Electronically</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office.</li> </ol>	
<ol> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office.</li> </ol>	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary to the spud date or the well shall be plugged.  Submitted Electronically  Remember to:	
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed Electronically</li> </ol> Remember to:	e set
<ol> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed within 30 days of the spud date or the well shall be plugged.</li> </ol> Remember to:	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative description of the spud date or the well shall be plugged. Remember to:	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II of must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cembrated Electronically  Remember to:	ıgging;
must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cembrated Electronically  **Remember to:	
Submitted Electronically  Remember to:	ıd date.
Remember to:	nd date. ementing
Remember to:	nd date. ementing
Remember to:	nd date. ementing
	nd date. ementing
For KCC Use ONLY	nd date. ementing
- File Certification of Compliance with the Kansas Surface Owner	nd date. ementing enting.
API # 15 Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	nd date. ementing enting.
Conductor pipe requiredfeetfeetfeetfeet	nd date. ementing enting.
Minimum surface pipe requiredfeet per ALT. I I II - File acreage attribution plat according to field proration orders;	nd date. ementing enting.
Approved by: Notify appropriate district office 48 hours prior to workover or re-	nd date. ementing enting.
- Submit plugging report (CP-4) after plugging is completed (within	nd date. ementing enting.  Notification
This authorization expires:	ad date. ementing enting.  Notification
- If well will not be drilled or permit has expired (See: authorized ex	ad date. ementing enting.  Notification
Spud date: Agent: please check the box below and return to the address below.	and date. ementing enting.  Notification  entry; 60 days);

Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1042258

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	ng Pit If Existing, date constructed:		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point:					
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.		
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No		



#### Kansas Corporation Commission Oil & Gas Conservation Division

1042258

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this I fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).


If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

## PENCO ENGINEERING, P.A. P.O. BOX 392 PLAINVILLE, KS 67663 (785) 434-4611

BULL TO:

NE 1/4, SE 1/4, NE 1/4 Section 17, T7S, R21W	August 23, 2010
LOCATION	DATE
Holsman SWD #1	Graham
LEASE LOCATION NO.	COUNTY



Elevations based on a Quad Map Elevation for the Northeast Corner of Section 17, 775, R21W. Elev. 2117.0

This Survey does not constitute a boundary survey. Section corners were not found or set. Physical evidence was used to approximate the location of the section corners.