

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1044060

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [E [] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
aas.oighoa horosy aminio that the arming, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the distribution. 4. If the well is dry hole, an agreement between the operator and the distribution.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It ict office on plug length and placement is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i>: through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> : through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or t	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	Location of Well: County:
:	feet from N / S Line of Section
lumber:	feet from E / W Line of Sectio
	SecTwp S. R 🗌 E 🔲 W
er of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
	rest lease or unit boundary line. Show the predicted locations of
	s required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach	a separate plat if desired.
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	EVAMPLE :
	EXAMPLE
	EXAMPLE
6	EXAMPLE
6	
6	
6	
6	
6	
6	1980' FS
6	1980' FS
6	1980' FS

In plotting the proposed location of the well, yang sneet show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date co Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of wor	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	Sec TwpS. R 🗌 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

Summary of Changes

Lease Name and Number: SHAFER 4
API/Permit #: 15-001-30029-00-00

Doc ID: 1044060

Correction Number: 3

Approved By: Rick Hestermann 05/03/2010

Field Name	Previous Value	New Value
ElevationPDF	979 Estimated	968 Estimated
Ground Surface Elevation	979	968
KCC Only - Date Received	07/15/2010	09/08/2010
KCC Only - Regular Section Quarter Calls	SE SW SW SE	NW SW SW SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=6&to	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=6&to
Number of Feet East or West From Section Line	2155	2475
Number of Feet East or West From Section Line	2155	2475
Number of Feet North or South From Section Line	165	495
Number of Feet North or South From Section Line	165	495
Quarter Call 4 - Smallest	SE	NW

Summary of changes for correction 3 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	SE	NW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 40857	//kcc/detail/operatorE ditDetail.cfm?docID=10 44060