

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	h day year	Spot Description:
mona	n day year	Sec Twp S. R E \[\bigcup V
DPERATOR: License#		feet from N / S Line of Section
ame:		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
		(Note: Locate well on the Section Plat on reverse side)
	State:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: We	ell Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec	Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal	Wildcat Cable	
Seismic ; # of Holes	Other	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well informatio	on as follows:	Surface Pipe by Alternate: I I II
		Length of Surface Pipe Planned to be set:
		Length of Conductor Pipe (if any):
		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
Aircational Daviated or Harizantal w	ellbore? Yes No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal we feet, true vertical depth:		Well Farm Pond Other:
		DWR Permit #:
		(Note: Apply for Permit with DWR)
		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that		ridavii gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that is agreed that the following minim	at the drilling, completion and eventual pl	
t is agreed that the following minim	at the drilling, completion and eventual pl	
is agreed that the following minim 1. Notify the appropriate district	at the drilling, completion and eventual pl num requirements will be met:	ggging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be</i> set	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfathrough all unconsolidated m 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> that the set of intents plus a minimum of 20 feet into the	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfathrough all unconsolidated m If the well is dry hole, an agree 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dis	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig;
 s agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfithrough all unconsolidated m If the well is dry hole, an agree The appropriate district office 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug.	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in;
 is agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfithrough all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented.	agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In crict office on plug length and placement is necessary prior to plugging;
 is agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfithrough all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL Or pursuant to Appendix "B" 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.
 s agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfithrough all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL Or pursuant to Appendix "B" 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minim Notify the appropriate district A copy of the approved notic The minimum amount of surfithrough all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL Or pursuant to Appendix "B" 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minim Notify the appropriate district A copy of the approved notice The minimum amount of sund through all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minim Notify the appropriate district A copy of the approved notice The minimum amount of sund through all unconsolidated m If the well is dry hole, an agree The appropriate district office If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing as plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 ubmitted Electronically	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 UDMitted Electronically For KCC Use ONLY	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> materials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plugication, production pipe shall be cemented a days of the spud date or the well shall be	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 -	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> materials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plugue. ETION, production pipe shall be cemented adays of the spud date or the well shall be	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfathrough all unconsolidated m 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order # 10 days of the spud date or the well shall be completed.	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. The production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfathrough all unconsolidated m 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order # 10 days of the spud date or the well shall be completed.	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set e underlying formation formation formation and formation formation. In the set e underlying formation. I
is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. - Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of the set
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 UDMitted Electronically For KCC Use ONLY API # 15 Conductor pipe required	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. - Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. If all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	at the drilling, completion and eventual planum requirements will be met: It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. - Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of the set

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Orangelog	Logotion of Well, County
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R L E L W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as re-	PLAT lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
	Lease Road Location
	775 ft.
27	EXAMPLE
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

3205 ft.

SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1045063

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continue prit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1045063


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically	_		







October 04, 2010

P. J. Buck Jones & Buck Development, a General Partnership PO BOX 68 SEDAN, KS 67361-0068

Re: Drilling Pit Application
API 15-019-27011-00-00
Dean JBD #5
NE/4 Sec.27-34S-10E
Chautauqua County, Kansas

Dear P. J. Buck:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.