

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. RBEW
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity: State: Zip: +	County
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes Yes
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OvvvvO. Old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes \ Y	
Bottom Hole Location:	DWK Pelilii #
KCC DKT #:	(Note: Apply 1617 Chille Wild DVV
	Will Cores be taken? Yes No
	ii ies, proposed zone.
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on	each drilling rig;
	set by circulating coment to the top; in all cases surface nine shall be set
3. The minimum amount of surface pipe as specified below shall be	
The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int	o the underlying formation.
3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int4. If the well is dry hole, an agreement between the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cemor pursuant to Appendix "B" - Eastern Kansas surface casing order 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the SCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically For KCC Use ONLY	o the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically For KCC Use ONLY API # 15 -	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the specific properties o	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Jubmitted Electronically** For KCC Use ONLY API # 15	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: feet from N / S Line of Section Field:	Operator:	Location of Well: County:
Sec	Lease:	feet from N / S Line of Section
Number of Acres attributable to well:	Well Number:	feet from E / W Line of Section
Number of Acres attributable to well:	Field:	SecTwpS. R
## Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT	Number of Agree attributeble to well.	_
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if decired. 880 ft. LEGEND Well Location Tank Battery Location Pipeline Location Pipeline Location Lease Road Location EXAMPLE 1980 FSL.		Is Section: Regular or Irregular
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kanass Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 880 ft. LEGEND 335 ft. Well Location — Pipeline Location — Pipeline Location — Lease Road Location Lease Road Location EXAMPLE	QTR/QTR/QTR of acreage:	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 880 ft. LEGEND 335 ft. Well Location — Pipeline Location — Pipeline Location — Lease Road Location EXAMPLE 1980 FSL		If Section is Irregular, locate well from nearest corner boundary.
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. Show fit. LEGEND Show fit. Show f		Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. Show fit. LEGEND Show fit. Show f		
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. Show fit. LEGEND Show fit. Show f		
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 880 ft. LEGEND 1335 ft. O Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE	PL	.AT
You may attach a separate plat if desired. 880 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE	Show location of the well. Show footage to the nearest le	ease or unit boundary line. Show the predicted locations of
LEGEND Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL	lease roads, tank batteries, pipelines and electrical lines, as requ	uired by the Kansas Surface Owner Notice Act (House Bill 2032).
LEGEND Well Location Tank Battery Location Pipeline Location	You may attach a se	parate plat if desired.
335 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location		880 π.
335 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location		:
335 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location		LEGEND
Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL		: (a)—— .3.33 II ——
EXAMPLE 5 1980'FSL		Tank Battery Location
EXAMPLE 1980' FSL		Pipeline Location
EXAMPLE 1980' FSL		Electric Line Location
5 EXAMPLE 1980' FSL		Lease Road Location
5 1980' FSL		
5 1980' FSL		
1980' FSL		EXAMPLE : :
1980' FSL		
	5	
		······
SEMAPLO 2200/EEL		1980' FSL
SEMARD CO. 2200/EEL		
SEWARD CO. 2200/ EEL		
SEMADO CO 2200'EEL		
		:

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1045363

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1045363

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:			
Address 2:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. 1) cknowledge that, because I have not provided this information, the		
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

KANSAS SURFACE OWNER NOTICE ACT



Kansas Surface Owner Notice Act

Karen & Ray Stucky 1523 N. Jefferson Avenue Springfield, MO 65803-2816

Mary Ann & David Bohnenblust 1720 W. Kansas Ave. McPherson, KS 67460

Carol Sue & Carl Spongberg 13112 Willow Oak Lane Rodgers, AR 72756-8768

Lois Jean Hagen 1740 Moorwood Point Monument, CO 80132