KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□ NE □ NW □ SE □ SW				
CONTRACTOR: License #	County:				
Name:	Lease Name: Well #:				
Wellsite Geologist:	Field Name:				
Purchaser:	Producing Formation:				
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:				
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:				
□ Oil □ WSW □ SWD □ SIOW	Amount of Surface Pipe Set and Cemented at: Feet				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:				
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt.				
If Workover/Re-entry: Old Well Info as follows:	W Since				
Operator:	Drilling Florid Management Plan				
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:				
Conv. to GSW	Dewatering metriod used.				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	Quarter Sec TwpS. R				
ENHR Permit #:	County: Permit #:				
GSW Permit #:	- County.				
Spud Date or Date Reached TD Completion Date or Recompletion Date					
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if recompletion.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidence) report shall be attached with this form. ALL CEMENTING TICKETS MUST				

BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
☐ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Operator Name:			Lease	Name:			Well #:		
Sec Twp	S. R	East West	County	/:					
INSTRUCTIONS: Show time tool open and close recovery, and flow rates ine Logs surveyed. Atta	ed, flowing and shut- if gas to surface tes	in pressures, whether t, along with final char	shut-in pres	sure reache	ed static level,	hydrostatic press	sures, bottom h	ole tempe	ature, fluid
Orill Stem Tests Taken (Attach Additional Sh			Log	Formation	n (Top), Depth an	oth and Datum		Sample	
Samples Sent to Geolog	•	☐ Yes ☐ No		Name			Тор	Da	atum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		Yes No Yes No							
List All E. Logs Run:									
		CASING Report all strings se	G RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size Hole Size Casing		ght / Ft.	Setting Depth	Type of Cement	# Sacks Used		d Percent ditives
	Dillied	Set (In O.D.)	LDS.	/ 1 1.	Бериі	Cement	Osed	Aut	iitive5
		ADDITIONA	AL CEMENTI	NG / SQUEI	EZE RECORD				
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks	s Used	Type and Percent Additives				
Plug Off Zone									
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
TUBING RECORD:	Size:	Set At:	Packer A	ıt:	Liner Run:	Yes No			
Date of First, Resumed Pr	roduction, SWD or ENH	R. Producing Me	ethod:	ng Ga	as Lift	ther (Explain)			
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Water	Bk	ols. (Gas-Oil Ratio		Gravity
DISPOSITION	N OF GAS:		METHOD OF	_			PRODUCTIO	ON INTERVA	AL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually C (Submit AC		nmingled mit ACO-4)			
(If vented, Subm	nit ACO-18.)	Other (Specify)							

Summary of Changes

Lease Name and Number: Cayot 1-10

API/Permit #: 15-121-28804-00-00

Doc ID: 1045475

Correction Number: 1

Approved By: Deanna Garrison 10/12/2010

Field Name	Previous Value	New Value
Approved By	Deanna Garrison	Deanna Garrison 10/12/2010
Number Of Sacks Used for Casing - Line 1	90	5
Number Of Sacks Used for Casing - Line 2	5	90
Perf_Depth_1		673
Perf_Material_1		150 gallons 15% HCL acid
Perf_Record_1		Open hole
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 45227	//kcc/detail/operatorE ditDetail.cfm?docID=10 45475