

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. RBEW
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity: State: Zip: +	County
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OvvvvO. Old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes \ Y	
Bottom Hole Location:	DWK Pelilii #
KCC DKT #:	(Note: Apply 1617 Chille Wild DVV
	Will Cores be taken? Yes No
	ii ies, proposed zone.
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on	each drilling rig;
	set by circulating coment to the top; in all cases surface nine shall be set
3. The minimum amount of surface pipe as specified below shall be	
<ol><li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li></ol>	o the underlying formation.
<ul><li>3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int</li><li>4. If the well is dry hole, an agreement between the operator and the</li></ul>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
<ul> <li>3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int</li> <li>4. If the well is dry hole, an agreement between the operator and the</li> <li>5. The appropriate district office will be notified before well is either p</li> </ul>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> blugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem</li> </ol>	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemor pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically  For KCC Use ONLY	o the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically  For KCC Use ONLY  API # 15 -	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the specific properties o	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Jubmitted Electronically**  For KCC Use ONLY  API # 15	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Description**  **Des	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

\_ Agent: .



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					Location of Well: County:			
Lease:					feet	from N/	S Line of Section	
					feet		W Line of Section	
				Sec Twp S. R				
Number of Acres	s attributable to	well:			Is Section:	Regular or	Irregular	
QTR/QTR/QTR/	QTR of acreag	je:			13 Occilori.	Regular or	megulai	
					If Section is Section corn	s Irregular, locate well er used: NE NE	from nearest corn	
lease			nes and electrica	the nearest le		ndary line. Show the pre sas Surface Owner No sired.		2032).
	:	: :		: :	<u>:</u>			
	:						LEGEND	
	· · · · · · · · · · · · · · · · · · ·	:		:	:			
	:	: :		:	:	0	Well Location	
							Tank Battery Loc	
			•••••				Pipeline Locatio	
							Electric Line Loc	
	:				:		Lease Road Loc	cation
	• • • • • • • • • • • • • • • • • • • •		•••••			•		
	:							
	:					EXAMPLE		
	<u>:</u>	<u> </u>	21	: :	<u> </u>			
	:		<b>Z</b> I		:			
		• • • • • • • • • • • • • • • • • • • •		•	• • • • • • • • • • • • • • • • • • • •	.		
	:	: :		:	:			
					:			
	:	: :						<b>I</b>
		·				·	0-7	1980' FSL
							9	1980' FSL
							0-7	1980' FSL
							0-1	1980' FSL

## 330 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

046136

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SecTwp R		
Settling Pit Drilling Pit If Existing, date cor			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



#### Kansas Corporation Commission Oil & Gas Conservation Division

1046136

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	owner information can be found in the records of the register of deeds for the				
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					




## Pro-Stake LLC

Oil Field & Construction Site Staking

#### P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499





OPERATOR

Eva #2-21
LEASE NAME

Scott County, KS
COUNTY

Sec. Twp. Rng.

b291010-g

335' FSL – 1650' FWL

LOCATION SPOT

SCALE: 1" =1000'

DATE STAKED: Oct 28<sup>th</sup>, 2010

MEASURED BY: Ben R.

DRAWN BY: Luke R.

AUTHORIZED BY: Robert H. & Evan M.


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 2945.8°

**Directions:** From the center of Scott City, KS at the intersection of Hwy 83 & Hwy 96 - Now go 8 miles East on Hwy 96 to the NW corner section 21-18s-31w - Now go 0.8 mile South on Taos Rd to ingress East into on lease rd - Now go 0.4 mile East on lease rd to ingress South into - Now go approx. 1000' South through wheat into staked location.

Final ingress must be verified with land owner or Operator





**b291010-g** 

## Pro-Stake LLC

Oil Field & Construction Site Staking

#### P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159



Cell: (620) 272-1499 **Berexco LLC** Eva #2-21 LEASE NAME Scott County, KS 21 335' FSL – 1650' FWL **18s** 31w LOCATION SPOT COUNTY Twp. GR. ELEVATION: 2945.8° 1" =1000' SCALE: Oct 28th, 2010 DATE STAKED: **Directions:** From the center of Scott City, KS at the Ben R. intersection of Hwy 83 & Hwy 96 - Now go 8 miles East on MEASURED BY: Hwy 96 to the NW corner section 21-18s-31w - Now go 0.8 Luke R. DRAWN BY: mile South on Taos Rd to ingress East into on lease rd - Now go Robert H. & Evan M. AUTHORIZED BY: 0.4 mile East on lease rd to ingress South into - Now go approx. 1000' South through wheat into staked location. This drawing does not constitute a monumented survey Final ingress must be verified with land owner or or a land survey plat **Operator** This drawing is for construction purposes only 96 17 z<sup>1</sup>945 Hwy 96 (blacktop) Q 21 22334 20 single phase gas pipeline marker powerline gas pipeline marker Taos Rd Union Rd (gravel) (gravel) single phase high pressure line marker prod well no placard 2930 2946 (Ev a #1-21) approx 1460' NNE of loc. FMIL Natural Resources LLC Ev a #2-21 Grube 13a-21-1831 335' FSL - 1650' FWL Prod well 2945.8' = gr. elev. at staked loc. tank battery ingress South approx 1320' NW of loc. Ev a #1-21 into US NAD 83 Lat. = N38° 28' 09.426063" milo stubble Long. = W100° 45' 14.121035" I staked location with 7' wood (painted orange & blue) and t-post Location falls in wheat tank battery grube 13a-21-1831 While standing at staked loc. looking approx 150' in all directions loc. has 1' bumps wheat NW/NE/SW/SW 21-18s-31w alternate ingress East into Θ 20 *4€0* wheat 22**332**<sub>140 Rd (dirt)</sub> wheat stubble 29 28 27




b291010-g

## Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159



27

28

PLAT NO. Cell: (620) 272-1499 Eva #2-21 Berexco LLC LEASE NAME OPERATOR 335' FSL - 1650' FWI 18s 31 w Scott County, KS LOCATION SPOT Rng. COUNTY GR. ELEVATION: 1" =1000 SCALE:\_ Oct 28th, 2010 **Directions:** From the center of Scott City, KS at the DATE STAKED:. intersection of Hwy 83 & Hwy 96 - Now go 8 miles East on Ben R. MEASURED BY:\_ Hwy 96 to the NW corner section 21-18s-31w - Now go 0.8 Luke R. mile South on Taos Rd to ingress East into on lease rd - Now go DRAWN BY: \_ 0.4 mile East on lease rd to ingress South into - Now go approx. Robert H. & Evan M. AUTHORIZED BY:\_ 1000' South through wheat into staked location. Final ingress must be verified with land owner or This drawing does not constitute a monumented survey Operator or a land survey plat This drawing is for construction purposes only 17 Hwy 96 (blacktop) 20 single phase gas pipeline marker powerline gas pipeline marker Taos Rd Union Rd (gravel) (gravel) single phase powerline high pressure prod well no placard (Eva #1-21) approx 1460 NNE of loc. FMIL Natural Resources LLC Eva #2-21 335' FSL - 1650' FWL Grube 13a-21-1831 2945.8' = gr. elev. at staked loc. Prod well ingress South tank battery approx 1320 NW of loc. Eva #1-21 US NAD 83 Lat. = N38° 28' 09.426063" Long. = W100° 45' 14.121035" milo stubble ingress East I staked location with 71 wood (painted orange & blue) and t-post Location falls in wheat PROPOSED FLOWLINE tank battery grube 13a-21-1831 NW/NE/SW/SW 21-18s-31w wheat While standing at staked loc. looking approx 150' in all directions loc. has 1' bumps PROPOSED alternate ingress ROAD East into wheat 21 140 Rd (dirt) 20

wheat stubble

29

28