

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	11 163, proposed 2016.
AEE	
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the set of t	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the properties of the properties of the specific will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the specific will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **Ubmitted Electronically** For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a considered by the conductor pipe required feet feet feet feet feet feet feet fe	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 Conductor pipe required feet Minimum surface pipe required feet per ALT I II III Approved by: feet per ALT I III	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					Locat	ion of We	Vell: County:	
Lease:							feet from N / S Line of Section	
Well Numb	oer:						feet from E / W Line of Section	
Field:					Sec.		Twp S. R	
	Acres attributable				ls Se	ction:	Regular or Irregular	
QTR/QTR	/QTR/QTR of acre	eage:						
							Irregular, locate well from nearest corner boundary.	
					Secti	on corner	er used: NE NW SE SW	
				F	PLAT			
	Show loc	ation of the well.	Show footage to	the nearest	t lease or ui	nit bounda	dary line. Show the predicted locations of	
	lease roads, tan	k batteries, pipelir	nes and electric	al lines, as re	equired by t	he Kansa	sas Surface Owner Notice Act (House Bill 2032).	
	660	f+	You n	nay attach a	separate pl	at if desire	sired.	
		11.					_	
		: :		: :	:			
					:		LEGEND	
660 ft.	<u> </u>				•			
		:		: :	:		O Well Location	
					:		Tank Battery Location	
					•••••		Pipeline Location	
					:		Electric Line Location	
							Lease Road Location	
					•••••			
			ı				EXAMPLE :	
	:	· · ·		· · ·	:		-	
			33		:			
	:			: :	:			
	:		•••••	· · · · · · · · · · · · · · · · · · ·	:	• • • • • • • • • • • • • • • • • • • •		
	:	· · · · · · · · · · · · · · · · · · ·		: :	· · · · · · · · · · · ·			
	:	: ;		; :	;		1980' FSL	
	· · · · · · · · · · · · · · · · · · ·			:	:			
	:	: :		: :	:			
							<u>· L</u> i∎· · ·	
	:	<u> </u>		<u>: :</u>	<u>:</u>		SEMME OF COOK FEE	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

046219

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the limaterial, thickness and installation procedure.	Artificial Liner? Yes N Length (fee	(bbls) No lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l
Distance to nearest water well within one-mile of	of pit:		west fresh water feet.
feet Depth of water well	feet	Source of information measured	nation: well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all splow into the pit? Yes No		Type of materia Number of worl Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: I utilized in drilling/workover: I utilized
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1046219

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

Unruh # Z-33 Sec 33- T275-1

Sec 33 - T275 - R18W KIOWA CO, KS.

Tank Battery Pipeline Well	O Least R.	
		TOTALIS CONTRACTOR CON
	Topographic and the state of th	TO THE PARTY OF TH

STATE OF KANSAS STATE COMPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Width Karas 67202

WELL PLUGGING RECORD


212 No. Market Wichita, Kansas 67202		<u>Kiowa</u> E/CNW%SW%"o	County.	lines C	NW NW	(,
NORTH	Location as IN	H & L Op	erating C	O .		
				Unruh		Well No. 1
	- Character of W	Vell (completed a	s Oil. Gas or	Dry Hole)	Dry Hole	
i i	Date well com	pleted	6-9-78			19
i i	Application for	olugging filed	6-	<u>9-78</u>		19
	Application for	nlugging approve	ed 6-	9-78		19
i { i	Plugging comm	nenced	6-	9-78		19
1 !	Plugging comp	leted	6-	<u>9-78</u>		19
	Reason for aba	ndonment of well	or producing	formation		
					· · · · · · · · · · · · · · · · · · ·	
1	If a producing	well is abandone	ed, date of last	t production		19
To a to a collection of these	-					ore plugging was com-
Locate well correctly on above Section Plat	menced?					
ne of Conservation Agent who s	upervised plugging of th	is well	Bill	lwens		* 997 1\ TO
ducing formation			Bottom		Total Depth of	wellrect
w depth and thickness of all wa	iter, oil and gas formation	ns.				
OIL, GAS OR WATER RECO	ORDS					CASING RECORD
FORMATION	CONTENT	FROM	ТО	SIZE	PUT IN	PULLED OUT
, unmailed			 		 	
		1 -			1	
		1				
					I	
					<u> </u>	<u> </u>
3rd Plu	ug @ 360 w/40 sa ug — 40 w/12 sa in Rat Hole	icks		REL TELLOCATE	- 11 TO	
				31:	. 6 (078	
				AUI.	173000	
				7.42×00	AMILLY DIAMORA	
				VA.	Stita, Amino	
	<u> </u>	<u> </u>		 		
	·					
	(If addition	nal description is nece	езвагу, изе ВАСК	of this sheet)		
ame of Plugging Contractor	Gabb	ert-JOnes.	Inc.			
	Gabb		Inc.	of this sheet)	67202	
	Gabb	ert-JOnes.	Inc.		67202	
ldress	Gabbe 830	ert-JOnes. Sutton Plac	Inc. e Wichi	ta, Ks.		
ldress	Gabbe 830 3	ert-JOnes. Sutton Plac	Inc. e Wichi dgwick	ta, Ks.	, SS.) of the above described
TATE OF Kansas	Gabbe 830 5	ert-JOnes. Sutton Plac DUNTY OF _Se W. Gabbert (Inc. e Wichi	ta, Ks.	, ss.) of the above-described
TATE OF Kansas	Gabbe 830 3 , CC Jack 1 ath, says: That I have b	ert-Jones. Sutton Plac DUNTY OF _Se W. Gabbert (knowledge of the	e Wichi	ta, Ks.	, ss.	
TATE OF Kansas	Gabbe 830 3 , CC Jack 1 ath, says: That I have b	ETT-JONES. SULTON Plac DUNTY OF _Se W. Gabbert (knowledge of the and correct. So	e Wichi dgwick (employee of a facts, statement)	ta, Ks.	, ss. vner or operator ers herein cont	
TATE OF Kansas	Gabbe 830 3 , CC Jack 1 ath, says: That I have b	ert-Jones. Sutton Plac DUNTY OF _Se W. Gabbert (knowledge of the	e Wichi dgwick (employee of a facts, statement)	ta, Ks.	, ss. vner or operator ers herein cont	
TATE OF Kansas	Gabbe 830 3 , CC Jack 1 ath, says: That I have b	ETT-JONES. SULTON Plac DUNTY OF _Se W. Gabbert (knowledge of the and correct. So	e Wichi dgwick (employee of a facts, statement)	ta, Ks.	, ss. where or operator wers herein contr	ained and the log of the
TATE OF Kansas	Jack Sath, says: That I have I	Sutton Plac OUNTY OF Se W. Gabbert (knowledge of the and correct. So (Signature)	e Wichi dgwick employee of a facts, statement help me God.	owner) or (ovents, and matter	, ss. where or operator wers herein control white	ained and the log of the
TATE OF Kansas	Gabbe 830 S ————————————————————————————————————	Sutton Plac OUNTY OF Se W. Gabbert (knowledge of the and correct. So (Signature)	e Wichi dgwick employee of a facts, statement help me God.	owner) or (ovents, and matter	, ss. where or operator wers herein control white	ained and the log of the
vell, being first duly sworn on or boy describes fell as filed and	Gabbe 830 S ————————————————————————————————————	Sutton Plac OUNTY OF Se W. Gabbert (knowledge of the and correct. So (Signature)	e Wichi dgwick employee of a facts, statement help me God.	owner) or (ovents, and matter	, ss. where or operator wers herein control white	ained and the log of the
ATE OF Kansas Ell, being first duly sworn on or over described and Sworn to	Gabbe 830 S ————————————————————————————————————	Sutton Plac OUNTY OF Se W. Gabbert (knowledge of the and correct. So (Signature)	e Wichi dgwick employee of a facts, statement help me God.	owner) or (ovents, and matter	, ss. where or operator wers herein contr	ained and the log of the

STATE OF KANSAS STATE COMPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market

WELL PLUGGING RECORD

212 No. Market Wichita, Kansas 67202	·	Kiowa				
NORTH	Location as "NE	E/CNWXSWX" or	footage from	lines	NW NW	
		H&L Ope				_ Well No. 1
		Pow 7401				_ Well No. -
	Office Address	Box 7401, ell (completed a	WHALITIO	Des Mala	Dry Hole	e
	Character of W	en (combieted a	s Оц, Gas or . 6-9-78	Dry noie)	DL y MOL	19
	Application for	plugging filed	6-	9-78		19
	Application for	plugging meu nlugging annrove	м 6-	9-78		19
	Plugging comme	enced	6-	9-78		19
i i	Plugging comple	eted	6-	9-78		19
· — —						
	If a producing	well is abandone	d, date of last	production_		19
	Was permission	obtained from	the Conservat	tion Division	or its agents be	fore plugging was com-
Locate well correctly on above Section Plat	menced?					
Section Plat one of Conservation Agent who su	pervised plugging of this	s well	Billo	wens	m . 1 p . 1	C 777 1) 17A
ducing formation			Bottom_		. Total Depth o	r weurect
w depth and thickness of all wat	er, oil and gas formation	ıs.				
OIL, GAS OR WATER RECO	RDS					CASING RECORD
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED QUT
TOWN THE T			· · ·			
		<u> </u>			 	
Describe in detail the manner introducing it into the hole. If o	in which the well was perment or other plugs we	plugged, indication ere used, state th	ng where the e character of	mud fluid was same and de	piaced and the oth placed, from	feet to
Describe in detail the manner introducing it into the hole. If confect for each plug	ement or other plugs we	plugged, indicating ere used, state the	ng where the e character of	mud fluid was	pth placed, from	feet to
introducing it into the hole. If of feet for each plug	g @ 600 w/50 sag	ere used, state th	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If continuous feet for each plug	g @ 600 w/50 sag g @ 360 w/40 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	oth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If continuous feet for each plughter feet feet for each plughter feet feet feet feet feet feet feet f	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag	cks	e character of	same and de	pth placed, from	feet to
introducing it into the hole. If continuous feet for each plug the last Plug 2nd Plug 3rd Plug 3rd Plug	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag n Rat Hole	cks	e character of	same and dep	pth placed, from	feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag n Rat Hole	cks cks cks cks	e character of	same and dep	The placed, from	feet to
introducing it into the hole. If of feet for each plug lst Plu 2nd Plu 3rd Plu 3200 i	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag n Rat Hole	cks cks cks	e character of	same and dep	pth placed, from	feet to
introducing it into the hole. If of feet for each plug lst Plug 2nd Plug 3rd Plug 3200 i	g @ 600 w/50 sag g @ 360 w/40 sag g 40 w/12 sag n Rat Hole	cks cks cks cks	e character of	same and dep	The placed, from	feet to
introducing it into the hole. If of feet for each plug lst Plug 2nd Plug 3rd Plug 3200 i	g @ 600 w/50 sag g @ 360 w/40 sag g & 40 w/12 sag n Rat Hole (If additional Gabbee 830 S	cks cks cks cks cks custon place	e character of ssary, use BACK Inc. Wichi dgwick	of this sheet)	1 9 1078 NATION DIVISION DIVISIONI DIVI	Feet to
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu 3200 i TATE OF Kansas ell, being fire duly sworn on oat	cement or other plugs were a set. g @ 600 w/50 sad g @ 360 w/40 sad g 40 w/12 sad n Rat Hole (If additional Gabbe 830 S	cks cks cks cks cks cks clusteription is neces crt-Jones, cutton Place UNTY OF Service Consideration of the cutton	ssary, use BACK Inc. Wichi dgwick employee of a	of this sheet) ta, Ks.	oth placed, from	r) of the above-described
introducing it into the hole. If of feet for each plug lst Plu 2nd Plu 3rd Plu 3200 i	cement or other plugs were a set. g @ 600 w/50 sad g @ 360 w/40 sad g 40 w/12 sad n Rat Hole (If additional Gabbe 830 S	cks cks cks cks cks cks clusteription is neces crt-Jones, cutton Place UNTY OF Service Consideration of the cutton	ssary, use BACK Inc. Wichi dgwick employee of a	of this sheet) ta, Ks.	oth placed, from	r) of the above-described
ame of Plugging Contractorddress	cement or other plugs were a set. g @ 600 w/50 sad g @ 360 w/40 sad g 40 w/12 sad n Rat Hole (If additional Gabbe 830 S	al description is necessary of Land Correct. So	ssary, use BACK Inc. Wichi dgwick employee of a	of this sheet) ta, Ks.	oth placed, from	r) of the above-described ained and the log of the
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu 3200 i TATE OF Kansas ell, being fire duly sworn on oat	cement or other plugs were a set. g @ 600 w/50 sad g @ 360 w/40 sad g 40 w/12 sad n Rat Hole (If additional Gabbe 830 S	al description is necessary of Land Correct. So	ssary, use BACK Inc. Wichi dgwick employee of a	of this sheet) ta, Ks.	oth placed, from	r) of the above-described ained and the log of the
introducing it into the hole. If of feet for each plug 1st Plu 2nd Plu 3rd Plu 3200 i TATE OF Kansas ell, being fire duly sworn on oat	cement or other plugs were a set. g @ 600 w/50 sag @ 360 w/40 sag g 40 w/12 sag n Rat. Hole (If additional Gabbe 830 S, CO) Jack West, says: That I have be that the same are true a	al description is necessary of Land Correct. So	ssary, use BACK Inc. Wichi dgwick employee of cats, statement	of this sheet) ta, Ks.	oth placed, from 1 9 1978 WATER DIVISION 67202 58. where or operator ters herein cont (Address)	r) of the above-described ained and the log of the
Ist Plu 2nd Plu 2nd Plu 3rd Plu 3rd Plu 3200 i	cement or other plugs were a set. g @ 600 w/50 sag @ 360 w/40 sag g 40 w/12 sag n Rat. Hole (If additional Gabbe 830 S, CO) Jack West, says: That I have be that the same are true a	cks cks cks cks cks cks cls cks cls cks cks cls cks cls cks cks cks cks cks cks cks cks cks ck	ssary, use BACK Inc. Wichi dgwick employee of cats, statement	of this sheet) ta, Ks.	oth placed, from	r) of the above-described ained and the log of the





November 17, 2010

John R. Kinney Strata Exploration, Inc. PO BOX 401 FAIRFIELD, IL 62837-0401

Re: Drilling Pit Application Unruh 2-33 NW/4 Sec.33-27S-18W Kiowa County, Kansas

Dear John R. Kinney:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.