CORNISH

WIRELINE SERVICES, INC.
P.O. DRAWER H
CHANUTE, KANSAS
PHONE 431-9308

RADIOACTIVITY LOG

FILING NO. Thank you!

COMPANY R.V.L. Operating, Inc.
WELL DeRemand #4
FIELD
COUNTY CQ STATE KS

LOCATION: 2315 N & 1143 W of SE Corner
SEC 15 TWP 34s RGE 12E

OTHER SERVICES: Ver

PERMANENT DATUM: G.L. ELEV. N/A
LOG MEASURED FROM: G.L. FT. ABOVE PERM. DATUM
DRILLING MEASURED FROM: G.L.

ELEV.: K.B.
D.F.
G.L.

DATE	9-24-91	
RUN NO.	I-ONE	
TYPE LOG	GR/NEU	
DEPTH—DRILLER	992.0	
DEPTH—LOGGER	986.2	
BOTTOM LOGGED INTERVAL	985.2	
TOP LOGGED INTERVAL	400.0	
TYPE FLUID IN HOLE	Water	
SALINITY, PPM Cl.		
DENSITY		
LEVEL	Full	
MAX. REC. TEMP., DEG. F.		
OPERATING RIG TIME		
RECORDED BY	L. Kymes	
WITNESSED BY	W. Greena	

FIELD PRINT

RUN NO.	BORE-HOLE RECORD BIT	FROM	TO	CASING RECORD SIZE	WGT.	FROM	TO
				4½		0	992.0

THIS HEADING AND LOG CONFORMS TO API RP 33

FIELD SHEET

EQUIPMENT DATA

GAMMA RAY

SCIN. NO.	
BOREHOLE NO.	
COUNTER	
COUNTER CHASSIS NO.	
SHIELD TYPE	
SHIELD	
DISTANCE TO S. SOURCE	

NEUTRON

TOP NO.	
LOG TYPE	
TOOL MODEL NO.	
COUNTER	
DETECTOR MODEL NO.	
TYPE	
LENGTH	
COUNTER NO.	
SERIAL NO.	
KV.	
STRENGTH	

GENERAL

SHIELD NO.	
SHIELD MODEL NO.	
TOOL SERIAL NO.	

LOGGING DATA

GENERAL

RUN NO.	DEPTHS FROM	TO	SPEED FT/MIN	T.C. SEC.	RANGE SETTINGS

GAMMA RAY

ZERO DIV.	ON	↓
ZERO DIV.	ON	↓

NEUTRON

T.C. SEC.	RANGE SETTINGS	

GAMMA RAY

DATUM AND CASING COLLAR

API UNITS

NEUTRON

API UNITS

ATTENTION: LITHOLOGY

REMARKS

EQUIPMENT


GAMMA RAY
API UNITS
DEPTH AND CASING COLLARS
NEUTRON
API UNITS
400
450
500
550


550
570
600
650
700
750
800


800
850
900
950
1000