

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1046711

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

. month	day year	Spot Description:
monur	uay year	Sec Twp S. R [E [] \
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
.ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
	e:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Cla	lass: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Inf	field Mud Rotary	Water well within one-quarter mile:
Gas Storage Po	ool Ext. Air Rotary	Public water supply well within one mile:
	'ildcat Cable	,
	ther	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well information as	: follows:	Surface Pipe by Alternate: I I II
ii ovvvo. old well illioi mation as	ionows.	Length of Surface Pipe Planned to be set:
· · · · · · · · · · · · · · · · · · ·		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
	O Vos No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbor		Well Farm Pond Other:
f Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
(CC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that the		FIDAVIT Jaging of this well will comply with K.S.A. 55 et. sea.
-	ne drilling, completion and eventual pl	FIDAVII ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum	e drilling, completion and eventual pl requirements will be met:	
is agreed that the following minimum 1. Notify the appropriate district office	ne drilling, completion and eventual pl requirements will be met: ice <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of 	ne drilling, completion and eventual plane requirements will be met: ice prior to spudding of well; intent to drill shall be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface 	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> set	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the dist	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement of the appropriate district office will	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distribution of the plug is either plug	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Ea 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Eamoust be completed within 30 day Submitted Electronically	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day UDMitted Electronically For KCC Use ONLY	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set to underlying formation. The drilling rig remaisses the underlying formation. The drilling rig; The dril
1. Notify the appropriate district office. 2. A copy of the approved notice of a The minimum amount of surface through all unconsolidated mater. 4. If the well is dry hole, an agreem. 5. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 1. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 2. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 3. The minimum amount of surface will be districted and the well appropriate distriction. 4. If the well is dry hole, an agreem. 5. The appropriate district office will be districted and the well appropriate distriction. 5. The minimum amount of surface through a propriate distriction. 5. The appropriate district office will be districted and the well appropriate distriction. 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day. 4. If the well is dry hole, an agreem. 5. The appropriate district office will be districted and the well appropriate distriction. 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day. 6. If an ALTERNATE II COMPLETIC OR DISTRICT OR DISTR	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distance of the plug on the plug on the plug on the plug on the spuddate or the well shall be set of the spuddate or the well shall be set of the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate.	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; The drilling cement to the top; in all cases surface pipe shall be set e underlying formation. The drilling rig; The drilling
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office. 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	An drilling rig; The drilling r
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Earn must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will on the appropriate district office will or pursuant to Appendix "B" - Earn must be completed within 30 day **Domitted Electronically** For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	ne drilling, completion and eventual plane requirements will be met: lice prior to spudding of well; lice prior to spudding of well, lice prior to spudding of	An drilling rig; The drilling r

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1250 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 046711

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
☐ Emergency Pit ☐ Burn Pit ☐ Proposed ☐ Settling Pit ☐ Drilling Pit If Existing, date constr		Existing	SecTwp R
		nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes N	No	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits
	om ground level to dee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	her·	Permi	t Date: Lease Inspection: Yes No


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this	
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1	
Submitted Electronically		



+ GAS Engine; no electric lines

Ziegler Trust #2-3/

Amended location to

1250 FSL + 2120 FEL

Sec' 31 - 125 - 3/W

Gove Co., HS

11/8/10

Summary of Changes

Lease Name and Number: Ziegler Trust 2-31

API/Permit #: 15-063-21875-00-00

Doc ID: 1046711

Correction Number: 1

Approved By: Rick Hestermann 11/01/2010

Field Name	Previous Value	New Value
Contractor Name	Advise on ACO-1 Must be licensed by KCC	Advise on ACO-1 Must be licensed by KCC
ElevationPDF	2961 Estimated	2966 Estimated
Feet to Nearest Water Well Within One-Mile of Pit	1502	2019
Ground Surface Elevation	2961	2966
KCC Only - Date Received	11/01/2010	11/08/2010
KCC Only - Regular Section Quarter Calls	SW SE	NE NW SW SE
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=31&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=31&t
Number of Feet East or West From Section Line	1980	2120
Number of Feet East or West From Section Line	1980	2120
Number of Feet North or South From Section Line	660	1250

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section	660	1250
Line Quarter Call 3		NW
Quarter Call 3		NW
Quarter Call 4 - Smallest		NE
Quarter Call 4 - Smallest		NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 46030	//kcc/detail/operatorE ditDetail.cfm?docID=10 46711

Summary of Attachments

Lease Name and Number: Ziegler Trust 2-31

API: 15-063-21875-00-00

Doc ID: 1046711

Correction Number: 1

Approved By: Rick Hestermann 11/01/2010

Attachment Name

Ziegler Trust #2-31 Tank Battery Alternate Location