

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1047370

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [ E [ ] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual of	ugging of this well will comply with K.S.A. 55 et. seq.
The anactorighted hereby annimo that the drining, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
	h drilling rig;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> .	by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the distriction.  4. If the well is dry hole, an agreement between the operator and the distriction.	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i>:         through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	reby circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	reby circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> : through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	reby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the spud date or the spud date or the well shall be supported to the spud date or the sp	representation of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b  UDMITTED Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Cartify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

-								veii: Cou		
:						_			feet from N / S Line of Section	
lumber:									feet from E / W Line of Section	
						_ `	SecTwpS. R L E L W			
er of Acres attr	ibutable to	well:							ulan an III lana sulan	
QTR/QTR/QTR						— I	Section:	Regu	ular or Irregular	
2110 2110 2111	or doroug	o				_				
									r, locate well from nearest corner boundary.	
						5	ection corr	er used:	NE NW SE SW	
						PLAT				
SI	how locatio	n of the w	all Shows	footage to	the near		or unit hou	ndary lina	Show the predicted locations of	
				_				-		
lease roa	ias, tank ba	atteries, pi	peiines and				-		ce Owner Notice Act (House Bill 2032).	
				You m	ay attach	a separa	te plat if de	sired.		
								_		
	:	:	:		:	:	:			
	:	:							LEGEND	
	:	:	:		:	:	:		LLOLIND	
		:				:		1	O Well Location	
	:	:	:			:			Tank Battery Location	
	:	:	:		:	:	:			
•••••		• • • • • • • • • • • • • • • • • • • •		•••••		• • • • • • • •		·	Pipeline Location	
	:	:	:			:			Electric Line Location	
	•		:	ł	:				Lease Road Location	
	:	:	:		:	;				
			: 		:	·				
	: :	: 	:  :	•••••	: :	:				
			:	•••••	:	:			EVANDUE : :	
				•••••	:				EXAMPLE	
					:	:			EXAMPLE :	
			4		: : : : :	: : : :			EXAMPLE	
					: : : : : : : : : : : : : : : :			_		
									1980' FSL	
							φ-	330		
							0-	330	1980' FSL	
							0-	_ 330	1980' FSL	
							0-	_ 330	1980' FSL	

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

960 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
are preliminary non-binding estimates. The locations may be entered on Select one of the following:  ☐ I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, an ☐ I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling for the surface of the surface own task, I acknowledge that I am being charged a \$30.00 handling for the surface own task, I acknowledge that I am being charged a \$30.00 handling for the surface own task.	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address.  cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this			
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1  Submitted Electronically				
r				

# **Summary of Changes**

Lease Name and Number: STITHEM 1-4

API/Permit #: 15-195-22691-00-00

Doc ID: 1047370

Correction Number: 1

Approved By: Rick Hestermann 11/23/2010

Field Name	Previous Value	New Value
Contractor License Number		33575
Contractor Name	Advise on ACO-1 Must be licensed by KCC	WW Drilling, LLC
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 47333	//kcc/detail/operatorE ditDetail.cfm?docID=10 47370