



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.  
P.O. Box 129  
Liberal, Kansas 67905  
Phone 620-624-2277

FIELD SERVICE TICKET  
1717 00903 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB 7-31-10 8-1-10	DISTRICT 1717	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:	
CUSTOMER Oxy USA		LEASE Baker C #1		WELL NO.				
ADDRESS		COUNTY Morton		STATE KS				
CITY		STATE		SERVICE CREW R Cox, M. Stegman				
AUTHORIZED BY J. Bennett		JOB TYPE: 242-5/2 Production						
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE 8-31-10	AM 6:00
19816	4					ARRIVED AT JOB	7-31-10	AM 9:30
21462	4					START OPERATION	8-1-10	PM 6:30
19828	2					FINISH OPERATION		PM 9:30
19883	2					RELEASED		PM 10:00
						MILES FROM STATION TO WELL	50 mi	

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: M. W. J.  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL101	A-CON	sk	130		2418 00
CL104	50/50 POZ	sk	130		1430 00
CC124	FCA-115	lb	66		990 00
CC109	Calcium Chloride		246		258 30
CC113	Gal-set		550		412 50
CC111	Salt		728		364 00
CC201	Gilsonite		655		438 85
CC107	Defoamer		28		196 00
CC102	Cellulose		31		114 70
CC130	C-51		25		625 00
CF1451	5/2 Flapper Type Insert	ea	1		215 00
CF251	Regular Guide Shoe		1		250 00
CF1651	Turbolizer		20		2200 00
CF501	Stop Ring		1		40 00
CF103	Top Rubber Plug		1		105 00
CC155	Superflush	gal	500		765 00
SUB TOTAL					\$10,649.49

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE <u>Shel Owen</u>	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: <u>M. W. J.</u>
--	--

(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.



Customer <b>Oxy USA</b>	Lease No.	Date <b>7-31-10</b> <b>8-1-10</b>
Lease <b>Baker C</b>	Well # <b>1</b>	
Field Order # <b>00903</b>	Station <b>Liberal, KS-177</b>	Casing " # <b>5 1/2 177</b>
Type Job <b>242-5 1/2 Production</b>	Depth <b>6084'</b>	County <b>Morton</b>
	Formation	State <b>KS</b>
		Legal Description <b>29-32-39</b>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME		
Casing Size <b>5 1/2 177</b>	Tubing Size	Shots/Ft		Acid <b>130 sks A-Con</b>	RATE	PRESS	ISIP	
Depth <b>6084'</b>	Depth	From	To	Pre Pad <b>130 sks 50/50 Poz</b>	Max		5 Min.	
Volume <b>140 bbls</b>	Volume	From	To	Pad	Min		10 Min.	
Max Press <b>2000 #</b>	Max Press	From	To	Frac	Avg		15 Min.	
Well Connection	Annulus Vol.	From	To		HHP Used		Annulus Pressure	
Plug Depth	Packer Depth	From	To	Flush <b>fresh</b>	Gas Volume		Total Load	

Customer Representative <b>C. Wylie</b>	Station Manager <b>J. Bennett</b>	Treater <b>A. Olvera</b>
Service Units <b>19816 27462 19878 19883</b>		
Driver Names <b>A. Olvera R. Cox M. Stegmann</b>		

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
9:30	7-31-10				on loc-site assesment (highly depi)
9:35	"				spot trucks - rig up
1:00	8-1-10				start csg + float equip
5:00					csg on btm, break circ 1/2 hr,
6:00					safety meeting
6:30					switched over to cmtt lines
7:20					pressure test lines 3500#
7:21	250		5	3	pump 5 bbl H <sub>2</sub> O spacer
7:23	250		12	3	pump 12 bbl (500 gal) superflush
7:29	250		5	3	pump 5 bbl H <sub>2</sub> O spacer
7:31	50		12	3	mix + pump 850 sks for rat r mouse hole
7:35	250		44.7	5	mix + pump 80 sks A-Con w/ 2%cc 1/4# Cellflake, .2% WCA-1 3.14 ft <sup>3</sup> /sk, 19.53 gal/sk @ 11.2 app
7:45	150		35.2	5	switch to tail cmt 50/50 Poz 5%W-60 10% Salt, 6% C-15 1/4# Deformer, 5# Gilsomir 1.52 ft <sup>3</sup> /sk, 6.67 gal/sk @ 13.8 app
8:20					drop plug, wash lines
8:25	0		0	6	disp csg
9:00	1300		139.2	0	land plug, float held