

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	·	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:
	топт аау	year	Sec Twp S. R E W
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State: Zip:	+	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
Name:			
			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh R	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:
Dispo	sal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# c	f Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
[	!f		Surface Pipe by Alternate: III
If OVVVVO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Da	te: Original 1	Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho	izontal wellbore?	Yes No	Well Farm Pond Other:
·			DWR Permit #:
			( <b>Note:</b> Apply for Permit with DWR )
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		٨٥	FIDAVIT
	affirms that the drilling co		ugging of this well will comply with K.S.A. 55 et. seq.
The lindergianed hereby:	_		igging of this well will comply with N.S.A. 33 et. seq.
		s will be met:	
It is agreed that the follow			
It is agreed that the follow  1. Notify the appropria	ate district office <i>prior</i> to s		
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro	ate district office <i>prior</i> to soved notice of intent to drill	I shall be posted on each	<b>0</b> 0,
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ate district office <b>prior</b> to solved notice of intent to drill unt of surface pipe as specific	I <b>shall be</b> posted on each cified below <b>shall be set</b>	by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amount through all unconsor	ate district office <b>prior</b> to soved notice of intent to drill unt of surface pipe as specificated materials plus a m	I shall be posted on each cified below shall be set ninimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hole	ate district office <b>prior</b> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between	I shall be posted on each cified below shall be set ninimum of 20 feet into the the operator and the dis	by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounthrough all unconso  4. If the well is dry hol  5. The appropriate dis	ate district office <b>prior</b> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified	I shall be posted on each cified below shall be set in the set in the operator and the dis before well is either plugger.	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ;
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I  Or pursuant to App	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as special dated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurious districts of the spurious days of the spurious within surface prior to strict of the spurious days of the spurious within surface prior to sur	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as special dated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurious districts of the spurious control of the spurious within surface of the spurious control of the spurious within surface of the spurious control of the spurious	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as special dated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurious districts of the spurious control of the spurious within surface of the spurious control of the spurious within surface of the spurious control of the spurious	I shall be posted on each cified below shall be set in inimum of 20 feet into the operator and the distribution before well is either pluggon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as special dated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurious districts of the spurious control of the spurious within surface of the spurious control of the spurious within surface of the spurious control of the spurious	I shall be posted on each cified below shall be set in the set in the operator and the dis before well is either plugon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as special dated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurious districts of the spurious control of the spurious within surface of the spurious control of the spurious within surface of the spurious control of the spurious	I shall be posted on each cified below shall be set in the set in the operator and the dis before well is either plugon pipe shall be cemented surface casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as spendidated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spunnically	I shall be posted on each cified below shall be set in shall be set in shall be set in shall be set in the operator and the dispersive well is either pluggon pipe shall be cemented as surface casing order # d date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In thick office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified I COMPLETION, productivendix "B" - Eastern Kansa within 30 days of the spunnically	I shall be posted on each cified below shall be set ninimum of 20 feet into the the operator and the distribution before well is either pluggon pipe shall be cemented as surface casing order # d date or the well shall be the state of the well shall be the feet.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as spendidated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spunnically	I shall be posted on each cified below shall be set ninimum of 20 feet into the the operator and the distribution before well is either pluggon pipe shall be cemented as surface casing order # d date or the well shall be the state of the well shall be the feet.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe required -	ate district office <i>prior</i> to soved notice of intent to drill unt of surface pipe as specificated materials plus a me, an agreement between strict office will be notified I COMPLETION, productivendix "B" - Eastern Kansa within 30 days of the spunnically	I shall be posted on each cified below shall be set in the operator and the distribution before well is either pluggon pipe shall be cemented as surface casing order # d date or the well shall be feet feet feet per ALT.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe required -	ate district office <i>prior</i> to solved notice of intent to drill unt of surface pipe as specialidated materials plus a me, an agreement between strict office will be notified I COMPLETION, production endix "B" - Eastern Kansa within 30 days of the spurior of the	I shall be posted on each cified below shall be set in the operator and the distribution before well is either pluggon pipe shall be cemented as surface casing order # d date or the well shall be feet feet feet per ALT.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from N / S Line of Section feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 2970 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bb		SecTwp R
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.			ncluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inform	owest fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

# **Summary of Changes**

Lease Name and Number: Vosburgh 1-2

API/Permit #: 15-185-23657-00-00

Doc ID: 1047944

Correction Number: 1

Approved By: Rick Hestermann 12/09/2010

Field Name	Previous Value	New Value
Contractor License Number	5929	4958
Contractor Name	Duke Drilling Co., Inc.	Mallard, J. V., Inc.
KCC Only - Approved By	Rick Hestermann 12/07/2010	Rick Hestermann 12/09/2010
KCC Only - Approved Date	12/07/2010	12/09/2010
KCC Only - Date Received	12/07/2010	12/09/2010
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 47703	//kcc/detail/operatorE ditDetail.cfm?docID=10 47944