

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1048289

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	Sec Twp S. R E \
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: State: Zip: +	County:
contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
oirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ΔΕ	FIDAVIT
	gaing of this well will comply with K.S.A. 55 et. seg.
he undersigned hereby affirms that the drilling, completion and eventual plu	agging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	agging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	n drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as the company of the well is dry hole, an agreement between the operator and the distance of the company of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be surface pipe as specified below shall b	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface propriate district office will be notified before well is either pluggers.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the proved and the series of the proved and the series of the well is dry hole, an agreement between the operator and the dis the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. crict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the provided half the well is dry hole, an agreement between the operator and the diserval of the propriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the provided interval of the posted on the posted on the interval of the posted of	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the posted on the interval of the interval of the posted on each and the interval of the posted on the interval of the posted on the interval of the posted on the interval of the posted	In drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. The production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the posted on the interval of the interval of the posted on each and the interval of the posted on the interval of the posted on the interval of the posted on the interval of the posted	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. In this production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It is to office on plug length and placement is necessary prior to plugging; It is deed or production casing is cemented in; If it is defined below any usable water to surface within 120 DAYS of spud date. If it is a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the state of the posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the well is dry hole, an agreement between the operator and the disest of the appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be appropriate to the interval of the spud date or the well shall be appropriated before the well shall be appropriated by the posted of the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the well shall be appropriated by the spud date or the s	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the district office prior and the district office of the properties of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15 -	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted on each and the sum of the posted on each and the posted on the posted of the posted on the	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the surface of the second pipe shall be set by circulating cement to the second pipe shall be set by circulating cement to plugging; by circulating cases of plugging; by circulating to plugging; by circulating to plugging; by circulating cement to the set by circulating cement to the set by circulating cement to plugging; by circulating cement to the set of
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggenerated. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the district of the spud date or the well shall be about the spud date or the well shall be about the district of the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the well shall be about the spud date or the s	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the district of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically. **Torricle Only** **Por KCC Use ONLY** API # 15	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard interest of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically. **Description**	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **Por KCC Use ONLY** API # 15 - Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the control of the control
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Side Two



1980' FSL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							_ Loc	cation of W	/ell: Count	ty:			
Lease:										feet	from N	√ S Line	e of Section
										feet	from	E / W Line	e of Section
Well Number:									. R		W		
rieia.							_ 36	U	IWP	S.	. N		vv
Number of	Acres attri	ibutable to	well:				– le 9	Soction:	Pogul	or or	Irrogular		
QTR/QTR/QTR of acreage:				15 (Is Section: Regular or Irregular								
		Ü								11		- (L	
												st corner bour	ndary.
							Se	ction corne	er used:	NE	NW SE	SW	
							PLAT						
	St	now locatio	n of the w	ell. Show i	footage to	the neare:	st lease or	unit bound	darv line. S	Show the pre	edicted locat	ions of	
					•				•			use Bill 2032).	
	10000 100	ao, tarin bi	, pi	pomioo an				plat if des		o who ho	1100 7101 (1101	200 Dili 2002).	
					TOU THE	ay allacii c	зерагате	piat ii uesi	reu.				
									1				
		:	:	:			:	:					
		:	:	:			:	:			LEGEN)	
		•	•	•			:	•		0	Well Loca	ation	
		:	:	:			:				Tank Batt	ery Location	
		:	:	:			:					-	
	•••••	• • • • • • •	• • • • • • • • •		••••		• • • • • • • • • • • • • • • • • • • •				 Pipeline L 	-ocation	
		:	:	:			:	:			 Electric Li 	ine Location	
			:	:			:				- Loono Po	ad Location	
		:	:	:			:				Lease Ru	au Localion	
	•••••				•••••		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •					
		:	:	:	:		:	:					
		:					:		_				7
		:								EXAMPLE	:	:	
		•	•			-		•		:	:	:	
		:					:			:	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

335 ft.

1100 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1048289

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date cor Pit capacity: rea? Yes Artificial Liner?	Existing instructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l				
Yes No		lo	·				
Pit dimensions (all but working pits): Depth fro	Length (fee						
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining scluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS							
Date Received: Permit Numl	her:	Parmi	t Date: Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

1048289

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)							
OPERATOR: License #	Well Location:							
Name:	SecTwpS. R East							
Address 1:	County:							
Address 2:	Lease Name: Well #:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of							
Contact Person:	the lease below:							
Phone: () Fax: ()								
Email Address:								
Surface Owner Information:								
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional							
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the							
Address 2:	county, and in the real estate property tax records of the county treasurer.							
City:								
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.							
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this							
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1							
Submitted Electronically								




AUTHORIZED BY:

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159



PLAT NO. Cell: (620) 272-1499 Murfin Drilling Company Inc. **DFT #3-1** OPERATOR LEASE NAME Logan County, KS 335' FSL - 1100' FEL <u>13s</u> 33w LOCATION SPOT COUNTY Sec. Twp. Rng. GR. ELEVATION: 3048.6' 1"=1000' SCALE: Nov. 23rd, 2010 DATE STAKED: **Directions:** From the SE corner of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 11 miles Luke R. MEASURED BY: South on Hwy 83 - Now go 4 miles West on Seneca to the NE Luke R. DRAWN BY:

This drawing does not constitute a monumented survey or a land survey plat

f112910-x

This drawing is for construction purposes only

Shauna G.

corner of section 1-13s-33w - Now go 1 mile South on 400 Rd -Now go 0.1 mile West on Rawhide to ingress stake NW into -

Now go approx. 550' NW through wheat into staked location. Final ingress must be verified with land owner or Operator

36 T 12 S 31 Seneca (gravel) T 13 S corn stabble R R 33 32 W W transmission line single phase powerline $100\,\mathrm{Rd}$ 390 Rd (gravel) (gravel) DFT #3-1 335' FSL - 1100' FEL 3048.6' = gr. elev. at staked loc.US NAD 83 Lat. =N38° 56' 45,52825" Tank Long. =\V100 ' 55' 46.514994" Battery I staked location with 7' wood (painted orange & blue) and t-post Location falls in wheat While standing at staked location looking approx 150' in all direction loc. has 1' to 3' bunds pasture #2-1 wheat terrace is 97.1' SW ingress stake of staked loc. 2 1 11 opt ingress 7 12 wheat




Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Murfin Drilling Company Inc.

f112910-x

DFT #3-1

LEASE NAME

Logan County, KS 13s33w Sec. Twp.

335' FSL - 1100' FEL

LOCATION SPOT

1"=1000' SCALE: Nov. 23rd, 2010 DATE STAKED: Luke R. MEASURED BY: Luke R. DRAWN BY: Shauna G. AUTHORIZED BY:

COUNTY

This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 3048.6'

Directions: From the SE corner of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 11 miles South on Hwy 83 - Now go 4 miles West on Seneca to the NE corner of section 1-13s-33w - Now go 1 mile South on 400 Rd -Now go 0.1 mile West on Rawhide to ingress stake NW into -Now go approx. 550' NW through wheat into staked location. Final ingress must be verified with land owner or Operator

