

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R E W
OPERATOR: License#	(0/0/0/0) foot from N / S Line of Section
Name:	foot from E / W Line of Continu
Address 1:	L OFOTION D L D L O
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	
CONTRACTOR: License#	Field Name:
Name:	is also a restalled reputation.
variie.	Target Formation(s):
Well Drilled For: Well Class: Type Equip	
Oil Enh Rec Infield Mud I	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Ro	otary Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes Ves
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : . IT . ID
Original Completion Date: Original Total Depth	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	If Yes, proposed zone:
The condensioned beauty officers that the drilling accompletion	AFFIDAVIT
	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be n	net:
1. Notify the appropriate district office <i>prior</i> to spudding of	of well;
2. A copy of the approved notice of intent to drill shall be	
3. The minimum amount of surface pipe as specified belo	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified belothrough all unconsolidated materials plus a minimum of 	bw shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation.	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation.5. The appropriate district office will be notified before we	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before well in an ALTERNATE II COMPLETION, production pipe shapes of the production of	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate of the surface of the production pipe should be producted before the production of the producti	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to a like the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe should be provided by the control of the provided before the control of the provided before the control of the provided by the provided by the provided before the provided by the	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate of the surface of the production pipe should be producted before the production of the producti	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to the surface of the appropriate of the surface of the surfac	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before were found in the surface of the properties of the properties of the well as the well as the well as the properties of the well as the well	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand of the appropriate district office will be notified before were found to the surface of the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe story of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the surface of the surfa	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; will is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, an agreement between the operand of	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and the operand of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, and the operand of the op	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well of the appropriate district office will be notified before well of an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the specified of the spe	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well of the appropriate district office will be notified before well of the specified with the specified of the specified within 30 days of the spud date of the specified of the	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; which is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. In all be cased as a plugged. In all cases, NOTIFY district office prior to any cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified below through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the appropriate district office will be notified before well appropriate district office will be notified bef	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well of an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the spud date or the specified within 30 days of the specified withi	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plug to the Korn plught of the CP-4) after plugging is completed (within 60 days); - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified belot through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well to the appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well to the provided before well be notified before well of the specified before well of the specified before well of the specified of the specified of the specified within 30 days of the spud date or the specified of	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plua to the Konsas Pion of Act (KSOna) in South Pion (File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plua taccording to sompleted (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ___

Lease:										feet from	N /	S Line	of Section
Well Numb	oer:									feet from	E /	W Line	of Section
Field:							_ Se	C	Twp	_S. R		E	W
							15	Section:	Regular or	Irregula	r		
								Section is ection corne	Irregular, locate ver used: NE	NW		rner boun SW	dary.
				ipelines an	d electrical	he neares lines, as l	required b		dary line. Show the as Surface Owner ired.				
		:	<u> </u>	:	:		:	:					
					:		· · ·			LEGI	END		
1310 ft.—		·············		:			•	······································	O Well Location Tank Battery Location				
101011.										Electr Lease	ric Line L e Road Lo		
		:		:			: : : :	:	EXAMP	LE :		: : :	
				6						:		:	
		:		:	:			:				:	
										0-7			1980' FSL
		·		·			· · :	·				: : :	
		:		:				:	SEWARD CO) . 3390' FE	L		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1048662

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:				
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County				
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	m ground level to dee	pest point:	(feet) No Pit				
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining icluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	ner:	Parmi	t Date: Line Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

1048662


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License #	Well Location:						
Name:	SecTwpS. R						
Address 1:	County:						
Address 2:	Lease Name: Well #:						
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of						
Contact Person:	the lease below:						
Phone: () Fax: ()							
Email Address:							
Surface Owner Information:							
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional						
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the						
Address 2:	county, and in the real estate property tax records of the county treasurer.						
City: State: Zip:+							
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.						
Select one of the following:							
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this						
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1						
Submitted Electronically	_						







January 03, 2011

Greg Bratton Running Foxes Petroleum Inc. 7060 S TUCSON WAY STE B CENTENNIAL, CO 80112

Re: Drilling Pit Application Cleaver 5-6A-2 NW/4 Sec.06-25S-24E Bourbon County, Kansas

Dear Greg Bratton:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.