



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.  
P.O. Box 129  
Liberal, Kansas 67905  
Phone 620-624-2277

FIELD SERVICE TICKET  
1717 01032 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB: <b>8-26-10</b> DISTRICT: <b>1717</b>	NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.:								
CUSTOMER: <b>Oxy USA</b>	LEASE: <b>Steckel Farms "A"</b> WELL NO. <b>1</b>								
ADDRESS:	COUNTY: <b>Morton</b> STATE: <b>Ks</b>								
CITY: STATE:	SERVICE CREW: <b>Cochran/Olds/R. Chavez</b>								
AUTHORIZED BY:	JOB TYPE: <b>242 5 1/2 L.S.</b>								
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	TIME
21755	12						8-25	AM	18:00
27808	12					ARRIVED AT JOB	8-25	AM	22:00
19553	12					START OPERATION	8-26	AM	09:00
19828	12					FINISH OPERATION	8-26	AM	09:00
19883	12					RELEASED	8-26	AM	10:00
						MILES FROM STATION TO WELL			65

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: C.M. Wyl  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL101	'A-con' Blend	SK	150		2790 00
CL104	50/50 Pot	SK	155		1705 00
CC109	Calcium Chloride	lb	423		444 15
CC102	Celloflake	lb	75		277 50
CC130	C-51	lb	29		725 00
CC113	Gypsum	lb	655		491 25
CC111	Salt	lb	864		432 00
CC107	C-42P	lb	333		264 00
CC124	FIA-115	lb	79		1185 00
CC201	Gilsonite	lb	775		519 25
CF1451	Insert	ea	1		215 00
CF251	Guide shoe	ea	1		250 00
CF1651	Turbolizer	ea	20		2200 00
CF103	Top Plug	ea	1		105 00
CF501	Stop Ring	ea	1		40 00
CC155	Super Flush II	gal	500		765 00
E101	Heavy Equip. Mileage	Mi	50		350 00
CE240	Blending + Mixing Service Chrg.	SK	305		427 00
E113	Bulk Delivery	Tm	340		544 00
SUB TOTAL					10921 74

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE: Michael Cochran THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: C.M. Wyl  
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.



Customer <i>Oxy USA</i>	Lease No.	Date <i>8-25-10</i>
Lease <i>Steckel Farms A</i>	Well # <i>1</i>	
Field Order # <i>17701032</i>	Station <i>Liberal</i>	Casing <i>5 1/2</i>
Type Job <i>292 5 1/2 L.S.</i>	Formation	Depth <i>6196</i>
		County <i>Morton</i>
		State <i>Ks</i>
		Legal Description <i>20-32-39</i>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME	
Casing Size	Tubing Size	Shots/Ft	<i>150sk A-Cori - 3 1/2 C-10</i>	Acid	<i>2 1/2 Cell Make</i>	PRESS	<i>ISIP .27 WCA-1</i>
Depth	Depth	From	<i>2.54 # 1/8" Pre Pad</i>	Pre Pad	<i>13.53 # 1/8" @ 12.2 # 1/8"</i>	Max	<i>5 Min</i>
Volume	Volume	From	<i>15.5 sk 5050 Pol-5 1/2 W-60</i>	Pol	<i>10 # 5 1/4 - 1/4 # Deton</i>	Min	<i>10 Min</i>
Max Press	Max Press	From	<i>.67 C-10</i>	Trac	<i>5 # Wilsonite</i>	Avg	<i>15 Min.</i>
Well Connection	Annulus Vol.	From	<i>1.5 # 1/4 # 1/8" sk</i>	Flush	<i>6.65 # 1/8" @ 13.8 # 1/8"</i>	Min Used	Annulus Pressure
Plug Depth	Packer Depth	From	To	Flush	Gas Volume	Total Load	

Customer Representative <i>C. Wylie</i>	Station Manager <i>J. Bennett</i>	Treater <i>M. Cochran</i>
Service Units <i>21753 21808 19553 19828 19883</i>		
Driver Names <i>Cochran R. Olds R. Chavez</i>		

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
<i>22:00</i>					<i>On Loc. / Held Safety Meeting</i>
<i>23:45</i>					<i>Start Csg</i>
<i>05:00</i>					<i>Csg on bottom / Cir. w Rig</i>
<i>07:20</i>	<i>2500</i>				<i>Test Pump + Lines</i>
<i>07:21</i>	<i>300</i>		<i>5</i>	<i>5</i>	<i>Start fresh H<sub>2</sub>O</i>
<i>07:22</i>	<i>300</i>		<i>12</i>	<i>5</i>	<i>Start Super Flush II</i>
<i>07:25</i>	<i>300</i>		<i>5</i>	<i>5</i>	<i>Start fresh H<sub>2</sub>O</i>
<i>07:26</i>	<i>100</i>		<i>5</i>	<i>3</i>	<i>Shutdown + Plug mouse Hole w/ 25sk</i>
<i>07:29</i>	<i>100</i>		<i>5</i>	<i>3</i>	<i>Switch to rat Hole Plug w/ 25sk</i>
<i>07:35</i>					<i>Switch back to 5 1/2 17" pipe</i>
<i>07:40</i>	<i>200</i>		<i>42</i>	<i>5</i>	<i>Start Lead Cmt 100sk @ 12.2 #</i>
<i>07:55</i>	<i>350</i>		<i>42</i>	<i>5</i>	<i>Start Tail Cmt 155sk @ 13.8 #</i>
<i>08:03</i>					<i>Shutdown + Wash up</i>
<i>08:05</i>					<i>Drop Plug</i>
<i>08:10</i>	<i>100</i>		<i>0</i>	<i>7</i>	<i>Start Disp w/ fresh H<sub>2</sub>O</i>
<i>08:32</i>	<i>150</i>		<i>132</i>	<i>3</i>	<i>Slow Rate</i>
<i>08:34</i>	<i>1500</i>		<i>142</i>	<i>3</i>	<i>Bump Plug</i>
<i>08:35</i>	<i>400</i>				<i>Release / float didn't hold</i>
<i>08:50</i>	<i>950</i>				<i>Shut in</i>
<i>09:00</i>					<i>End Job</i>
	<i>1000</i>				<i>Pressure before Plug/Lead</i>