



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.
P.O. Box 129
Liberal, Kansas 67905
Phone 620-624-2277

FIELD SERVICE TICKET
1717 01077 A

DATE _____ TICKET NO. _____

DATE OF JOB: 9/2/10	DISTRICT: 1717	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:			
CUSTOMER: Oxy USA		LEASE: W.E. Pready		4 WELL NO.						
ADDRESS:		COUNTY: Haskell		STATE: KS						
CITY:		STATE:		SERVICE CREW: Royce, Jose						
AUTHORIZED BY: Tuce Davis IRB		JOB TYPE: 5 1/2 L.S. Z.42								
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	PM	TIME
194866	6.5					ARRIVED AT JOB				4:12
30463	6.5					START OPERATION				8:15
194843	6.5					FINISH OPERATION				9:41
14354	6.5					RELEASED				10:30
19578	6.5					MILES FROM STATION TO WELL				

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *[Signature]*
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL101	A-Con Blend	SK	150		2790.00
CL104	50/50 Poz	SK	210		2310.00
CC113	Gypsum	lb	485		663.75
CC111	Salt	lb	1146		573.00
CC124	FLA-115	lb	107		1605.00
CC107	C-42 P.	lb	45		360.00
CC207	Gilsonite	lb	1047		701.49
CC130	C-51	lb	29		125.00
CC102	Celloflake	lb	38		140.60
CC109	Calcium Chloride	lb	282		296.10
CF1451	Flapper Float Valve 5 1/2	EA	1		215.00
CF1451	Turbolizer 5 1/2	EA	35		3850.00
CF103	Top Rubber Plug 5 1/2	EA	1		105.00
CF251	Guide shoe 5 1/2	EA	1		250.00
CF501	5 1/2 Stop Ring	EA	1		40.00
CC155	Super Flush II	gal	500		765.00
E101	Heavy Equip Mileage	mi	100		700.00
CE240	Blending & mixing Charge	SK	360		504.00
E113	Bulk Delivery Charge	fm	795		1272.00

SUB TOTAL 13499.06

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE: <i>Chad Hinz</i>	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: <i>[Signature]</i>
--	--

(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

1104079

Customer <i>Oxy USA</i>	Lease No.	Date <i>9/2/10</i>
Lease <i>W.E. Preedy</i>	Well # <i>4</i>	
Field Order #	Station <i>Liberal</i>	Casing <i>5 1/2</i>
Type Job <i>5 1/2 Longstring Z42</i>	Formation	Depth <i>3575</i>
		County <i>Haskell</i>
		State <i>KS</i>
		Legal Description <i>3-2-29-33</i>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME	
Casing Size <i>5 1/2</i>	Tubing Size	Shots/Ft		Acid <i>100 sk A-Con @ 11.1 #</i>	RATE <i>20.38 gal/sk</i>	PRESS <i>3 1/2 CaCl₂</i>	ISIP <i>14 # Cell/Block</i>
Depth <i>3575</i>	Depth	From	To	Pre Pad <i>325 cuft/sk</i>	Max <i>20.38 gal/sk</i>		5 Min.
Volume <i>127</i>	Volume	From	To	Pad <i>570 sk 50/50 post @ 13.8 #</i>	Min <i>13.8 # 50/50</i>		70 Min. 10% salt
Max Press <i>1500</i>	Max Press	From	To	Frac <i>10% C-15, 1/4 #</i>	Avg <i>20 gal/sk</i>		15 Min.
Well Connection <i>P.C.</i>	Annulus Vol.	From	To	Flush <i>1.52 cuft/sk</i>	HiHP Used <i>6.63 gal/sk</i>		Annulus Pressure
Plug Depth	Packer Depth	From	To		Gas Volume		Total Load

Customer Representative <i>Wes Williamson</i>	Station Manager <i>Serry Bennett</i>	Treater <i>Chad Hines</i>
Service Units <i>19988 30463 19813</i>		
Driver Names <i>Chavez R Olds J. Martinez</i>		

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
16:12					on loc, spot trucks, Rig up, safety mtg
18:30					Break Circ
20:00					safety mtg w/Rig
20:13	2500	25			Psi test
20:15	100		25	2	Pump H ₂ O spacer
20:17	100		12	3	Pump Super Flush
20:21	100		5	3	Pump H ₂ O spacer
20:23					Plug RTM
20:36	200		0	6	Start mix A-Con @ 11.1 #
20:51	100		58	6	Switch to tail 50/50 post @ 13.8 #
21:01	50		57	6	Finish mixing
21:05					Shutdown, washup, Drop Plug
21:10	0		0	4-6	Start Disp.
21:26	500		48	6	Caught Cement
21:29	600		107	3	Slow Rate.
21:39	1000-1500		127	-	Plug Down
21:41	1500-0				Release Psi float held
					Job Complete
					Thank You
					Chad & Crew